



Cycle Highways in Metro Vancouver, Canada

February 2022

A Case for Their Implementation and Next Steps Toward Their Development in the Region

By Giovanna Lanius-Pascuzzi

Supervisor: Evan Hammer, HUB Cycling
Examiner: Jaco Appelman, Utrecht University



**Utrecht
University**

Report researched and prepared for:

HUB Cycling
312 Main St.
Vancouver, British Columbia
Canada
V6A 2T2

And towards partial fulfillment of the requirements for Bio-Inspired Innovation in Life Sciences at Utrecht University.

Utrecht University
Utrecht
Heidelberglaan 8
3584 CS Utrecht
Netherlands

Acknowledgements

Throughout the research and writing process of this report, I have received support and assistance from numerous individuals along the way. I would like to thank my supervisor Evan Hammer for the guidance, sharing his expertise, and numerous discussions over zoom. I would also like to thank Jaco Appelman and Pauline Krijgsheld at Utrecht University for the support and helping adapt my studies in response to Covid-19.

For helping inform the case studies, I would like to thank:

David Rønnev – Project Manager, The Office of Cycle Superhighways, Denmark

Wim Bot – International Policy Advisor, Fietzersbond, the Netherlands

Sophie Edmondson - Head of Future of Transport Regulatory Review and Programme Office, Department for Transport, United Kingdom

Tim Springer – former Executive Director of the Midtown Greenway Coalition, United States of America

Carolyn Stewart – Park/Trail Planner for the Capital Regional District, Canada

David Cubberley – Politician and former councillor of Saanich, Canada

Denise Savoie – Politician and former Chair of the Greater Victoria Cycling Coalition, Canada

John Luton – Transportation Consultant and former President of the Greater Victoria Cycling Coalition, Canada

For the translation of the Danish cycle superhighways assessment tool into English, I would like to thank Jon Sigvert.

For additional contribution conducting and concluding the GIS Analysis, I would like to thank:

Evan Hammer – Project Manager, HUB Cycling, Canada

Cody Gerow – Statistics and GIS Specialist

For informative discussions and feedback throughout the process, and I would like to thank the Cycle Highways Working Group: Geneviève Bowers, Navdeep Chhina, Gavin Davidson, Lisa Josephson, Paul Kennedy, Erin O'Mellin, and Alex Taciuk.

Cover photo: Bicycle Dutch. (2015). [Photograph of a family cycling along the Rijnwaalpad in the Netherlands]. Retrieved February 3, 2022, from <https://bicycledutch.wordpress.com/2015/09/29/the-f325-fast-cycle-route-arnhem-nijmegen/>

Preface

As someone who has always been fascinated by the natural environment and the diversity of life on this planet, I was drawn to study Bio-Inspired Innovation at Utrecht University. During my studies, I was immersed in biomimicry, systems thinking, and sustainability and applied this thinking into research, design, business, and the urban environment.

With my background in sciences and sustainability, along with systems thinking and biomimicry, I find myself drawn to cycle infrastructure and cycling for mobility. Commuter cycling has numerous systemic-level benefits to society and the ecosystem we live in, including at the health, environmental, and equity-level. These are further explored within this paper. Additionally, increasing cycling as a mode of transport is directly supported by Biomimicry's Life Principles.

Biomimicry is an applied science and interdisciplinary process which helps inspire, inform, and solve human problems in a sustainable and systems sensitive way. At the system level, cycling can be considered to contribute to improving ecosystem functioning and through a web of 'nourishing' interactions. Overall, biomimicry aims to create and foster interactions that fit seamlessly within the larger natural system; when we look within the realm of mobility, cycling is a standout candidate.

Cycling for mobility and the creation of suitable infrastructure to support this mode of transportation aligns with multiple Life's Principles of Biomimicry.³ The Life's Principles together contribute toward the goal and emergent property: 'Life creates conditions conducive to life.'

1. Adapt to changing conditions – Incorporate Diversity

"Systems are not predictable, but even commonplace occurrences in a system are better handled with options."

This principle highlights the value of incorporating diversity by including multiple ways to meet a functional need. Increasing cycle infrastructure and making it a functional travel mode adds resilience to our mobility system.

2. Be Locally Attuned and Responsive – Cultivate Cooperative Relationships

"Mutualisms and commensalisms are interactions between two entities in which at least one party benefits and neither suffers. Many ecosystems are rich with the cooperative relationship between and among organisms."

Here is highlighted the value in cultivating win-win interactions. Though increasing




Figure A: Life's Principles, as outlined by Biomimicry 3.8

³ Biomimicry Resource Handbook: A seed bank of best practices by Dayna Baumeister [2013]

commuter cycling we see numerous benefits including health and environmentally. These benefits effectively translate back to society, such as reduced healthcare costs and clean air.

3. Be Resource Efficient

“Resources used in the creation of an entity (living or non-living) include both the tangible (materials) and intangible (energy and information). [...] Life’s evolved strategies are the optimized balance of meeting needs in the most resource efficient way possible.”

Cycling can be considered one of the most energy efficient forms of transport, does not consume fossil fuels and has a fractional production cost, and is very affordable, comparatively speaking. Employing bikes for transportation alleviate some challenges we face in the mobility sector, including limited fossil fuels and raw materials, along with carbon emissions.

We now require greater reliability and resilience to meet the economic, social, environmental challenges being faced in the 21st century. We see ever increasing pressures of climate change and transportation within urban centres are found to be responsible for a disproportionate amount of CO₂ emissions globally. Biomimicry and systems thinking offer a new perspective to help address these challenges. As increasing cycling within the urban environment can be considered a system-integrated way to support and make human-life more sustainable for the future, I have decided to conclude my studies by investigating cycle infrastructure as impacts cycling modal share.

This following paper was completed for HUB Cycling (Vancouver, Canada). HUB Cycling works with transportation authorities, municipal governments, and the provincial government to improve cycle infrastructure and education across the region. The paper aims to build a case for the future development of cycle highways across the Metro Vancouver region.

Executive Summary

"Cycle highways are the highest quality bike routes, covering long distances (5km+) and providing regional connections between major destinations. They are direct, paved, protected, lit, of ample width, and with intersections prioritizing people cycling. This, along with clear signage, branding, and regular maintenance, ensures cycle highways are safe, comfortable, and easy to use for people of all ages and abilities at all times of the day and year."

The concept of cycle highways was first explored by the Dutch in the 1970's, however, only received notable media attention when London, England opened their first routes in 2010. Now, cycle highways have been implemented in various regions, including, the Netherlands, Denmark, Belgium, London, and parts of Germany. In the Capital Regional District in Denmark, 167km of cycle highways exist and a network of 746km is planned for implementation by 2045. Comparatively, in the Netherlands there is a national goal of developing 675km of cycle highways across the country by 2025.

- **Average trip lengths on cycle highways in Denmark are 11km**
- **On the *Rijnwaalpad* (Netherlands) cyclists ride 16km in under 45 minutes without having to stop once**
- **The first two cycle highway routes implemented in London saw increases in cycling of 83% and 46%**

Oftentimes the implementation of cycle highways is motivated by goals of making cycling a more appealing and competitive transportation mode, reducing climate impacts of the transportation sector, and alleviating congestion. Benefits include improving transportation affordability and enhancing individual and public health.

This report outlines the demand and benefits of cycle highways for the region of Metro Vancouver and gives recommendations to being the process. This report delivers:

- A working two-part definition for cycle highways with relevance to Metro Vancouver
- Recommendations for taking the next steps towards their development in the region
- Suggested routes for consideration to upgrade into cycle highways

Currently, Metro Vancouver faces numerous challenges within the realm of mobility and transportation. These include:

- Population growth, densification, and congestion – congestion leads to losses of \$1.7 billion annually
- Climate Change - Transportation accounts for 45% of greenhouse gas emissions in the region
- Equity - One in three homes spend more than 70% of before tax income on housing and transportation
- Major Events - 1970's Oil Crisis caused for-fold increase in gas prices; Covid-19 induced half of transit users to shift into private car/active transportation

Traffic modelling on the 675km of proposed cycle highway routes in the Netherlands found improved mobility nationally; commuters are estimated to save 3.8 million hours per year and with e-bike usage, 9.4 million hours.

Motivation to address these issues and increase cycling are echoed at the municipal, regional, and provincial level through Transport 2050, Climate 2050, the Metro 2050 Regional Growth Strategy and Context Statements, CleanBC, and various provincial level initiatives. Specifically, Transportation 2050 speaks to implementing 850km of traffic protected bikeways across the region and shares many objectives with cycle highways. Other regions face similar challenges and cycle highways have been implemented successfully with positive results.

The All Ages and Abilities Burrard Street Bridge bike lane sees on average 3,100 people cycling per day and is considered the busiest bike lane in North America.

We have already seen notable developments in bike infrastructure in Metro Vancouver over the past decade – between 2009 and 2019 the regional bikeway kilometers nearly tripled. This has been accompanied by a 35% increase in commuter ridership across the region (2006 to 2016). Cycling is the fastest growing mode of transportation in the region, however, people cycling continue to face barriers, including discomfort with facilities and disjointedness of the network.

However, when looking at the cycle infrastructure network across the region through the lens of accessibility (*i.e.* the comfortable for most network) two things become evident. Firstly, already 65% of the region lies within 400m of a comfortable for most network. Secondly, there are notable gaps in the network’s interconnectivity and just under half of the regional network is considered comfortable for most. This means that people cycling often face variable levels of comfort and risk and must navigate between different infrastructure types, such as from separated bike facilities into vehicle traffic or vice versa. Safety of a region’s cycling facilities is an important gauge of the quality cycle infrastructure, however, fatalities of people cycling have increased within Metro Vancouver over the past decade. In order for cycling to appeal to broad demographics and further grow the number of people cycling across the region, interconnectivity, accessibility, and safety concerns need to be addressed.

41% of people in Metro Vancouver want to cycle more.

Working Two-Part Definition

A working definition for cycle highways was informed by a literature review and include objectives and design characteristics.

The objectives of cycle highways are to provide:

- The highest quality bike routes that protect and prioritize people cycling along the entire route.
- Direct connections between major destinations and a backbone of the regional cycling network
- The ability to maintain consistent speeds and avoid frequent stops
- Safety and comfort for all ages and abilities, day and night, throughout the year
- Connections greater than 5km in length to facilitate long distance and multimodal travel
- Readily identifiable and intuitive routes

Design characteristics of a cycle highways include:

1. **Directness** – aim for the most direct route; reduce and avoid detours.
2. **Longer Lengths** – generally greater than 5km long.
3. **Connections Between Major Destinations** – may include residential, employment, amenities and commercial areas, and education facilities.
4. **Capacity for Speed** – structure and shape allow for higher speeds and speed maintenance.
5. **Mode-Separation and Path Types** – largely mode separated; interventions to limit conflict when not.
6. **Intersection Treatments and Minimal Stops** – minimize stops through intersection treatments.
7. **Consistent and Ample Widths** – allow for passing or riding alongside one another.
8. **Consistent and High-Quality Paving** – smooth and maintained.
9. **Lighting** – appropriate for riding in low-light conditions and at night.
10. **Minimizing and Alleviating Gradients** – avoid steep inclines and prioritize mild grades.
11. **Clear Signage and Branding** – ensures it is readily identifiable and intuitive to use.
12. **Regular Maintenance and Winter Service** – ensures reliability at all times of the year.
13. **Service Stations** – may include bike pumps, drinking water, bike parking.

As cycle highways cross municipal boundaries, it will be crucial for an agreement to be made between stakeholders to ensure successful implementation.

The implementation of cycle highways can be considered desirable, both with respect to directly addressing urban mobility needs and transcending beyond, into health, economic, and equity realms.

Cycle highways contribute to making cycling for transportation accessible, but also, attractive, and appealing, and effectively increase cycling rates. Cycling is associated with improved health, environmental benefits, and economic gains. Health benefits include physical, mental, and social well-being. Health benefits present rather quickly and in diverse segments of the population, including e-bike users and translate to reduced healthcare costs. Environmental benefits of cycling are largely realized from a modal shift away from fossil fuel burning modes of transportation. Economic benefits are realized at the individual and societal level. Cycling is an affordable form of transportation and people who ride bikes stimulate the local economy. Economic benefits are realized through infrastructure as well: bike infrastructure is cheap compared to automobile roads and creates more jobs per dollar spent.

A cost-benefit analysis in Denmark found on their cycle highway network expansion found a 23% rate of return on investment; the single most important factor was associated health benefits.

In Québec 10% of its population is estimated to identify as a cycle tourist and to attract cycle tourism developed La Route Verte (4345km), where people spend \$95.4 million annually.

Cycle tourism is a growing tourism market with significant economic value. For example, on the South Island of New Zealand cycle tourism is associated with a direct expenditure of \$76 million per annum and a total economic output of 160 million, comparable to the cruise ship industry. The economic potential of cycle tourism can also be capitalized on in British Columbia; already \$38 million is realized from mountain bike tourism on the Sea-to-Sky corridor alone. However, to attract wider demographics of cycle tourists, fitting infrastructure must be provided. As the characteristics embodied by cycle highways overlap with those preferred by cycle tourists, an additional opportunity is created via their implementation.

Additionally, e-bikes and micro mobility are quickly growing in Metro Vancouver and warrants their integration into our transportation networks; the Provincial Government is already responding via amending legislation and facilitating e-mobility sharing pilot programs. E-mobility has the potential to address many urban mobility needs and make travelling 15km accessible; this is considered an ideal distance to justify cycle highways. Companies already use bikes for delivery purposes and the City of Vancouver has recently pledged to create an e-bike cargo delivery hub. However, to realize their potential in transportation and accommodate their growth, supporting infrastructure must be provided. Overall, between cycle highways and e-mobility, we see a positively reinforcing and beneficial relationship:

20% of the users on Rijnwaalpad, a cycle highway built in the Netherlands, reported buying an e-bike because of the route.

- Cycle highways incentivise the adoption of e-mobility
- E-mobility adds value to cycle highways, making them accessible to wider segments of the population and increasing travel distances

Lastly, the importance of equity in transportation and cycle infrastructure planning is being increasingly realized. Bicycles, considered a most equitable form of mobility, have the potential to address transportation inequity, however, cannot be successful without supporting infrastructure. Canadian cities, such as Winnipeg and Victoria, have already included equity considerations in their cycle network planning and it is urged that Metro Vancouver do the same. Previous research conducted on bike infrastructure in the City of Vancouver has shown disparities in access, which have been unaddressed by recent investments. An equity-informed design and implementation of cycle highways can contribute and for this reason, equity considerations were included in the GIS analysis included in this report. Greater transportation equity is realized due to facilitating bike use, one of the cheapest

and most accessible transportation modes; Equity in bike infrastructure is contributed by the design of cycle highways: long-distance functional connections of high-quality that are safe and comfortable for a variety of users.

Recommendations for Next Steps

Investigation of cases where cycle highways were successfully implemented (Denmark, the Netherlands, and England) and greenways/trails in North America (United States of America and Canada) has helped inform priorities to begin the process of developing cycle highways in Metro Vancouver. These include:

a. Create a Shared Vision to Guide the Project

Clearly outline the visions and goals of the project. This is important to garner support and receive widespread backing. Visions and goals for implementing cycle highways have included increasing bike modal share in transportation, fostering greater commuter distances travelled by bike, and reducing vehicle traffic and highway congestion.

b. Conduct an Evidence-Led Analysis to Inform the Design of a Network

A proposed network is stronger than individual routes. Ensure that the proposed network and routes are backed by research. Informed decision-making gives the project credibility. Traffic modelling and cost-benefit analyses provide additional support. In Denmark, universities conduct research (*i.e.* traffic flows) informing plans; similar could be done in Metro Vancouver. The Strategic Cycling Analysis (London) clearly outlines an evidence-led approach to cycle highway route planning. This can be used to guide a similar analysis across Metro Vancouver.

c. Connect Interested and Invested Individuals

Individuals who are interested in the creation of cycle highways need to connect with each other. People currently invested in the project should look towards getting more people on board. This helps grow momentum for the project and push a vision. Individual connections may include advocacy groups, interested citizens, politicians, and government employees.

d. Establish a Group to Engage and Host Discussions Between Stakeholders

A group to host discussions and foster collaboration between stakeholders is of utmost importance. This group contributes to establishing a working group, comprised of stakeholders focused on the development of cycle highways across the region. Stakeholders may include municipal, regional, and provincial representatives, transportation authorities, and advocacy groups. Within Metro Vancouver, TransLink and HUB Cycling may be considered to work together to spearhead creating and hosting a collaboration between municipalities.

e. Secure Funding from Higher Levels of Government

Cycle highway projects address regional issues, such as air pollution and traffic congestion, and cross jurisdiction boundaries. Funding from higher levels of government help overcome limitations of municipal budgets. Within British Columbia, the Provincial Government has previously been involved with funding the development of the Galloping Goose and Lochside Regional Trails. A regional cycle highways project in Metro Vancouver should look to the Provincial Government and the Ministry of Transportation and Infrastructure for support and funding.

f. Capitalize on Upgrading Pre-Existing (Bike) Infrastructure

Investments can be made more effective and planning costs can be reduced if routes do not need to be realized from scratch. Pre-existing bike routes with good bike riders are good candidates for upgrading to a cycle highway; this is especially true when considering where to locate pilot routes. What upgrades are required to meet the standard of a cycle highway needs to be conveyed to municipalities clearly to simplify the process.

Suggested Routes for Cycle Highway Upgrades

The GIS analysis conducted aims to serve as a data-informed preliminary analysis to propose favourable routes to consider for future cycle highway construction. Routes across Metro Vancouver were assessed regarding route directness, length, connections to major destinations, gradient, number of intersections and stops, and road type/posted speed limit. Proposed routes and corridors were investigated, as well as querying the software for additional routes of possible interest.

Our analysis concluded that the following should be given consideration to upgrade to cycle highways:

- BC Parkway (plus extension to the Arbutus Greenway)
- BC Parkway
- Route 2: Central Valley Greenway
- Adanac + Francis Union Bikeway (plus extension from Downtown Vancouver to the North Shore)
- Tri-Cities to the North Shore

These proposed routes transcend jurisdiction boundaries, have pre-existing bike infrastructure, and already have people cycling along them. These reasons overlap with the justification for early cycle highway routes in Denmark, the Netherlands, and London, England. In terms of transportation equity, these routes also link disadvantaged areas; of note is the BC Parkway, connecting regions that could benefit to improved transportation such as North Surrey, parts of Burnaby, and the south and east parts of Vancouver. Additionally, the BC Parkway and the Central Valley Greenway also mirror aspects of TransLink's 2018 Major Bikeway Network (MBN) and Adanac + Francis Union Bikeway (plus extension) and Tri-Cities to the North Shore closely follow the updated MBN and anticipated to be adopted in 2022. Municipalities seeking funding for bicycle projects get additional consideration from TransLink when routes are part of the MBN. For the aforementioned reasons, as well as performing well on our ranking scheme, these routes are suggested for consideration for implementing the initial cycle highway routes in the region.

Of additional note is that the results of the cycle highway route analysis found notable overlap with TransLink's MBN and many of the intentions of TransLink's MBN and the goals of cycle highways align. For these reasons, their integration is suggested. For example, TransLink's MBN proposes bike infrastructure route paths across Metro Vancouver, however, how they are implemented could take to form of the high-quality, accessible, and attractive design of cycle highways. In the Netherlands and Denmark both bike infrastructure generally and cycle highways are held to a consistent and high standard. This leads to simplicity of use. Comparatively, London has gone through many iterations of bike network plans, of different standards and under different names, complicating the process. In Metro Vancouver we are already seeing complexity in our bike infrastructure, such as the 'comfortable for most, some, few, and very few' and the 'All Ages and Ability' designations. The connection of the MBN with the high-quality cohesive infrastructure cycle highways is likely to elevate the execution of both and ensure a simplicity in outcome for users across the region.

Table of Contents

I. Introduction	3
II. Metro Vancouver's Demand for Cycle Highways	4
Section Summary	4
A. Metro Vancouver: Regional Challenges and Goals	6
i. Projected Population Growth, Densification, and Congestion	6
ii. Climate Change	7
iii. Equity	7
iv. Major Events	7
v. Transport 2050 and Bike Infrastructure	8
vi. Metro 2050 Regional Context Statements	8
vii. Within the Context of British Columbia	9
B. Metro Vancouver: Current Cycling Conditions	9
i. Regional Ridership levels	10
ii. Route Types and Comfort Levels	10
iii. Cycle Route Network	11
iv. Accident Levels and Safety	14
C. Metro Vancouver: Preferences and Needs of People Cycling	15
i. Background and Connection to Cycle Highways	15
i. Research Findings	16
ii. Bike to Work Week - Survey Responses	20
III. Cycle Highway Definition	22
A. Background	22
B. HUB Cycling Short 'Elevator Pitch' Definition	23
C. Cycle Highway Working Definition	24
D. Cycle Highway Design Characteristics	25
E. Facility Type vs. Route Type	32
IV. How Metro Vancouver Can Benefit from Cycle Highways	32
Section Summary	32
A. Benefits of Cycling	35
i. Health	35
ii. Environmental	36
iii. Economic	37
B. Decision Support Models: Traffic Modelling and Cost-Benefit Analyses	37
i. The National Cycle Highway Network in The Netherlands	37
ii. The 101-km Cycle Highway in Germany	38
iii. Cycle Highway Network in the Capital Region of Denmark	39
C. Cycle Highways Can Stimulate Tourism	39
i. Realizing the Potential	40
ii. Economic Benefits	40
iii. Examples from Abroad	40
iv. Canada and British Columbia: Current Levels and Potential	41

v.	Bike Tourism, Infrastructure, and Cycle Highways	42
D.	The Growth of E-bikes and Micro Mobility: Added Value to Cycle Highways	43
i.	E-bike and Micro-Mobility Trends: Worldwide and in Canada	43
ii.	Growth of Micro Mobility in Metro Vancouver	45
iii.	Micro Mobility Delivery Services and Cargo Bikes: Worldwide and in Metro Vancouver	46
iv.	E-Mobility Options Increase Micro Mobility Use	47
v.	E-Mobility and Cycle Highways	48
E.	The Potential for Cycle Highways to Address Transportation Inequity	48
i.	Background	48
ii.	Equity Factors and Consequences	49
iii.	Cycle Infrastructure Planning for Equity	49
iv.	Equity in Vancouver	50
V.	Case Studies on the Early Developmental Process'	51
A.	Cycle Highways in Europe.....	51
i.	Capital Region of Denmark, Denmark.....	51
ii.	Gelderland, Netherlands.....	56
iii.	London, England.....	60
B.	Greenways and Trails in North America	65
i.	Minneapolis, United States of America	65
ii.	Capital Regional District, Canada	70
C.	Summary of Cases and Recommendations.....	76
i.	Project Vision and Network Plan	76
ii.	Cooperation and Collaboration.....	77
iii.	Political and Economic Support	78
iv.	Infrastructure Development	79
	An International Bike Event: The Tour de France.....	79
VI.	Regional Analysis for Possible Cycle Highway Routes in Metro Vancouver.....	80
A.	Equity Analysis.....	80
i.	Background and Basis for Analysis.....	80
ii.	Data Collection	81
iii.	Analysis.....	82
iv.	Results.....	83
B.	Route Analysis	86
i.	Background and Basis of Analysis	86
ii.	Data Collection	88
iii.	Scoring Tool.....	88
iv.	Initial Route Selection	90
v.	Analysis.....	91
vi.	Results.....	92
C.	GIS Analysis Conclusions: Recommendations and Future Work	94
VII.	Conclusions and Recommendations	96
VIII.	References	102
Appendix A –	Route Maps	110

I. Introduction

In recent years, most notably over the past decade, cycle highways are being implemented as means of addressing climate change concerns, increasing physical activity and health, and reducing traffic and congestion. These long-distance cycle infrastructures cross city borders and make connections at a regional scale, however, this also acts as a challenge. The nature of a cycle highways project calls for a coordinated effort between multiple levels of government and various stakeholders in order to be realized.

Metro Vancouver is currently facing challenges including population growth, congestion on roadways, and equity issues in transportation and mobility. This compounds with goals to mitigate greenhouse gas emissions of the transportation sector and increase the number of trips made by sustainable and active transportation modes. In Metro Vancouver we have already seen notable investments in cycling infrastructure - between 2009 and 2019, the regional network has almost tripled in size – and this has been accompanied with an increase in ridership. However, cycling within the region still faces barriers, including low perceived comfort levels of many of the available facilities and discontinuity in the network across the region.

Cycle highways are a high-quality, long-distance, and cycling focussed infrastructure that have been found to contribute to increased perceived levels of safety as well as increasing bike ridership levels. They have been implemented successfully in many regions, most commonly in Northwestern Europe, including Denmark, London, the Netherlands, Belgium, and parts of Germany. In the Capital Regional District in Denmark, 167km of cycle highways exist (2018) and a network of 746km is planned for implementation by 2045; the Netherlands has a national goal of developing 675km of cycle highways across the country by 2025. This form of high quality and continuous infrastructure has been found to successfully appeal to broad demographics of people cycling. They also make cycling a more competitive mode of transportation and help realize longer distance travel by bike. This impact on ridership and long-distance bike travel further compounds with the growth of e-bikes and micro mobility, already occurring in urban centres and across Canada.

The development of cycle highways can be viewed as advantageous in many respects, both within addressing urban mobility needs as well as transcending beyond its function as a transportation infrastructure. Through their provision, they contribute to making cycling for transportation accessible, but also, importantly, attractive, and appealing. They thereby directly address issues pertaining to the decarbonisation and democratisation of urban mobility. Cycle highways have also been found to positively impact both individual and population level health, have economic benefits to proximal businesses and at the government level, including stimulating tourism, and addressing environmental concerns by alleviating vehicle dependence.

The aim of this report is to create a basis of understanding and clarity to the concept of ‘cycle highways’, delineate the demand for this type of infrastructure in the region, outline what building cycle highways would mean for the region, and create a foundation to begin the process towards their successful implementation within Metro Vancouver. This report focuses on illustrating the concept of a cycle highway, through defining their goal and design characteristics, and their numerous associated benefits with reference to the context of Metro Vancouver. With the objective of informing priorities and recommendations for the early steps towards the construction of cycle highways in Metro Vancouver, case studies of regions with well-established cycle highways are investigated. An analysis of the Metro Vancouver region aims to highlight possible candidates for cycle highways routes.

This report includes five main sections. Firstly, the demand for cycle highways in Metro Vancouver is outlined, including the challenges faced within the region, the current cycle conditions in the region, and previous research pertaining to user preferences for cycle infrastructure. This is followed by a literature review with the goal of bringing clarity to the concept of a cycle highway is, aimed at illustrating their purpose and

considerations for their implementation in the region. Benefits of implementing cycle highways, including increased bike ridership levels (health, environmental, and economic), examples of cost-benefit analyses, their potential for fostering cycle tourism, the role the market shift toward e-bikes and micro mobility play, and equity considerations in bike and transportation planning are then outlined. This is followed by a detailed investigation of successful cases, including cycle highways in Europe (Denmark, the Netherlands, and England) and greenway/trails projects in North America (U.S.A. and Canada), and focuses on their early developments. Lastly, a GIS analysis investigating routes with good potential for development into cycle highways and informed by regional transportation equity considerations is included. At the end of the report, conclusions are made, as well as recommendations for the early and next steps towards developing cycle highways in Metro Vancouver.

II. Metro Vancouver's Demand for Cycle Highways

Section Summary

The demand for cycle highways in Metro Vancouver can be summarized by regional challenges and goals, the current cycling conditions, and the preferences and unmet needs of people cycling in the region.

A. Challenges and Goals

Various challenges are faced by the region of Metro Vancouver in the realm of mobility and transportation. Motivation and direction to address these challenges by increasing cycling are echoed at the municipal, regional, and provincial level. The implementation of high-quality and functional cycle facilities can facilitate this. Other regions around the world face similar challenges to Metro Vancouver and cycle highways have been implemented.

Transportation and mobility across Metro Vancouver have faced challenges and will continue to in the future. These include:

- Population growth, densification, and congestion
 - Region is largely reliant on cars
 - Congestion means lost time, increased prices for consumers, pollution/greenhouse gas emissions
 - Congestion losses are estimated to be \$1.7 billion annually
- Climate Change
 - 70% of personal trips are made by car
 - Transportation accounts for 45% of greenhouse gas emissions in the region
 - To meet Climate 2050 goals, urgent action is required
- Equity
 - People outside urban centres are often car reliant and have fewer transportation options
 - One in three homes spend more than 70% of before tax income on housing and transportation
- Major Events
 - Oil crisis in 1970's caused four-fold increase in gas prices
 - Climate commitments in British Columbia have been made since 2007
 - Covid-19: half of transit users shift into using the private car and active transportation modes

To create a more resilient region for the future, there is a need to address these issues of our mobility networks. Addressing these issues by increasing the provision of bike infrastructure and promoting active transportation is supported by TransLink, cities across Metro Vancouver, and the Provincial Government:

- Transport 2050
 - Goal to increase bike-friendly infrastructure
 - Proposes ‘Major Bike Network,’ 850km of traffic-protected bikeways connecting urban centres
 - Integration of electric bikes and micro mobility
- Climate 2050
 - Climate neutrality by 2050
- Metro 2050 Regional Growth Strategy and Context Statements
 - Goals to increase sustainable transportation and cycling
 - Direct commitment from numerous regions to increasing cycling/cycle infrastructure
- Province of British Columbia Initiatives
 - CleanBC supports legislated climate target of 40% reduction in greenhouse gas emissions by 2030 and highlights importance of modal shift to cycling
 - Updating policy and legislation; pilot programs for shared e-mobility

B. Current Cycling Conditions

In recent years, the bikeway network throughout Metro Vancouver has expanded considerably. Investments have contributed to the regional network almost tripling in size between 2009 and 2019 to a total of 4,600km. This growth has contributed to a 65% increase in daily commuter trips taken by bike. A notable example highlighting the potential of cycling is the protected All Ages and Abilities Burrard Street Bridge bike lane, which sees an average of 3,100 people cycling over it daily; it is considered the busiest bike lane in North America.

However, when looking at the cycle infrastructure network across the region through the lens of accessibility, specifically the comfortable for most network, two things become evident. Firstly, already 65% of the region lies within 400m of a comfortable for most network. Secondly, however, there are notable gaps in interconnectivity of the network; just under half of the regional network is considered comfortable for most. This means that people cycling often must face varying levels of comfort and risk along their route as they navigate between different infrastructure types, such as from separated bike facilities into vehicle traffic or vice versa.

The safety of a region’s cycling facilities is an important gauge of the quality cycle infrastructure and oftentimes we see an increased modal share of cycling correlate with reduced cyclist fatality rates. However, in Metro Vancouver, the average number of annual collisions involving cyclists has increased. Route comfort and perceived risk of cycling impacts who chooses to ride their bike across the region. Navigating between facilities of differing comfort levels deters risk averse individuals, and effectively a notable part of the population from employing cycling to meet their daily transportation needs.

In Metro Vancouver, cycling for transportation is already growing and infrastructure investments have led to increased ridership. To continue this trajectory, it will be crucial to address issues pertaining to interconnectivity, accessibility, and safety to broaden the appeal of cycling and engage wider demographics. Cycle highways have been found to address these issues and increase ridership.

C. Preferences and Needs of People Cycling

TransLink has found that 42% of the Metro Vancouver population would be interested in cycling more. However, the presence of bike-specific infrastructure and how it is designed influences people’s decision whether to cycle for transportation and how often.

In Metro Vancouver, it has been found that people are willing to travel 400m to access bike infrastructure and it has been found that people cycling prefer:

- a) Designated bike routes
- b) Routes that avoid traffic
- c) Aesthetically pleasing routes
- d) Easy routes to ride

There are also clear preferences to which types of bike infrastructures (facilities) are most preferred by people cycling in Metro Vancouver; the top preferences were:

- 1) Paved off street paths for bikes only
- 2) Paved off-street multiuse paths
- 3) Unpaved off-street multiuse paths
- 4) Cycle paths next to major street, separated by barrier

Generally, facilities that are preferred by people cycling correlate with perceived safety. However, in Metro Vancouver there is significant incongruency between the types of routes people cycling prefer to ride and where they are riding, highlighting gaps in the current infrastructure in meeting the needs of people cycling.

When HUB Cycling asked Bike to Work Week participants whether they supported the construction of a cycle highway network linking town centres throughout Metro Vancouver, 92.9% of respondents said 'Yes' and 89.5% stated that they 'definitely-' or 'likely would use it'. The most prioritized aspect of a cycle highway was directness; this was followed by having limited stopping.

Although many demographics comprise people who cycle, findings regarding preferences infrastructure preferences are quite consistent. It has been highlighted that these commonalities make things straightforward in guiding future bike-infrastructure development. The preferences found amongst people cycling in Metro Vancouver are in line with what a cycle highway has to offer.

A. Metro Vancouver: Regional Challenges and Goals

Within Metro Vancouver, transportation and mobility have faced obstacles in the past and will continue to face challenges in the future. The Metro Vancouver region, already collaboratively planning and delivering regional scale services, has developed the Metro 2050 Regional Growth Strategy and the Climate 2050 Strategic Framework. These, along with TransLink's Transport 2050 plan, show cohesive and shared goals toward regional action on themes including population growth, vehicle congestion, climate change and greenhouse gas emissions, equity issues, covid-19, and bike infrastructure. The Provincial Government further supports active transportation and reducing the impacts of the transportation sector through numerous initiatives, including the CleanBC road map highlighting the importance of cycling. This section focuses on outlining the context specific demands for cycle highways in the region of Metro Vancouver.

i. Projected Population Growth, Densification, and Congestion

The region of Metro Vancouver is a land-constrained region and projected to continue growing at a rate of 35,000 people annually.¹ The influx of approximately 1 million new residents by 2050 means increased densification within our urban environment.² A continually growing population mean increasing pressure on our transportation networks and infrastructures. Specifically, within a region largely reliant on cars, this puts increased volumes of vehicles on our roadways, requiring continual maintenance and costly upgrades. Increased vehicle volumes mean our roadways will face capacity issues and Transport 2050 highlights the issue of congestion throughout the region: congestion affects nearly everyone in Vancouver, and includes not only those travelling by car, but also those travelling by bus, bike, and on foot. The effects of congestion include

individual frustration, lost time, increased air pollution, and greenhouse gas emissions. Lost time for goods movers, such as food, lead to extra costs and end up being paid for by the consumer at the grocery store.² However, these visible costs of congestion are further accompanied by hidden costs, which include people refraining from taking trips, stifling the benefits of city living.³ Overall congestion leads to notable economic losses for the region. These losses are estimated to be \$1.7 billion annually and are projected to continue growing if not addressed.⁴

ii. Climate Change

In the Metro Vancouver region, transportation is the largest source of greenhouse gas (GHG) emissions and accounts for approximately 45% of the total emissions in the region.⁵ The emissions are largely contributed by cars and light trucks and currently 70% of personal trips in the region are made by car, contrasting 13% by walking and cycling, and 14% by transit.⁵ It has been estimated that changing 15% of vehicle trips per year to active transportation/transit would mean a 92,000 tonne reduction in emissions.⁶ However, these regional GHG emissions have remained relatively constant for the past decade and we continue to fail to induce any dramatic reductions.² Continued failure to reach our environmental targets means more work down the road and at higher costs.² Climate 2050 highlights that significant efforts, including infrastructure investments, need to be made towards shifting transportation to non-vehicular modes.⁵ These urgent actions are required by every level of government to help tackle the significant environmental impact of our transportation sector and help meet the regions goal of climate neutrality by 2050.²

iii. Equity

Equity issues are also faced within the region of Metro Vancouver and are intertwined into our transportation networks and infrastructure. Metro Vancouver has been deemed unaffordable, with expensive housing compounding with lower incomes, relative to comparable cities.² Region wide, almost one in three households spend over 70% of their before tax income on the costs of housing and transportation.² In search of affordable housing, people tend to be pushed out of the urban centres, and, as these areas often have fewer transportation options, people are required to rely on cars. Additionally, areas where transportation investments are made see increases in housing prices and desirability, inducing displacement and gentrification, and oftentimes harm the most vulnerable populations.² The gap between people with safe travel options, affordable living, discrimination-free mobility, and being able to go the places they need continues to be an issue.² TransLink highlights that continued improvement in transportation across the region is required to help address these issues.² Equity issues are further expanded on in section IV.E. The Potential for Cycle Highways to Address Transportation Inequity.

iv. Major Events

The aforementioned challenges within Metro Vancouver - population growth and densification, climate change, and equity - have contributed to major forces that have transformed our region.² These include the oil crisis of the 1970's: it created supply shortages and a four-fold increase in gas prices, markedly impacting the cost of living.² This was followed by multiple economic recessions (1981-82, 1990-92, 2008-9) triggering across-sector job losses and widening the wealth gap.² In light of climate change and the worsening environmental crisis, strong climate commitments have been made in British Columbia since 2007.² Most recently Metro Vancouver, along with the rest of the world, has been facing the global COVID-19 pandemic. The pandemic has contributed to another economic recession (2020), increased remote work, and home deliveries, as well as major shift in transportation patterns across the region.² Transportation patterns have shifted notably away from public transit – by approximately half - and into the private car or active transportation modes.² In addition, the pandemic has exacerbated the inequalities within our regional transportation networks. TransLink highlights that this is a crucial moment in time to shape how we live for generations to come and stress that “By ‘future-

proofing’ the transportation system we can contribute to a more resilient region, helping us weather whatever tomorrow’s shocks and disruptions may be.”²

v. Transport 2050 and Bike Infrastructure

Increasing bike infrastructure and ridership is considered an effective way to help address the aforementioned issues.⁷ Within the Draft Regional Transportation Strategy (Transportation 2050), there is a clear intention towards increasing bike-friendly infrastructure.² Most notably, this includes the vision of implementing a 850km network of ‘traffic-protected bikeways’ that connect every urban centre and serve as active transportation options comfortable for most users.² TransLink highlights that the Major Bike Network (MBN), shown drawn in dark blue, along with the Greenways network (Figure 1) will become the backbone of the region’s future cycling network and make cycling more convenient throughout the region.² This comes along with better integration of electric bikes and micro mobility devices within transportation infrastructure.²




Figure 1: Map of the Regional Cycling Network 2050 Concept, including the Major Bikeway Network (MBN) and the Regional Greenway Network²

vi. Metro 2050 Regional Context Statements

Regional Context Statements identify the relationship between the regional growth strategy of Metro Vancouver and the Official Community Plan of a municipality. Each member jurisdiction within Metro Vancouver is obliged to adopt a Regional Context Statement as part of their Official Community Plan (Section 866, *Local Government Act*) and be accepted by the Metro Vancouver Board. For example, the Regional Growth Strategy includes goals focusing on transportation, such as ‘5 Support Sustainable Transportation Choices’ which is supported by the strategy ‘5.1 Coordinate land use and transportation to encourage transit, multiple occupancy vehicles, cycling

and walking.’ Goal 3, “Protect the Environment and Respond to Climate Change and Natural Hazards”, is linked to transportation by the strategy ‘3.3 Encourage land use, infrastructure, and human settlement patterns that reduce energy consumption and greenhouse gas emissions, create carbon storage opportunities, and improve air quality’.¹

Member jurisdictions subsequently decide how they integrate these goals within their community plan and, as obliged by the *Local Government Act*, they must show how they contribute to meeting each goal. In summary, both at the regional level and within jurisdictions throughout Metro Vancouver, we see direct commitments made to improving cycling infrastructure through Metro Vancouver’s Regional Growth Strategy and each jurisdiction’s response to the Regional Growth Strategy, namely with reference to ‘5.1 - Coordinate land use and transportation to encourage transit, multiple occupancy vehicles, cycling and walking’.

vii. Within the Context of British Columbia

At the provincial level, British Columbia further supports active transportation with the goal to double the trips taken by active transport by 2030.⁸ The Provincial Government provides support through funding, education, research, and changes to policy and legislation.⁸ This is further supported by CleanBC, which supports the legislated climate targets of a 40% reduction in greenhouse gas emissions by 2030 (from 2007 levels) and includes a roadmap, providing a clear pathway to meet this target.

Funding from the Provincial Government has helped build over 100 projects since 2014.⁸ This includes funding for indigenous and local governments in the form of infrastructure grants, planning grants, and a community safety enhancement program, as well as for individuals and businesses in the form of e-bike rebates. The province is also active in informing and encouraging active transport via Bike to work and school weeks, the EveryoneRides Grade 4&5 program, and working with partners including the BC Healthy Communities Society, HealthyFamiliesBC, BC Recreation and Parks Association, BC Health Communities, Bike to Work, and DASH. Research is also conducted by the Provincial Government, including the Active Transportation Report Card⁹, an active transportation population survey¹⁰, and the creation of an active transportation design guide. The British Columbia Active Transportation Guide includes guidance for the consideration, construction, and post-implementation of various types of cycling facilities.¹¹ Policy and legislation is being updated to further support active transportation choices and can be tested via pilot projects (*e.g.* North Vancouver e-bike share, Richmond e-scooter share).

The CleanBC roadmap highlights the impact of the transportation sector and includes focusing on 5 areas to reduce emissions, one of which being increasing cycling levels via a modal shift.¹² It is highlighted that one of the best ways to reduce greenhouse gas emissions is choosing transport that is the least energy intensive (*i.e.* walking, bike, transit) and, therefore, aims to continually increase the share of trips by these modes: 30% by 2030, 40% by 2040, and 50% by 2050.¹² Furthermore, in 2023, the government plans to produce a Clean Transportation Action Plan which will support the current CleanBC strategy and set out new actions for reducing transportation emissions by 27-32% by 2030.¹²

B. Metro Vancouver: Current Cycling Conditions

Within this section, the current cycling context within Metro Vancouver will be summarized, including ridership, the various bikeway route types, the connectivity and accessibility of the network, and safety and perceived risk. Much of the information in the following section has come from a recent report compiled by TransLink and HUB Cycling in 2019, *Benchmarking the State of Cycling in Metro Vancouver*.¹³

i. Regional Ridership Levels

In recent years, the bikeway network throughout Metro Vancouver has expanded considerably. Between 2009 and 2019 it has almost tripled, increasing from 1,700 to 4,600 lane kilometers of bikeways.¹³ A notable example of these investment is the protected All Ages and Abilities Burrard Street Bridge bike lane, which sees an average of 3,100 people cycling pass over it per day and is considered the busiest bike lane in North America.¹⁴

Investments in bike infrastructure in the region has contributed to increasing bike ridership. We have seen a 35% increase in commuter ridership across the region, from 1.7% in 1996 and 2006 to 2.3% in 2016.¹³ We have also seen the number of daily commuter trips taken by bike increase by 65% between 2006 and 2016.¹³ The regional cycling rate of 2.3% in Metro Vancouver is also notably higher than the national average of 1.4% and also stacks up well within North America.¹³

Overall, when looking at the share of commuters biking to work, there was an increase between 2006 and 2016 across Metro Vancouver. Twenty-three jurisdictions now boast a ridership rate above 2%, a notable increase from the three jurisdictions in 2006 (Table 1). For the most part, the five regions realizing decreases in the share of people cycling to work registered relatively small reductions. The City of Vancouver saw the highest increase in cycling trips in the region, increasing from 3.7% to 6.1% of commute trips.¹³




Table 1: Cycling Rates, defined as the percentage of commuters who cycle¹³

ii. Route Types and Comfort Levels

The 4,600 km regional bike network in Metro Vancouver is composed of various bikeway facility types, ranging from separated off-road facilities to shared roadways between motor vehicles and people cycling. Bikeway facility type ridership has been associated with different rider types, based on factors such as individual comfort level with risk and perception of safety.¹³ The categories of bikeways facilities found in Metro Vancouver, including bike paths, protected bike lanes, multi-use paths (MUPs), shared roadways, bike lanes, and bike-accessible shoulders, are shown and described below (Figure 2).




Figure 2: Glossary of Bikeway Facility Types found in Metro Vancouver (left) and Bikeway comfort category descriptions, including Comfortable for Most, Some, Few, and Very Few (right)¹³

In the report *Benchmarking the State of Cycling in Metro Vancouver*¹³, HUB Cycling and TransLink draw attention to the comfort level associated with cycling routes throughout the Metro Vancouver Region. The Bikeway Classification System¹³ consists of four categories based around the level of perceived comfort of the person cycling along the route; these include: Comfortable for Most (CfM), Comfortable for Some (CfS), Comfortable for Few (CfF), and Comfortable for Very Few (CfVF). These categories are based on bikeway facility types, in addition to cyclist exposure to motor vehicle traffic, posted speed limits, volume of motor vehicle traffic, and the presence of on-street parking (Figure 2). For example, on routes deemed as CfM people cycling are either fully protected from traffic or, when they ride on shared roadways, there are low posted speed limits and low traffic volumes. Comparatively, and at the opposite end, routes deemed as CfVF are often either painted bike lanes or bike accessible shoulders that reside on roadways with higher posted speed limits and higher traffic volumes. The colours, corresponding with each comfort level can be seen associated with each Bikeway Facility Type (Figure 2).

iii. Cycle Route Network

When looking at Metro Vancouver, we see a network of routes displaying intermittent consistency and quality throughout the region. However, this network has significant sections that are only reasonably accessible to people confident in cycling and who are not risk averse; these individuals make up a small proportion of the people who could be potentially cycling in Metro Vancouver. The map below illustrates the cycling routes in Metro Vancouver by associated comfort level (Figure 3).




Figure 3: Metro Vancouver Bikeway Facilities by Level of Comfort¹³

If we look closely, we find that almost half of the bikeway network is considered CfM (46%) and just over half (54%) is considered CfS, CfF, and CfVF (Figure 3).¹³ This highlights issues pertaining to the approachability for new riders to cycling as transport within the region and suggests that more than half of the current bike network could benefit from upgrades in order to create more comfortable routes appealing to a greater proportion of the population.¹³

When further breaking down the levels of comfort by facility type, it is apparent that the comfort levels lie disproportionately across the facility types (Figure 4). The bike paths and protected bike lanes, which are all considered comfortable for most, constitute a small fraction – only 3% - of the bike network in Metro Vancouver.¹³ It is also shown that MUPs are the most common route type (37% of regional routes) and are predominantly rated as CfM.




Figure 4: Lane km of Metro Vancouver Bikeways by facility types and level of Comfort¹³

However, most routes (60%) are shared roads, bike lanes, and bike accessible shoulders. The small subset of the routes on shared roads, typically on quiet residential streets with low posted speed limits (*i.e.* 30km/h), are rated as CfM; the rest of the routes on shared roads are considered CfS, CfF, and CfVF. This is largely due to higher posted speed limits and higher motor vehicle traffic volumes. Lastly, bike lanes and bike accessible shoulders, often with higher exposure to motor vehicle traffic, are considered CfS, CfF, and CfVF, highlighting these route types being largely associated with rider discomfort. These routes make up 28% of the Metro Vancouver Bike Network.

Figure 4 highlights MUPs, due to their prevalence within the region along with the associated perceived comfort levels. However, it must be noted that as volumes increase, mixed spaces for pedestrians and people cycling, travelling at different speeds, increase injury risk. Careful design can ameliorate some of this risk, but separated cycling and walking paths have been shown to be safer.¹⁵

Furthermore, as we shift the perspective and view the regional bike network in Metro Vancouver with consideration of comfort levels and accessibility for the majority of people cycling, the network becomes disjointed. The map below (Figure 5) depicts only the bikeways in the network deemed CfM (green) and we see a notably less continuous and connected network compared overall network (Figure 3). Albeit, quite notably, 65% of the region lies within 400m of one of the CfM routes.¹³ We also see an absence of a continuous and connected CfM network between different cities within the Metro Vancouver Region. For example, the City of Vancouver shows a widespread and interconnected CfM network, however, this is largely missing in other parts within the region. A fragmented network is less likely to link homes to important destination, thus directly impacting its utility and impact.¹³ It is predicted that by better meeting the need of people cycling there would be an positive effect on bike ridership or, as it is also known, bicycle mode share.¹³




Figure 5: Comfortable for most network and 400m buffer region throughout Metro Vancouver¹³

iv. Accident Levels and Safety

Safety statistics are an important metric and gauge of the quality of a region's cycle infrastructure. Generally, when looking at areas in North America and Europe, we see increased cycling modal share correlate with reduced cyclist fatality rates (Table 2).¹³ Metro Vancouver, reporting on total vehicle collisions involving injury to a person cycling, found 810 reported on average annually prior to 2008.¹³ However, between 2008 and 2017, this increased to 1,076 annual collisions.¹³ This highlights a need for safety improvements in our cycle infrastructure across the region. As outlined in the Regional Cycling Strategy (2011), ongoing investment to improve the cycle network will be required to meet the goal of reducing the number of people cycling injured and killed by 50%.

	BICYCLE MODE SHARE	CYCLIST DEATHS PER 100 MILLION KM CYCLED
Netherlands	26%	1.1
Denmark	18%	1.6
Germany	10%	1.6
France	3%	2.0
Canada	1.3%	2.4
USA	0.5%	5.5

Table 2: Bicycle mode share and cyclist deaths (per 100 million km cycled) for the Netherlands, Denmark, Germany, France, Canada, and the USA¹³

The perception of safety of cycling within the region is further highlighted when comparing the share of bicycle trips made by females versus that of males. Females, tending on average to be more risk averse, have been

found to be a useful indicator of perceptions of safety, comfort, along with equity of the transportation system.^{13,16,17} In North America, bike trips made by men surpass that of women 3:1.¹³ In contrast we see close to 50%, and sometimes greater, share of trips made by females in Northern European cities with extensive networks of protected cycle facilities.¹³ In Vancouver 35% of commute trips by bike are made by females (2016), increasing from 27% in 1996.¹³ However, there is also a greater reported increase in females cycling to work than males.¹³ This shows that the cycle network in Metro Vancouver is moving in the right direction in offering cycle infrastructure that appeals to a wider demographic.

C. Metro Vancouver: Preferences and Needs of People Cycling

i. Background and Connection to Cycle Highways

It has been shown that the road and bike-specific infrastructure influences how people travel.¹⁸ In order to attract people to cycling as transportation, it is important that infrastructure is designed to a high standard and with the user preferences and needs in mind. Although there is limited research specifically regarding user preferences of cycle highways, the concept of cycle highways (III. Cycle Highway Definition) effectively integrates many of the user preferences found to affect cycling behaviour and there are clear findings as to what types of physical attributes people cycling prefer.

It must be considered that individuals cycling are not a homogenous group, and therefore do not all make the same route choices, however, the importance of facilities was found to be consistent across people who cycle regularly and infrequently, and between work and non-work trips.¹⁸ TransLink has identified that 42% of the population in Metro Vancouver to be interested in cycling more, but deterred for various reasons; the single greatest reported concern was riding their bike in motor vehicle traffic.¹⁹ Additionally, the potential of engaging the near market in Metro Vancouver, being those who cycle already some, by better catering to these patterns and preferences is approximated to be 500,000.^{18,20} The near market are a good audience for change and by engaging them, there can be an impact on the cycling mode share.^{19,20}

Cycle highways are considered a route type and can comprise of many facility types, as described in III.D Facility Type vs. Route type.²¹ This, in combination with cycle highways being considered the backbone of the cycling network, mean that care should be taken in the selection of the facilities included along the route. Careful selection of facility types ensures that high quality design standards are met and ensure user satisfaction. User satisfaction pertains generally to themes such as safety, comfort, and ease of use, for example, an ample width allows for various speeds and volumes while ensuring safety.

As cycle highways are a high-quality type of cycle infrastructure that integrates people cycling centrally in their planning and addresses many of the aforementioned themes considered preferable in cycle infrastructure, their implementation is suggested. Previous research conducted on upgrading cycle routes to cycle highways in Copenhagen, Denmark found that people cycling reported much higher levels of satisfaction due to surfacing and lighting, and higher levels of traffic security and personal security.²²

In the following sections, research into user preferences of cycle infrastructure, including within Metro Vancouver, will be summarized, along with the results of a HUB Cycling survey on Metro Vancouver residents regarding their expressed preferences pertaining to cycle highways.

i. Research Findings

Both the built environment and accessibility to bike infrastructure has been found to affect people's travel patterns, such as whether people ride their bike or not and how often; simply, the presence of bike infrastructure has found preferable for those who are biking.^{18,23,24}

The presence of bike infrastructure was investigated in Edmonton, where they compared the relative burden of three different route types on people cycling: mixed traffic, on-street bike lanes, and multi-use off-street bike paths.²⁴ People found that cycling on mixed traffic routes is more onerous than on dedicated bike infrastructure.²⁴ And, even though people cycling notably prefer to take shorter routes, the average person cycling perceived cycling 1 minute in mixed traffic to be similar to 4.1 minutes in a separated bike lane and 2.8 minutes on a multi-use off-street bike path.²⁴ This shows that it is clear that the benefits of cycle focused infrastructure perceived by people cycling is greater than the time savings of a more direct route; there was the highest preference shown for separated bike lanes. It has also been stressed that both safety and travel time may influence individuals' initial decision to cycle and over other travel modes.²³

Research in Metro Vancouver has investigated facility type preferences of people cycling and reasons influencing their route choice across.¹⁸ The reasons affecting route choice are summarized below and have been categorised into four broad categories:¹⁸

- a) Preferring designated bike routes
 - Always following a designated bicycle route
 - Not minding going an extra distance to remain on a bike route, especially those that are aesthetically pleasing
 - Downtown, roads with bike lanes are selected over those without bike lanes
 - Taking safest routes instead of shortest routes
- b) Selecting a route to avoid traffic
 - Selecting a route with less traffic and fewer cars
 - Selecting a route along a dyke to avoid traffic
 - Selecting a route through an alley to avoid a busy arterial
 - Longer routes are selected to avoid a dangerous on-ramp
- c) Selecting aesthetically pleasing routes
 - Select route with better scenery
 - Ride through parks during day, but not at night
 - Takes (unpaved) route through the park on way home
 - Preference for shade
- d) Selecting easier routes to ride
 - Avoids climbing steep hills and turns to avoid hills
 - Turns to avoid or narrow or rough roads

Within Metro Vancouver, how long people are willing to travel in order to access bike infrastructure was investigated by Teschke and colleagues.¹⁸ They found that people were willing to ride up to 400m to access bike infrastructure.¹⁸ However, they also found that three quarters of the trips made by individuals were only 10% longer than the shortest route between the origin and destination.¹⁸ This highlights that although people cycling may consider bike infrastructure of high quality to be favourable, they do not want to compromise with a more circuitous route.

When further investigating cycle infrastructure, specifically route preferences, a survey of Canadians found that when individuals were asked where they wanted to ride their bike, the two features they deemed most important were to be away from traffic, citing reasons such as safety, noise, and air pollution, and to be near

pleasant scenery.²⁵ In terms of the infrastructure type itself, off-street bike paths and MUPs were preferred.²⁵ Generally, the most preferred route types correlated with more safe route types (Figure 6).²⁵




Figure 6: Route safety compared to user preferences of route types, including busy streets, multi-use paths, and bike-specific facilities²⁵

However, when comparing the bike infrastructure types currently being cycled with those people that prefer to be cycling, clear trends begin to appear. This was investigated by Teschke and Winters²⁰ within Metro Vancouver; they found that that off-street paths were clearly the most preferred: 85% of respondents were likely/very likely to choose ‘paved off-street paths for bikes only’, 77% for ‘paved MUPs’, and 71% for ‘unpaved MUPs’.²⁰ Unpaved MUPs stacked up comparatively to ‘cycle paths next to a street with a physical barrier’ (see Figure 7).²⁰




Figure 7: Likelihood of choosing route type (if all route types were available) for 16 cycling route types among current and potential cyclists in Metro Vancouver (n=1402)²⁰

Winters and Teschke²⁰ also draw attention to the varied preferences found in different demographics of people cycling for A) cyclist segment, being regular, frequent, occasional, and potential cyclists, and B) Gender, male and female (Figure 8). Regarding the former, it was found that the regular cyclists do not like unpaved MUPs and residential streets (unmarked bike routes); they ranked these bike routes options markedly lower than other route types (Figure 8 A.).²⁰ When comparing preferences between women and men, there was virtually no difference in preference for the 6 most preferred route types, however, female preference tapered off sooner - preference scores were comparatively lower - in the 'less comfortable and safe' route types than men (Figure 8 B.).²⁰ This finding was echoed by respondents with children in their household, ranking low preference routes even lower than those without children.²⁰ Overall, there were similar route preferences across frequent, occasional, and potential cyclists and similar support for the top route types (paved off-street paths; cycle paths next to major streets separated by a barrier; and residential streets marked as bike routes, with traffic calming) between men, women, and respondents with children.²⁰ Winters and Teschke stress that these commonalities in route preference simplify and make things relatively straightforward in guiding future infrastructure development.²⁰




Figure 8: Mean preference score for 16 route types according to cyclist segment (A) and Gender (B)²⁰

Additionally, there is a lack of congruency between what types of routes an individual prefers to ride on and where they actually ride. When the current usage of bike route types is compared with their preference rank, we begin to see clear potential for the needs of people cycling to be increasingly met via increased implementation of certain infrastructure types (Table 3). The crossing lines indicate a discrepancy between

where people are currently riding and where they would choose to ride given an availability of all route types. For example, we see the top three most used route types in Metro Vancouver are on residential streets (Table 3), however, these are deemed moderately preferable by people cycling and less preferred than off-street paths.²⁰ Comparatively, three types of off-street paths are ranked highest in terms of preference, but are used less than routes ranked as less favourable. This data highlights the gap in infrastructure provision and user needs.




Table 3: Current Use vs. Likelihood of choosing 16 cycling route types in Metro Vancouver²⁰

However, two marked findings stand out in Table 3. Firstly, we see the absolute least preferred route type, major streets with parked cars, rank as the fourth most used route type – it can be concluded that currently people cycling are turning to these routes due to the absence of any other option, as almost every other route type was deemed more preferable.²⁰ Secondly, ‘cycle paths next to major street, separated by barrier’ was ranked third highest in preference, however, they are currently used the least in Metro Vancouver, highlighting that they are not commonly available.²⁰ This great disparity between the route types in high usage and those most preferred delineates a clear way to adapt the current road network to be more supportive of the needs of people cycling.²⁰ Overall, the current and potential people cycling in Vancouver prefer routes separated from traffic; this is in line with cycling infrastructure design in European centres with high cycling modal share.²⁰

As shown by the research conducted and discussed above, and shown in Figure 6, preferred cycling facilities generally correlate with those perceived as safer. However, the mixed modes present on MUP’s have a negative impact on the safety of all users. In Metro Vancouver, the most used infrastructure type that is separated from traffic is off-street, both paved and unpaved, MUPs. However, even though they are an often cited preferred infrastructure by people cycling, MUPs are categorised as less safe when compared to bike specific facilities (Figure 6).²⁵ The factors of MUPs that contribute to reduced safety levels relative to cycle specific facilities has been investigated and are found to often be within the realm of design.²⁵ Off street paths including MUPs are more likely to be curvy and have poor sightlines, more likely to have obstacles (e.g. bollards, posts, and street furniture), less likely to have lighting, having inter-mixed pedestrians, people cycling, and other user groups and also less likely to be paved.²⁵ Crashes on these routes when unpaved are more likely to involve uneven surfaces, and when paved, are more likely to include obstacles, however, to their benefit, almost never include a motor vehicle.²⁵ Designers of off-street paths should make them comfortable and inviting, but also safer, for people cycling; this is because they are considered attractive more so than on-street routes.²⁵ Cycle highways, and their associated design characteristics, address many of the safety concerns outlined for MUPs, including high quality

paving, capacities for speed, lighting, and consistent and ample widths (III.C Cycle Highway Design Characteristics).

Research Takeaways

- 42% of people in Metro Vancouver want to cycle more; single greatest reported concern is cycling in motor vehicle traffic
- Route choice preferences in Metro Vancouver include designated bike routes, routes that avoid traffic, aesthetically pleasing routes, and routes that are easier to ride
- People are willing to travel up to 400m to access bike infrastructure
- Perceived benefit of bike focussed infrastructure is greater than time savings of more direct route, however, 3/4 trips in Metro Vancouver were only 10% longer than shortest route
- Traits of the most preferred bike facilities included:
 - Off-street
 - Paved
 - Mode separation
 - Traffic calming
 - Marked bike routes
- Generally, the most preferred routes correlate with those perceived as safer
 - Mixed-use paths are a preferred facility, but mixed modes negatively impact the safety of all users; safety concerns can be largely addressed though design.

In Metro Vancouver there is a lack of congruency between what routes people prefer to ride and where they actually ride. This highlights a gap in addressing the needs of people cycling. However, the preferences for infrastructure were relatively consistent across how often people cycled and between genders. These findings and commonalities inform and simplify future development in bike infrastructure across the region. The design of cycle highways largely addresses these concerns and therefore supports their implementation.

ii. Bike to Work Week - Survey Responses

Bike to Work Week (BTWW) is a biannual event encouraging people to cycle to work instead of going by car. Participants are encouraged to log their trips online and fill a survey at the end of the week to share bike related information and preferences with HUB Cycling. The following section summarizes the survey-takers responses to questions relevant to cycle highways.²⁶

A total of 593 individuals (n=593) filled out the survey and responses were collected between June 22, 2021, and July 6, 2021. Respondents were comprised of 52.1% Women, 45.5% Men, and 0.5% Non-binary (1.9% Prefer not to say). The age of respondents was predominantly composed of those between ages 29-39 (22.1%), 40-49 (22.9%), and 50-59 (22.3%). This was followed by those ages 20-29 (14.0%) and 60-69 (12.5%); those 'under 20' (4.4%) and '70 and over' (1.9%) comprised a small fraction of respondents. Most respondents reported their ethnic background as Caucasian (70.8%), followed by Chinese (14.9%) (7.1% Prefer not to say). Small percentages were represented by Latin American (3.2%), South Asian (2.7%), Filipino (1.5%), Japanese (1.2%), and less than 1% was reported by each of the following groups: Aboriginal, Afro-Canadian, Korean, Middle Eastern, South-east Asian, and West Asian. Respondents reported being from various locations across Metro Vancouver. The largest reported group was Vancouver (57.5%), followed by Burnaby (11.0%), North Vancouver (District) (7.1%), Richmond (4.5%), and North Vancouver (City) (4.0%). New Westminister, Surrey, West Vancouver, and Coquitlam were reported by 2.4%, 2.2%, 1.9%, and 1.9% of individuals, respectively. The remaining cities reported were fractionally represented, relatively speaking.

Respondents answered various questions regarding their commuting patterns including which mode of transport they predominantly used, the length of their commutes, and whether they used e-bikes. When asked “What is your primary mode of transport?”, the bike was reported most often (53.1%), followed by personal vehicle (26.1%), transit (10%), and walking (8%); carshare, and other together comprised 2.5% of respondents. Typical commutes to work were reported being most commonly between 11 and 20km (return trip), closely followed by 6-10km. The distribution of responses is shown in the Figure 9. 9.1% of respondents reported that they either did not commute or worked from home. The use of e-bikes was reported by 13.3% of respondents.




Figure 9: Work commuter distances as total distance travelled to and from work (round trip)

With relevance to cycle highways, respondents were asked whether they generally supported the construction of a cycle highway network, whether they would use them, and to rank the most desired aspects of a cycle highway. When respondents were asked “Do you support construction of a network of Bicycle Highways linking town centres throughout Metro Vancouver?” overwhelming support was reported, with 92.9% of respondents stating ‘Yes’ (6.1% were ‘unsure’ and 0.8% responded ‘no’). When respondents were asked to predict the likelihood they would use a cycle highways network, 89.5% stated they ‘Definitely would use’ or ‘Likely would use’ it.

Respondents were then asked how they prioritized five aspects of cycle highways, from most important (1) to least (5). Respondents were asked to rank the following traits: direct, visible from motor vehicle highway, exposure to green or wild space, reduced noise/pollution, and limited stopping. Overall, the most important was deemed to be directness (ranked 1st by 41.1% of respondents and 2nd by 26.5% of respondents). The second most important trait was limited stopping (ranked most important by 18.0%, and second most important by 30% of respondents). Other factor ranked included visible from motor vehicle highway, exposure to green or wild space, reduced noise/pollution. Their comparative rankings are shown in Figure 10.




Figure 10: Prioritization of Aspects of cycle highways (n=593), ranking aspects from most important (1st) to least important (5th)

From these results there are a few notable takeaways. Firstly, the typical commutes to work (total return trip) were most reported to be between 11 and 20km (26.6%); 21 - 30km was reported by 12.6% of respondents. Interestingly, this group together comprises just over a third of respondents (39.2%) and shares the average commuter distance with the average distance travelled on the cycle highways in the Capital region of Denmark (11km one way).²⁷ However, these distances are currently being ridden by people cycling in Metro Vancouver in the absence of high-quality interconnected infrastructure. This displays the potential cycle highways has for, via addressing user needs, increasing ridership of these distances. Secondly, when respondents were asked to prioritize aspects of a cycle highway, the first was directness and, second, limited stopping. These factors are consistent with traits of cycle highways in other regions and their integration into the design of cycle highway routes should be prioritized. Lastly, reduced noise/pollution and exposure to green or wild space was prioritized over being visible from motor vehicle highways. None of these three traits have been found to define cycle highways in other regions but pertain generally to user preferences of pleasant and aesthetically pleasing routes. These factors are suggested to be taken into consideration over placement on highways.

It must be noted that the sample of people who completed the BTWW survey is likely a skewed representation of the opinions held across Metro Vancouver. Individuals who participated in BTWW are a sub-sample of those living in the region and likely possess higher cycling levels than the average person. That being noted, the opinions shared from participants regarding preferences for cycle highways can be also considered valuable, as a large segment of the group sampled uses bikes as their primary mode of transport (53.1%).

III. Cycle Highway Definition

A. Background

The concept of cycle highways was first experimented with by the Dutch, creating demonstration routes in Tilburg and The Hague in the 1970's. However, it was not until much later that the designs for cycle highways became more clearly delineated. Media attention surrounding cycle highways increased notably when London,

England opened its first routes in 2010.²⁸ We now see cycle highways in places including the Netherlands, Copenhagen, Belgium, London, and Germany. However, cycle highways are a new concept and lack a clear and agreed upon definition; their design and purpose is still evolving.^{28–30}

According to the European Cycling Federation (ECF), the 5 widely agreed upon criteria for high-quality cycling infrastructure and applied to cycle highways, are 1. Safety, 2. Coherence, 3. Directness, 4. Comfort, 5. Attractiveness.²⁹ Additional criteria and characteristics, however, have yet to be agreed upon.²⁹

It has been stressed that, without a clear definition – which is contributed to by the variety of languages employed in describing the concept of cycle highways – it becomes difficult to assess performance and transfer knowledge regarding successes and failures. For example, a cycle highway in the Netherlands is referred to as a *snelfietsroute*, in Germany a *radschnellweg*, and in London were once called *cycle superhighways* and are now referred to as *cycleways*. For the purpose of this section, when ‘cycle highways’ are referred to, it will include translations of the phrase, such as those mentioned above.

Additionally, there needs to be some flexibility in the design of cycle highways, making concessions for local contexts, limitations, and possibilities. Practitioners have warned against approaching cycle infrastructure with the same logic as car infrastructure.^{28,31} Cycle highways need to balance the uniform, predictable, and regulated engineering of highways with the diverse, vibrant, human-scale design of pedestrians spaces.²⁸ Overall, the needs of people cycling differ to that of an automobile driver and the idea of a ‘highway’ means something different, and has a different connotation, to a person cycling than a driver.²⁸

In order to help gauge how cycle highways are defined, Liu and colleagues²⁸ asked practitioners in parts of Europe where cycling developments are mature, what main concepts they used to describe and define cycle highways. Although responses varied among practitioners, responses were found to be relevant to 3 general themes: A) political context, jurisdiction, and funding, B) infrastructure and environmental quality, and C) directness, efficiency, and competition with other modes.²⁸ They also highlight that practitioners give two types of cycle highway definitions, the first of which pertains to goals, and the second relates to execution. Generally, policies outline the vision and goals that cycle highways should meet and the design manuals are the translation into a physical design.²⁸

Within the context of Metro Vancouver, it will be crucial to establish agreement on the definition of a cycle highway between various stakeholders, such as the municipal and provincial governments, along with transportation authorities. A definition of what a ‘cycle highway’ means within the region can help manifest a commonly shared vision and help guide the process.

B. HUB Cycling Short ‘Elevator Pitch’ Definition

The research in part B. Cycle Highway Working Definition and C. Cycle Highway Design Characteristics informed discussions between members of the Cycle Highway Working Group^b. These discussions led to an abbreviated definition, summarizing the important goals and design characteristics, and follows below:

"Cycle highways are the highest quality bike routes, covering long distances (5km+) and providing regional connections between major destinations. They are direct, paved, protected, lit, of ample width, and with intersections prioritizing people cycling. This, along with clear signage, branding, and regular maintenance, ensures cycle highways are safe, comfortable, and easy to use for people of all ages and abilities at all times of the day and year."

^b A group meeting monthly to discuss topics relevant to cycle highways in Metro Vancouver; includes members from HUB Cycling and TransLink.

C. Cycle Highway Working Definition

A working two-part definition for the concept of cycle highways, in line with previous research on regions that have defined cycle highways, is proposed below.²⁸ The two parts consist of, firstly the vision/goal and objectives of a cycle highway (1) and secondly the characteristics pertaining to its design (2).

Firstly, the objective (1) was created through research into the objectives other regions had for their cycle highways. These were amalgamated and further developed by collaboration, discussions, and feedback with the Cycle Highway Working Group to ensure context relevancy. The aim of this portion of the definition is to best delineate the goals and objectives relevant to the construction of cycle highways within the Metro Vancouver region, as well as throughout the province.

1. The objectives of cycle highways are to provide:

- The highest quality bike routes that protect and prioritize people cycling along the entire route.
- Direct connections between major destinations and a backbone of the regional cycling network
- The ability to maintain consistent speeds and avoid frequent stops
- Safety and comfort for all ages and abilities, day and night, throughout the year
- Connections greater than 5km in length to facilitate long distance and multimodal travel
- Readily identifiable and intuitive routes

The objectives of cycle highways, as outlined above, are contributed and achieved by design characteristics. The characteristics outlined below result from investigating how others, both researchers and planners, have previously defined 'cycle highways'.

2. Design characteristics of cycle highways include:

1. Directness
2. Longer Lengths
3. Connections Between Major Destinations
4. Capacity for Speed
5. Mode separation
6. Intersection Treatments and Minimal Stops
7. Consistent and Ample Widths
8. Consistent and High-Quality Paving
9. Lighting
10. Minimizing and Alleviating Gradients
11. Clear Signage and Branding
12. Regular Maintenance and Winter Service
13. Service Stations

The characteristics outlined above are described in detail in the subsequent section, III.D. Cycle Highway Design Characteristics.

Although the above definition has been broken into two separate parts, it must be highlighted that they do not operate independently of one another; the validity of the goals and objectives is supported and upheld by the presence of various design characteristics. For example, 'the ability to maintain consistent speeds and avoid frequent stops' is directly supported by design characteristics including intersection treatments, consistent and ample widths, consistent and high-quality paving, minimizing and alleviating gradients, and being designed with

a capacity for speed. The objective ‘safety and comfort for all ages and abilities, day and night, throughout the year’ is directly supported by including the following into the design: mode separation, consistent and ample widths, lighting, minimizing and alleviating gradients, and regular maintenance and winter service. Connections between various design characteristics and the objectives outlined above are further described in the next section.

Finally, it must be noted that this working definition, both part a) and b) is suggestive in nature and requires further work on defining certain aspects and ensuring context sensitivity. For example, ‘ample widths’ will have to be quantitatively defined within the Metro Vancouver region. Some numbers and references are provided to act as a reference point for the characteristics and outlined in the subsequent section.

D. Cycle Highway Design Characteristics

This section aims to both identify and describe, with reference to recent relevant literature, the characteristics that define and distinguish a cycle highway from other bike infrastructure. The characteristics outlined above, pertaining to both infrastructure and planning elements, are further detailed and explained below.

As cycle highway projects are largely found in North-Western Europe – some prominent examples include the *snelfietsroutes* in the Netherlands, the *supercykelstier* in and around Copenhagen, the *cycleways* (previously *cycle superhighways*) in London, the *fietsostrade* in Flanders, and the *radschellweg* in North-Rhine Westphalia (DE) – the literature reviewed and referenced within this section is largely based within North-West Europe. A notable portion of information within this section has been contributed by the following documents: Konzept 2.0 by the Office of Cycle Superhighways,³² the London Cycling Design Standards by Transport for London (TfL),³³ and the Design Manual for Bicycle Traffic by CROW³⁴. The design guidelines and associated references that are included below specifically refer to cycle highways; guidelines for general or other types of cycle infrastructure were excluded.

Design Characteristics of Cycle Highways:

1) Directness

It is commonly stated that cycle highways should aim to provide the most direct route, reducing and avoiding detours.^{21,32,34–40} The directness of cycle highways contributes to cycling being competitive with other modes of transport over longer distances and better serving commuters.^{32,33} However, in the Netherlands, the CROW Manual further defines a limit to the extent of detours that can be realized within a route considered a cycle highway. The detour factor should be less than 1.2, and is defined as the length of the cycle highway divided by the length of ‘as the crow flies’ (detour factor = L_{ch}/L_0).³⁴ This metric for directness is also being employed within Austria to plan their cycle highways (Rad-Langstrecken).³⁸

2) Length

Another often cited requirement of a cycle highway is that it spans longer distances, to support long distance bike travel and induce a modal shift. Cycle highways greatly vary in length, however, many reach 10 and 20km. An especially long cycle highway, the Radschellweg Ruhr (RS1) in Germany, measures more than 100km. However, in order to help facilitate longer distance travel by bike, an often cited minimum distance of cycle highways is 5km.^{29,30,32,37,41,42}

3) Connections Between Major Destinations

Connections between major destinations are considered crucial to the effectiveness a cycle highway has as a transportation infrastructure.^{21,32,40,43,44} Cycle highways should serve people moving between their homes and

the places they need to frequent. This contributes to the cycle highway being the backbone of the regional cycling network. Frequented destinations that have been noted to be considered in the route planning of cycle highways include: residential areas,^{32,36,43–45} employment areas,^{32,36,37,43–45} amenities and commercial areas,^{36,37,44} and education facilities^{36,37,44}. It has been also highlighted that cycle highways should also consider proximity and connection to the transportation network and hubs in order to help facilitate multimodal trips.^{36,37,40,44,45}

4) Capacity for Speed

Cycle highways are intended to be designed so that they can be ridden at higher speeds (design speed) and allow individuals to maintain a decent speed of travel (average speed) when compared to other bike routes.^{21,43} Design speeds consider the shape of the route (*e.g.* curve radii) and are often 30km/h.^{33,34,40,41,46} Average speeds should also be aimed to be kept comparatively high to other types of cycle routes; cycle highways are often designed to ensure that an average speed of 20km/h or more can be maintained²⁹ and in the Netherlands an average speed of 30km/h is aimed for⁴³.

5) Mode-separation and Path Types

It is widely agreed that cycle highways, and the paths they follow, are a dedicated infrastructure built for people cycling and are largely separated from other modes, including motorized traffic and pedestrians.^{21,29,30,32,33,40} This predominantly refers to higher traffic speeds and volumes and to ensure safety of people cycling along the route.³⁴ Mode separation ensures people cycling are prioritized and protected, including those of all ages and abilities. Generally, when bikes travel on roadways, speed limits for vehicle traffic are recommended to be 30km/h or below.^{34,40–42,44,47} Outside urban areas the limit can be increased, up to 50km/h⁴¹ and 60km/h³⁴ for example. Overall, mode separation should be prioritized but is not required for cycle highways. Upon discussion with the Cycle Highway Working Group, it was agreed that generally and within the context of Metro Vancouver, “*Mode separation from traffic and pedestrians where appropriate, and interventions to limit conflicts with other modes where not*” would be a reasonable standard to set.

In the Netherlands, the CROW manual sets the minimum threshold for meeting the criteria of a cycle highway to have fewer than 500 cars along the route over 24 hours and if car speeds are greater than 50km/h, grade separation is required.³⁴ However, they additionally lay out that the preferred standard for a cycle highway route is car-free and grade separated if vehicle speeds are greater than 30km/h.³⁴ Comparatively, within Denmark, it is suggested that two-way cycle paths in their own route are used for cycle highways (Figure 11).³² However, when this is not possible, such as within the confinements of built up urban areas, one-way cycle paths along roads are suggested; two-way paths along roadways are not recommended, due to the presence of side roads and driveways.³² Each of the aforementioned infrastructure designs are mode separated from both vehicle and pedestrian traffic, unless both cycle and pedestrian volumes are extremely low (*e.g.* country areas); otherwise exemptions can be made for short stretches where there is a limited possibility for other solutions.³² Bicycle lanes along roads (defined by a lack of grade separation) are recommended against, as they provide less safety and security.³² Additionally, passing a cycle highway along less busy roads is considered unfavourable as it is more difficult to prioritize people cycling over other road users and should only be used when it is the only option.³² The concept of separation for cycle highways is supported in London as well, stating that cycle highways will be delivered to a high standard which includes favouring segregation, in order to ensure a right to use a road by people cycling.³³ However, some cycle highway routes in London also share travel lanes with buses.³³ In London, cycle highways can be routed along secondary roads, provided they are still direct, in order to separate them from high volume traffic.³³



Figure 11: An example of a two-way cycle path in its own route and pedestrians are clearly separated by a grass space; a high-traffic corridor for both people cycling and pedestrians, (Indre Ringrute, Frederiksberg Municipality)³²

6) Intersection Treatments and Minimal Stops

It is important that cycle highways have minimal intersections and stops and when there are intersections, they are addressed with intersection treatments as much as possible.^{21,34,40,41} Intersection treatments are methods, either at grade or grade separated, in which intersections are adapted in order to reduce the need for people cycling to slow their speed or stop. This means people cycling can maintain consistent speeds and make for a more enjoyable experience and less energy expenditure.

An example of an at grade intersection treatment is the 'GreenWave,' which times the green lights at traffic signals to change at the average speed of travel along the route (approx. 20km/h); this allows people cycling travelling at an average speed to hit green lights consistently and limiting the need to stop.³² Other treatments include giving people cycling an advance green signal or displaying the waiting time until the light turns green.³² Another relatively simple at grade treatment is giving the right of way to people cycling along the cycle highway.²⁹ Examples of grade separated intersection treatments are bridges and tunnels. These are extremely effective as people cycling are allowed to bypass an intersection all together and are important to consider when large numbers of people cycling would reap notable travel time improvements, however, are often associated with higher costs than at grade intersection treatments.³²

In the Netherlands, cycle highways are allowed to a maximum 0.4 stops per kilometer, however, ideally aim to have no stops along the route.³⁴ Sometimes tunnels and bridges, especially to avoid crossing larger intersections such as motorways, are also implemented along cycle highways (Figure 12).



Figure 12: Tunnels along the Rijnwaalpad, the Netherlands: a tunnel under the A15 motorway, with outward leaning walls creating a feeling of roominess (left), and the Kattenleger tunnel, which makes the route 250m shorter and avoids crossing a busy road (right)⁴⁸

Danish standards for intersections state that ideally a cycle highway should not cross areas with other traffic modes, however, as space and construction costs limit the feasibility of this, it is suggested that a) the number of stops to be minimized and when stopping cannot be avoided, b) signals are modified to ensure ease and safety and c) safety considerations are made in the design of the intersection.³² In London, standards slightly differ, for by example the use of a ‘shared nearside lane’, which takes shape as a bike path, and denoted as such, with the width and markings for use of cars turning left; this suggests to vehicles that they are merging into a cycle route and encourages cyclists to take a primary position.³³ Cycle highways in London consistently use lane markings and colouring that continue through the intersection to denote the throughfare at conflict points (Figure 13).³³




Figure 13: Lane markings and surface colouring used to show the path of cycle highways through an intersection in London³³

7) Consistent and Ample Widths

Width is an important consideration to ensure that the route can accommodate certain volumes of people cycling, in addition to allowing for people cycling to overtake or ride alongside one another.^{21,32,34,40} Ample widths contribute to people cycling being able to maintain consistent speeds, as well as contributing to safety and comfort for all ages and ability levels. The ECF highlights that for cycle highways, bidirectional paths should be at least 4m wide, and unidirectional paths, at least 3m wide.²⁹ However, commonly there is reference to recommended widths for two way paths being between 3 and 4m wide^{32–35,40,41,46} and for one way paths, between 2.5 and 3.5 m^{32–35,40,41,46}.

This is consistent with suggestions from the Netherlands, 4.0m for bidirectional and 3.0m for unidirectional paths.³⁴ In Copenhagen, however, widths of the routes (two way bike paths, one way bike lanes along roads, and two way bike lanes along roads) are also considered with relevance to the numbers of riders expected per peak hour (pph) in one direction.³² For example, a bidirectional path with under 200 cyclists pph is recommended to have a width of 2.5-3m, up to 1,500 cyclists pph, 3.0-4.0m, and if more than 1,000 cyclists pph are expected, a minimum of 4.0m is suggested (Figure 14).³² Additionally, increases in cyclist volumes must be addressed to ensure the cycle highways continue to function.³²



Figure 14: People cycling at Dronning Louises Bridge, Copenhagen, Denmark, with more than 1,500 people cycling per peak hour³²

8) Paving is Preferred and of High-Quality

For cycle highways, it is preferred that the surface is paved and of high-quality.^{32-34,40,46} This is considered important as it contributes to the routes being of overall high quality, it makes it easier for people cycling to maintain speed, and ensures the safety and comfort for people of all ages and abilities. In the Netherlands, asphalt/concrete is preferred, but at a minimum it is required to be even and skid resistant.³⁴ Cycle highway guidelines from Denmark further specify that high quality paving should be consistent across the path width and therefore things that impede this (*e.g.* drainage grids, ramps) should be located outside the width designation.³² They further outline the allowance for irregularities of different sizes in the paving surface per 100m, in addition to stipulating that unevenness due to covers and joints (*e.g.* manhole covers) should not exceed 3mm.³² Comparatively, in London, cycle highways undergo a colour surface treatment that has been predefined (*e.g.* Barclays cycle superhighways are colour Barclays blue).³³

9) Lighting

It is largely agreed upon that cycle highways should be lit.^{29,32,34,40,43,46} This ensures that their use is not limited by daytime hours and that nighttime usage and during the shorter days of wintertime is possible. Lighting, especially important at nighttime, contributes to these routes being of high quality and ensures safety and comfort for all, around the clock. In the Netherlands and Belgium, a lighting standard has been specified by delineating a lux level standardization required of cycle highways.^{43,46} In Denmark, a class system for lighting requirements is used and specified for urban areas, tunnels, and the countryside.³² In London, all cycle routes require an appropriate level of lighting, which is determined by consulting the highway authority's lighting unit; in areas such as parks/conservation areas where lighting is not acceptable for aesthetic or conservation reasons, low-level time, motion-sensitive, or solar stud lighting is suggested.³³

10) Minimizing and Alleviating Gradients

Generally, cycle highways should avoid steep inclines and prioritize mild grades.²⁹ By minimizing and alleviating gradients it help riders maintain consistent speeds, ride comfortably, and accommodate for various ages, abilities, and fitness levels. Guidelines from Germany are consistent in recommending a gradient of less than 4%, and a maximum of 6% for cycle highways.^{37,41} Within the Netherlands, a gradient between 2 and 10% is considered acceptable, however, this recommendation comes along with the concept of slope severity (S), defined as the square of the height (H) divided by the length (L) ($S=H^2/L$).⁴³ A cycle highway is recommended to have a slope severity of less than 0.075, and a maximum of 0.200.⁴³ Another method of mitigating an incline, when it cannot be avoided, is to interrupt them with 'breaks'. This ensures greater comfort for the rider throughout the incline.

11) Clear Signage and Branding

Clear signage and branding is an important design aspect for cycle highways^{21,32-34,40,43} and contributes to them being readily identifiable, intuitive, and easy to use. Branding also ties into how the route is marketed and perceived by individuals, including people new to cycling. Signage on a route advertises it and ensures other road users are aware of people cycling.³³ Signage has been deemed important for wayfinding as it gives directions, confirms the route after a decision point, and gives reassurance between links of the route (Figure 15).³³ A lot of the cycle highway signage and branding takes inspiration from vehicle highways in terms of the numbering systems of the routes within a network, *i.e.* they are often a number followed by a letter.⁴³ Implementing signage, including nearby locations and distances, helps with wayfinding.^{33,40,43}

In the Netherlands wayfinding and recognizability is required of cycle highways through route signs, signposting, and route symbols.³⁴ In Denmark, signs and markings along cycle highways follow the orders that pertain to all road markings, uniformity is prioritized, and directions contained within routes include important destinations and public transport.³² Logos are placed consistently along the cycle highway and include the route number and arrows for guidance at intersections. This is consistent with cycle highways in London, which stress that the signage strategy should be part of the route planning and design process, opposed to an afterthought.³³ Signage has clear guidelines on dimensions, spacing, and locations they should be placed. Cycle highways also can have bike symbols, route numbers, and direction arrows painted onto the pavement.³³ Early branding in London, for the 'Barclays Cycle Superhighways', included surfacing in Barclays blue, effective in distinguishing them.³³



Figure 15: Various signage used on cycle highways in London, United Kingdom, including direction signs at decision points, route confirmation signs, and painted pavement markings (left to right)³³

12) Regular maintenance and winter service

Regular maintenance and winter service are important to ensure that the cycle highway continues to be a reliable route to travel along, at all times of the year.^{29,32,33} This ensures cycle highways continue to be the highest quality bike routes, that people cycling can maintain consistent speeds, and that they are safe and

comfortable to ride, even in winter (Figure 16). Operating conditions should be considered already in the planning phase of the route in cooperation with all road stakeholders involved in the route.³²

In London, maintenance and servicing of cycle highways falls under the established and rigorous framework for the maintenance of cycle routes and facilities generally: they are held to a higher standard than vehicle roads.³³ Additionally, cycle highways are at the highest level and get priority for maintenance and servicing compared to other routes.³³ This includes regular resurfacing, integration into planned road maintenance programs, community reporting, and aims to address obligations under the regarding equity of use and, overall, ensuring people cycling are not deterred from a route.³³




Figure 16: Examples of winter maintenance: unplowed path along a road (left) and plowed path in its own route, depicting good winter operation (right)³²

13) Service Stations

As cycle highways are considered the highest quality bike infrastructure, they also come with the provision of various services that contribute to an enjoyable.^{29,32} In Denmark, service stations can include washing and repairs stations, bike pumps (Figure 17), information boards, drinking water, and bike parking, to name a few, and are usually grouped together at nodes: where cycle highways cross, at public transport with bike parking, or places people cycling gather and meet.³² It is recommended that they are decided upon and designed through close collaboration with test commuters and bike-affiliated organizations.



Figure 17: A service station with an air pump (Albertslund route, Denmark) (left)³² and a bike tube vending machine on a EuroVelo route, Austria (right)

E. Facility Type vs. Route Type

Previous research into the definition of cycle highways within the context of North America has brought attention to the difference between route type and a facility type.²¹ The difference between the two is clarified below:

Facility type: describes form, often differentiated by degree of separation bikeway has from other modes of travel. For example, painted bike lanes or multi-use paths.²¹

Route type: describes function, such as direct, long-distance connections. This is similar to the hierarchy of roadway rankings (arterial, collector, access routes). For example, cycle highway.²¹

The objectives of cycle highways, outlined in the previous section, contribute to describing their function as a route type. Effectively, a cycle highway may also have segments of different facility types, for example multi-use paths or painted bike lanes. These variations in facility type are in part due to cycle highways covering longer distances, thus needing to be sensitive to the local contexts that they pass through while, at the same time meeting design and quality standards.²¹

In North America, currently there is comprehensive guidance for facility design, however, an absence on defining the function of a bikeway within the greater context of bike infrastructure. It has been highlighted that this needs to be considered throughout the planning stages of a cycle highway.²¹ The aforementioned objectives contained within the cycle highway working definition aims to contribute some clarity towards defining the function of a cycle highway within North America.

IV. How Metro Vancouver Can Benefit from Cycle Highways

Section Summary

Numerous benefits have been associated with cycle highways and have been realized in regions that have already implemented them. Benefits include improved health, environmental impact reduction, and economic gains. Cycle highways have been assessed via traffic modelling and cost-benefit analyses and return positive results. They also have the potential to stimulate of bike tourism and have been found to have a synergistic effect with the growth of e-bikes and micro mobility. Lastly, cycle highways contribute to addressing transportation inequity.

A. Benefits of Cycling

Increased cycling is associated with health benefits, including improved physical, mental, and social-well-being. Physical health benefits include improved cardio and heart health, reduced incidence of chronic disease, reduced risk of various cancers, and reduced likelihood of being overweight or obese. Furthermore, benefits have been found to present rather quickly and are found across diverse segments of the population, including e-bike users. The mental health of people who cycle include higher reported happiness levels, reduced stress risk, and improved executive functioning. Social benefits of cycling include social interaction and are largely associated with bike-friendly street design. Individual physical, mental, and social health benefits are intertwined and effectively contribute to population level health outcomes. In Denmark, it was found that “those who did not cycle to work experienced a 39% higher mortality rate than those who did”.

Environmental benefits of cycling are largely associated with a modal shift away from fossil-fuel burning modes of transportation. This means reduced pollution and improved air quality. The United Nations Environment Program highlights the potential for reducing greenhouse gases in the transport sector is 'staggering' and requires a shift to environmentally efficient transport modes; cycling consumes zero fossil fuels per kilometer ridden.

Economic benefits of cycling are realized at the individual and societal level. Cycling is considered an affordable form of transportation and people who ride bikes also are more likely to visit shops and spend money. Businesses proximal to a newly built bike lane in New York saw a 49% increase in retail sales. Economic benefits are also realized through infrastructure: bike infrastructure is relatively cheap compared to automobile roads, creates more jobs per dollar spent.

B. Decision Support Models: Traffic Modelling and Cost-Benefit Analyses

To justify the construction of cycle highways, regions have employed decision support models, such as traffic modelling and cost-benefit analyses, to estimate associated benefits. A traffic modelling study conducted across the Netherlands on their 675km of proposed cycle highway routes was found to improve mobility nationally and effects were expected to compound with the increasing use of e-bikes. Through traffic-jam reductions, the network is estimated to save commuters 3.8 million hours per year; with e-bike usage this more than doubles to 9.4 million hours. An analysis on the 101km cycle highway in Germany looked at effects on traffic in the region and compared costs to benefits; reductions in car trips and positive cost-benefit were found, even for the conservatively estimated scenario. A cost-benefit analysis on the proposed cycle highway network in Denmark found, in the most beneficial scenario, a 23% rate of return on investment. The least beneficial scenario showed a positive rate of return 6%. Infrastructure investments in public transportation and motorways often return between 3% and 10%. Although the magnitude of benefits vary, findings are consistently positive. These analyses highlight the benefits of implementing cycling highways within a region.

C. Cycle Highways Can Stimulate Tourism

Cycle tourism has been identified as an important and growing tourism market with significant economic value in many places around the world, however, North America has been comparatively slow. For example, EuroVelo, a network of pan-European cycle routes, sees 5.3 million visitors annually. Although the ratio of residents to tourists on local cycling routes is approximately half-half, the economic return is largely contributed - 77% - by cycle tourists. Cycle tourism in Europe has been assessed to be worth €44 billion. Comparatively, on the South Island of New Zealand cycle tourism is associated with a direct expenditure of \$76 million per annum and a total economic output of 160 million, comparable to the cruise ship industry.

Canadians show interest in cycle tourism, representing themselves sizably internationally, and some provinces have already begun to realize cycle tourism. Within Québec, 10% of the population identifies as a cycle tourist. Québec has also invested in developing a bike network, La Route Verte, of 4345km to help facilitate cycle tourism. People cycling along this route alone spent \$95.4 million. Meanwhile, in Ontario, cycle tourism has been included in their provincial cycling strategy. A combination of local and international visitors in Ontario engaging in cycle tourism are estimated to spend \$428 million. Within British Columbia we also have an opportunity to capitalize on the economic potential of cycle tourism. Interest has been shown at the provincial level but requires further development of a cohesive vision. Already \$38 million is realized from mountain bike tourism on the Sea-to-Sky corridor alone. However, for cycle tourism to appeal to wider demographics, infrastructure investments are required.

Investment into high quality bike infrastructure and cycle highways have been found to help grow tourism. It has been highlighted that cycle tourism routes need to be safe, direct, comfortable, and cohesive, just like cycle highways. The preferences of cycle tourists and the infrastructure supporting cycle tourism are largely addressed by cycle highways, creating an additionally opportunity via their implementation.

D. The Growth of E-bikes and Micro Mobility: Added Value to Cycle Highways

E-bikes and micro mobility are quickly growing in popularity, both in Canada and worldwide. In 2020, Canada ranked 6th globally in total value of e-bike imports and, per capita, Canada imports more than the U.S. This growth is further compounded by increasing numbers of mobility share companies facilitating usage and access. Although Canada has lagged behind other parts of the world in adopting micro mobility sharing, things are quickly changing. Alberta and Québec are amending legislation and are being closely followed by Ontario and British Columbia. Notably, the micro mobility share company Lime has stated that Calgary's e-scooter pilot held the highest number of rides per device globally.

Similar e-bike and micro mobility growth is also being seen in Metro Vancouver. This is supported by Provincial Government e-bike rebates for individuals and cargo e-bike pilot programs for businesses. In addition, the province started investigating e-mobility for safe travel in April 2021 and has prompted e-mobility share pilot programs, including the e-bike share in North Vancouver and e-scooter share in Richmond.

Around the world micro mobility is also being capitalized on at the business level by employing cargo bikes and have been found to increase delivery efficiency within the urban space. Research from the UK has found that cargo bikes make delivery times within cities 1.61 faster and are cheaper to operate. Within the U.S., UPS, DHL, and FedEx have already been using cargo bikes for almost a decade and Toronto and Montreal already see cargo bike pilot programs. In Metro Vancouver, we already see numerous companies employing bikes for delivery purposes, including Eeco, Uber Eats, and Door Dash and the City of Vancouver has recently pledged to create an e-bike cargo delivery hub.

However, to realize the potential and accommodate the growth of e-bike and micro mobility for transportation, accommodating infrastructure needs to be provided. Their rapid emergence and projected growth warrants integration into our transportation networks.

We also see two-way positively reinforcing effect between e-bikes, and other forms of micro mobility, and cycle highways. The adoption of e-bikes and micro mobility is incentivised by the availability of accommodating infrastructure; 20% of the users on of the first cycle highway built in the Netherlands reported buying an e-bike because of the route. And, secondly, the growth of e-bikes mean that cycle highways become accessible to wider segments of the population and increase travel distances. Transportation and planning models in the Netherlands assume a reach of 7.5km for the conventional bike, however, this is doubled to 15km for the e-bike. "Even without the e-bike, the concept of the cycle superhighway can be a game changer. But with the e-bike it makes it even stronger" – Sjors Van Duren, on Cycle Highways in the Netherlands.

E. The Potential for Cycle Highways to Address Transportation Inequities

The importance of equity in transportation and cycle infrastructure planning is being increasingly realized. Numerous studies have found inequitable transportation in urban areas and often correlating with areas with lower-socioeconomics and minorities. Impacts of transportation planning decisions can be significant and diverse. Bicycles are considered a most equitable form of mobility and have potential to address inequities in transportation, however, cannot be successful in the absence of equitable and supporting infrastructure.

Planning for equity in bike transportation must consider the distribution and accessibility of the network, in addition to the types of facilities implemented. Previous research conducted in the City of Vancouver found that bike infrastructure investments between 2001 and 2016 did not address disparities in access: areas with more children or Chinese residents were found to have comparatively less access and areas with a higher proportion of university-educated adults had higher levels of bike infrastructure access.

Cities in Canada, including Winnipeg, Saskatoon, and Victoria, have already begun including equity analyses and considerations in their cycle network planning. It is urged that Metro Vancouver take equity issues into greater consideration and better integrate them in policy and planning. Concerns have been raised that due to an auto-oriented community design and absence of transportation frequency, disproportional impacts are realized by racialized, low-income, and female populations. This also negatively impacts health, and access to employment, education, and recreation.

An equity-informed design and implementation of cycle highways contributes to addressing equity concerns in both transportation planning and specifically bike infrastructure planning. Greater equity in transportation is realized due to facilitating bike use, one of the cheapest and most accessible modes of transportation. Equity in bike infrastructure is contributed by the embodied design of cycle highways, including being long-distance functional connections of high-quality, that are safe and comfortable for a variety of users.

A. Benefits of Cycling

The supply of transportation infrastructure and its influence on mode choice consequently determines our lifestyle, health, traffic safety, appearance of our cities, environmental impacts, and costs to individuals and overall economy.⁷ An increasing modal shift to cycling has been associated with improved health of the population, including physical, mental, and social well-being. These benefits expand to reducing the environmental impact of transportation, including decarbonising our mobility. These effects, in addition to direct costs of infrastructure, include job creation and tax revenue, which lead to economic gains for society. A brief overview of the benefits of increasing bike ridership will be described in following subsections, i. Health, ii. Environment, and iii. Economic.

i. Health

Cycling, a form of moderate intensity physical activity, have been linked to promoting general health and contributing to disease prevention.^{49–51} Furthermore, the three aspects of overall health, including physical, mental, and social well-being,⁵² are each positively contributed to by cycling. The World Health Organization concludes that there are large gains to be made by increasing routine physical activity and that increasing walking and cycling can be a most effective strategy in order to achieve these gains.⁵³ The potential contribution of cycling to health is further supported by the fact that cycling is accessible to a large segment of the population. Specifically, commuter cycling means that people can integrate activity into their daily routine rather than having to find additional time for exercise.⁵⁴ Health benefits from transportation cycling have been found across diverse segments of the population⁵⁵ and include e-bike users.⁵⁶

Participation in cycling comes with good cardio benefits without excessive body strain,⁵⁴ in addition to being associated with reduced accident levels and fatalities^{7,51}. Physical health benefits found in people cycling include better heart health and reduced risk of coronary heart disease⁵⁷, reduced breast cancer risk (up to 34%)⁵⁸, and a reduced colon cancer risk⁵⁹. Specifically, commuter biking has been associated with reduced incidence of chronic diseases, reduced incidence of metabolic disease, and a reduced likelihood of being overweight or obese.⁶⁰ Additionally, the various positive effects realized by commuter cycling present themselves relatively quickly. This is shown clearly with a ‘one-month’ bike to work challenge in Copenhagen: two participants experienced a 3 and

4 year reduction in body age.⁶¹ Health benefits and improvements were also found within a 4-week period for those commuting by e-bike.⁵⁶

However, beyond physical health benefits, cycling has been found to improve mental health and people who cycle have been found to be happier than those travelling by other modes. Bicycle commuters have a significantly reduced risk of stress than non-bike commuters.⁶² Cycling has also been shown to improve executive function and well-being.⁶³ Emotional well-being of people who cycle has been consistently reported, including relaxation, fun, enjoyment, and social interaction.⁵⁵ Additionally, those who commute by bike have the highest reported satisfaction of their trip to work compared to those commuting by other modes.⁶⁴ It's predicted that commuter satisfaction of people who cycle is in part due to it being less affected by external factors (e.g. congestion and crowding), which do notably and negatively affect car and transit modes.^{64,65} Overall, research attributes positive mental health benefits of commuter cycling to four factors: 1) high level of commuting control and 'arrival time reliability, 2) enjoyable sensory stimulation, 3) positive feelings from moderate intensity exercise, and 4) increased opportunity for social interactions.⁶⁶

Social aspects of health are also positively contributed to by cycling. Cycling and social benefits is largely linked through the design of streets and the urban space, namely human scale design that supports cycling and walking and discourages car use. This is highlighted by the Dutch concept of a *woonerf*, or 'living street,' designed around the interest of pedestrians and people cycling. These types of spaces provide space for children to play and are based around a concept of shared space. Overall, an increase in the quality of urban life is found via improved social capital and community livability, as well as increased social interaction and reduced crime.^{53,55} This is echoed by Litman, who has quantified full costs and benefits for various transportation modes for application in planning and policy.⁶⁷ Furthermore, improved cycle infrastructure expands to improving social equity within communities.^{68,69}

Physical, psychological, and social health are intertwined with each other and contribute to overarching health outcomes; for example social isolation and depression are considered risk factors for cardiovascular disease.⁵⁵ Net outcomes and impacts of cycling have also been assessed. Research in Copenhagen, Denmark found that "those who did not cycle to work experienced a 39% higher mortality rate than those who did."⁷⁰ These population level benefits are also found in the Netherlands, where the high bike modal share is attributed to preventing 6500 deaths annually and contribute increasing life expectancy by half a year.⁷¹

Health Benefits and Cycle Highways

In Belgium, the health impact of two bicycle highways were investigated.⁷² A conservative estimate, which did not include congestion, noise, and CO₂ reductions, of the benefit:cost ratios for health impacts and infrastructure costs found that mostly all scenarios returned a benefit:cost ratio above 1.⁷² Overall it was concluded that increased physical activity had the strongest effect when compared to other impacts.⁷² A cost-benefit analysis conducted on the cycle superhighway network expansion in Denmark found that "the single most important factor is the external health benefits," being defined as societal benefits of healthier people who will work and live longer and result in reduced expenses to the health care system.⁷³ Overall, the network expansion has been calculated to have a positive rate of return on investment.⁷³

ii. Environmental

Numerous environmental benefits are also realized by increasing cycling and are largely due to the modal shift away from modes of transportation associated with the burning of fossil fuels. Comparative to most other transportation modes, cycling is a pollution-free (zero fossil fuels burned per kilometer ridden), environmentally sustainable mode of transport which makes negligible contributions to congestion. The United Nations Environment Program (UNEP) highlights that the potential for reducing greenhouse gases in the transport sector

is 'staggering' and needs to include shifting to more environmentally efficient modes of transport.⁷⁴ A modal shift from motoring to cycling would improve air quality both at street and district level, as well as for the environment generally.⁵⁴ An increase in cycling is associated with reduced pollution and cleaner air^{7,49,51} and reduced noise pollution,^{49,7} all of which further contribute to the aforementioned health effects.

iii. Economic

The economic benefits from cycling, and increased levels of cycling, are realized by both the individual, as transportation cost savings, as well as the societal level, in the form of government expenses and stimulation of proximal businesses. In principle, people who ride bikes, buy bikes and bike related goods, are more likely to visit local shops, and also make notable contributions in the form of tourism, meaning jobs and tax revenue for communities.⁷⁵ Cycling is an affordable mode of transportation and has a relatively low cost compared to other modes of transport, especially when compared to the private car. This means that people who bike also save money; they have more money to spend, they save on health insurance costs, and they alleviate the need for the development of relatively expensive and space inefficient vehicle parking.⁷⁵

These economic benefits are also realized in terms of infrastructure; the implementation of cycle infrastructure is relatively cheap and its maintenance is a fraction to that of automobile roads.^{49,76} Portland built their cycle network at a cost equivalent to one mile (1.6km) of urban freeway.⁷⁷ In addition, cycling infrastructure was found to create the most jobs per dollar spent and more than pedestrian and multi-use trails.⁷⁸ In Baltimore, bike projects create twice as many jobs as road projects (per dollar spent).⁷⁵ These benefits also extend to businesses adjacent to cycle infrastructure developments; in New York, businesses along the street of the newly built protected bike lane saw a 49% increase in retail sales (3% was seen borough wide).⁷⁹ This is echoed in San Francisco, where with two-thirds of merchants report new bike lanes having an overall positive impact on their business.⁸⁰

Economic impact studies have found notable returns from those engaging in cycling. In Portland, the bicycle industry supports 2,300 jobs, a total added value to the local economy of \$133 million, and \$27 million in taxes⁸¹ and in Boulder, Colorado \$52 million is made annually, along with 330 full time jobs⁷⁵. In the UK, cycling contributes £5.4 billion to the economy, triple that of the UK steel industry (£1.6b), and double as many full time jobs, 64,000.⁸² Summaries of the economic benefits, specifically pertaining to cycle highways, have also been quantified via cost-benefit analyses (see IV.B. Decision Support Models: Traffic Modelling and Cost-Benefit Analyses).

B. Decision Support Models: Traffic Modelling and Cost-Benefit Analyses

The overall benefits of cycle highways can be illustrated through models, such as traffic models, which show the effect of investments on cycling and car usage, and cost-benefit analyses, that assess the wider impact of the investment on health, worker productivity, and the environment.⁴³ Within this section three decision support models will be briefly summarized: i) a traffic modelling study was conducted on the planned 675km of cycle highways to be implemented across the Netherlands, ii) a cost-benefit analysis, based on two possible scenarios, of the 101km cycle highway in Germany, and iii) a cost-benefit analysis on the proposed cycle highway network in the Capital Region of Denmark.

i. The National Cycle Highway Network in The Netherlands

In the Netherlands, cycle highways have the purpose of congestion alleviation at the national level and traffic modelling has been conducted (Goudappel Coffeng, 2011) to highlight the potential cycle highways have.⁸³ The combined effect of the additional 675km of planned cycle highways routes and the increase in electric bikes is expected to improve mobility nationally.⁸³ The increase in the cycle highway network infrastructure has been

estimated to contribute to a decrease in traffic jams throughout the country, saving 3.8 million hours per year; when this is combined with electric bike usage, travel time saving by car exponentiates to 9.4 million hours.⁸³

The results of the Goudappel Coffeng study, estimating the prognosis for 2020 from the base year of 2008 with 675km of additional cycle highways and, additionally, a 50% in e-bike usage is summarized below (Table 4). An increase in trip percentage of 3.3% is expected with a catchment of 800,000 inhabitants. This potential is realized because a cycle highway increases the average speed by bike from 15 to 18km/h.⁸³ They highlight that cycle highways, when combined with electric bikes, are able to reach their full potential, increasing the average speed from 18 to 24km/h.⁸³ On cycle highways, by increasing travel speed, it means that journey times can be decreased and travel distances can be increased.⁸³ They conclude that cycle highways in combination with electric bikes make cycling an attractive transport mode for suburbs and nearby villages that are within 3 to 20km from city centres.⁸³

Change % in number of trips	With cycle highways	With cycle highways & 50% electric bicycles
Car	- 0.7%	- 1.6%
Public transport	- 0.9%	- 2.7%
bicycle	+ 1.3%	+ 3.3%

Table 4 Change in number of trips by cycle highways. Source: Goudappel Coffeng

Saving in hours of travel time by car per day	With cycle highways	With cycle highways & 50% electric bicycles
Morning rush hour	7,000	17,400
Evening rush hour	7,900	19,600
Total	14,900	37,000

Table 5 Travel time savings (car) by cycle highways. Source: Goudappel Coffeng

	With cycle highways	With cycle highways & 50% electric bicycles
Saving in hours of travel time by car per year	3.8 million hours	9.4 million hours
Saving in € (value of time = €10/hr by car)	€40 million	€100 million
Catchment area (accessibility of city centre within 45 minutes)	550,000 inhabitants	800,000 inhabitants

Table 4: The estimated economic benefits of an additional 675 km of cycle highways, and the additional 675km of cycle highways combined with 50% e-bike usage in the Netherlands; original work done by Goudappel Coffeng (2011)⁸³

ii. The 101-km Cycle Highway in Germany

In Germany, the Radschnellweg Ruhr’s (RS1) - a 101km long cycle highway – effect on reducing vehicle traffic in the region has been assessed.⁸⁴ The number of bike trips relocated from the car due to the RS1 are summarized in the table below, based on two variable outcomes; the first outcome is based on the bike modal share rising from 10% to 14% and the second, rising to 20% (Table 5). The number of car trips replaced by bike trips daily, due to the construction of the RS1 in the region, is estimated to be 53,460.⁸⁴

	Number of trips	Passenger kilometres
Bike modal share increasing to 14%	22,483	117,719
Bike modal share increasing to 20%	52,460	401,112

Table 5: The estimated number of daily car trips replaced by bike trips under two different scenarios: the first representing bike modal share increasing from 10% to 14%, and the second, increasing to 20%⁸⁴

The benefits of improved cycle infrastructure are not limited to mobility, but expand to realms including the economy, population health and health care costs, and the environment and climate.⁸³ The economic benefits of the Radschnellweg Ruhr has also been assessed in a cost-benefit analysis. The benefits encompass and are determined from indicators measuring pollutant emission reductions, improved road safety due to reduced vehicle trips, reduction in healthcare costs, and reduced consumption of resources.⁸⁴ The total of the benefits, maintenance costs, and initial construction cost show a clear net benefit to the construction of the RS1 (Table 6).⁸⁴

	Bike modal share increasing to 14%	Bike modal share increasing to 20%
Benefit contribution per year	€14.8 million	€33.1 million
Maintenance costs per year	€3.3 million	€3.3 million
Initial construction cost	€6.2 million	€6.2 million
Benefit cost ratio	1.86	4.8

Table 6: Cost-benefit analysis for the Radschnellweg Ruhr (RS1) including benefits, maintenance costs per year, and the initial construction cost, and the benefit:cost ratio for two increases in bike modal share scenarios, 14% and 20%⁸⁴

iii. Cycle Highway Network in the Capital Region of Denmark

Recent research conducted in Copenhagen looked at the cost-benefit of their proposed future cycle highway network.⁷³ They highlight that that two fundamental changes can potentially shift the level of welfare benefits of bike infrastructure: 1) the recent popularity of e-bikes, and 2) better bicycle infrastructure.⁷³ Their Cost-Benefit Analysis (CBA) included direct user benefits (e.g. travel time), external costs (e.g. congestion, health, safety), construction/maintenance costs, and effects on tax revenue.⁷³ They investigated the potential benefits of the proposed future network, including a significant expansion totalling 749km, and compared it to the current network of 162km.⁷³

The CBA is conducted on the network in three development stages - each compared to the baseline of today's infrastructure - and found the bicycle infrastructure strongly beneficial in each stage.⁷³ The most beneficial scenario included e-bike share being compared to today and with health care costs complying with the most recent literature; this case showed an internal rate of return on investment of 23%.⁷³ The least beneficial scenario still saw a rate of return of 6% comparatively and assumed rising e-bikes and health benefits in line with previous valuation practices.⁷³ The single most important factor contributing to the calculated benefits were external health benefits, defined as societal benefits measured by the effect of healthier people who live and work longer, largely due to saved expenses of the health care system.⁷³ Additionally, the calculated rate of return on investments is very good when compared to other transportation infrastructure investments; public transportation and motorways return between 3 and 10%.⁷³

The researchers conclude that when judging all effects combined with potential limitations, the proposed bike highway network expansion has a high probability of being beneficial to society.⁷³ It was also concluded that the internal rate of return is likely better than conventional projects for cars and public transportation.⁷³ The standout of health benefits being the single most important factor highlights that bike infrastructure investments should be tackled by local authorities as well as warrant additional interest from higher levels of government.⁷³

C. Cycle Highways Can Stimulate Tourism

Bicycle tourism is a broad term referring to a spectrum of cycling activities, where cycling is a fundamental component and primary mode of transport of a trip that is away from someone's home.⁸⁵ Generally there is

agreement in the literature, which considers a tourist, or bike tourist, to be away from their home for more than 24 hours.⁸⁶ Cycle tourism, as an emerging phenomenon, has been recognised and researched notably across Europe, along with countries such as New Zealand, Australia, and Taiwan. However, comparatively, North America, has been slow to identify cycle tourism, allowing it to remain on the periphery, meaning a lack of investigation and leaving its economic potential largely unrealized.⁸⁷

i. Realizing the Potential

The use of bicycles for leisure, recreation and tourism is undergoing a worldwide resurgence.^{86,88} This phenomenon has been contributed to by its recreational value and perceived sustainability.⁸⁹ For some time now, this potential has been realized and capitalized on throughout much of Europe. Already in the late 90's, when cycle tourism accounted for 2-4% of holidays in Europe, projections were being made of a growth to 9-12% by 2009.⁹⁰ For some time, cycle tourism has been integrated in development and transport policies, which has contributed to the development of regional, national, and pan-European routes.⁹¹ An example of the large scale and coordinated planning efforts is EuroVelo, a network of international cycle routes across Europe and coordinated by the European Cyclists Federation.⁹² Comprised of 17 long distance routes, they see 5.3 million visitors annually with an average increase of 20% every year.⁹²

Although bicycle tourism is relatively established in parts of Europe, it has been noted that North America has mostly lagged behind, being slow to identify and realize the potential cycle tourism has.⁸⁷ However, within the United States of America, recent interest has started to develop in the area cycle tourism, such as in Oregon⁹³, Arizona⁹⁴, and Wisconsin⁹⁵. In addition, Taiwan has recently realized the potential of cycling tourism – one of the few nations in Asia doing so – and has dedicated resources toward developing cycle facilities and routes to boost its image as a cycle tourism destination.⁸⁹ The Taiwan Sports Affairs Council launched the project “the Planning and Establishment of Bikeway System in Taiwan” (NT\$4 billion) to ensure people cycling would have access to a safe, comfortable, and fun bikeway network around Taiwan.⁹⁶ It has been highlighted that the provision of designated cycle routes, trails, and paths, is a widespread strategy to attract cycle tourists.^{91,97,98}

ii. Economic Benefits

Cycle tourism has been deemed an important and growing tourism market with the potential to provide a wide range of social, environmental, and economic benefits to a region⁹¹, however, much of the research has focused on the economic benefits to a region. A meta-analysis of bicycle tourism worldwide found that the average spend, per person, per day of overnight was £43.33, non-overnight £7.95, and all £13.38 tourism and leisure cyclists.⁹⁷ The same meta-analysis also concluded that the ratio of residents to tourists was almost half-half (54:46), however, the economic return of cycle infrastructure was largely contributed by cycle tourists, who represented 77% of the value of local cycling provision.⁹⁷ The established economic return of investing in cycle infrastructure is contributed to by its perceived value with respect to cycle-associated tourism and the associated monetary spending of travellers.²⁸ The positive economic impacts of cycle tourism have garnered the attention of both local and regional policy makers, planners, and anyone else seeking to capitalize on further cycling provision in an area, along with those seeking to develop infrastructure for local and regional benefit.⁹⁷

iii. Examples from Abroad

The benefits of increased cycle tourism, often quantified economically, have been assessed in various regions around the world. Cycle tourism within Europe has been assessed to be worth €44 billion, contributing over 2.3 billion cycle tourism trips annually.⁹⁰ Within the UK alone, cycle tourism creates a total spend of £520 million and overnight trips are calculated to have an average spend of £46.75 per day.⁸² A summary of the scale and value of bike tourism in different places is summarized in the table below (Table 7).

Country	Numbers	Value
France	-15% of domestic population	-Unknown
Fyn, Bornholm, Denmark	-9% of all foreign tourists -53,000 cycle tourists -477,000 bednights	-3.5% of total tourism turnover
United Kingdom	-2% of all leisure/day trips -1% of all holiday trips	-Leisure day trips (£293 million) -Domestic holidays (£180 million) -Overseas holidays (£60 million)
Ireland	-9% of all overseas tourists	-\$538 per person
South Island, New Zealand	-1.6% of domestic holiday-makers -3% of overseas tourists	-\$64 a day per person -\$3021 per person per trip -\$75 million to economy -1472 full time jobs

Table 7: The estimated scale and value of bike tourism in various countries, including France, Denmark, the United Kingdom, Ireland, and New Zealand⁹¹

As we geographically leave Europe, these findings are supported elsewhere, including New Zealand (Table 7). Research in New Zealand found that cycle tourists generated a lower daily spend when compared to the average of all international visitors (\$64 versus \$152), however, they had a higher total trip spend (\$3,021 versus \$2,776), largely due to longer stays.⁹⁹ Bicycle tourism on the South Island was associated with a direct expenditure of \$76 million, a total economic output of 160 million and estimated 1,472 jobs, per annum.⁹⁹ At the time, this was considered comparable with the cruise ship market.⁹¹ In the Wisconsin, USA, recreation and tourism contribute \$924 million to the state's economy annually.⁹⁵ They note that more than \$535 million is attributable to bicyclists from other states and highlight the potential there is by increasing non-resident cycling.⁹⁵ Comparatively, in North Carolina, a one-time investment of \$6.7 million in infrastructure generates a nine-to-one return annually (\$60 million).¹⁰⁰ It is highlighted that the demographics attracted by cycling are often affluent, further contributing to their ability to spend money.^{100,101}

iv. Canada and British Columbia: Current Levels and Potential

The demographics comprising cycle tourists have been investigated. A survey conducted in Montana, the United States, on touring cycling looked at the residency location of respondents; among international respondents, Canadians represented the largest group, followed by the Netherlands, and the United Kingdom.⁸⁷ Research conducted in New Zealand found that Canadians were the 5th largest international group and comprised 5.9% of all cycle tourists; they follow behind Germany (22.7%), UK (17%), US (10%), Holland (7.2%).⁹⁹ This suggests that Canadians represent a significant proportion of cycle tourists, especially when considering the distance from and population size of Canada.

The benefits of cycle tourism have been identified and capitalized upon in numerous regions; within Canada some measurable impacts of bike tourism have been found, although there is largely an absence of research into the topic. In Québec cycle tourism has been investigated and has been gaining popularity since the 1990's - 10% of the population can be considered a touring cyclist.¹⁰¹ People cycling contribute notably to the economy, spending \$166 million province wide in 2000, supporting 2,800 jobs, and generating \$17.2 million in tax revenue for Québec and \$13.6 million nationally.⁷⁵ Quebec has also invested in developing a bike network, La Route Verte, of approximately 4345km to draw tourists and promote cycling. By 2000, with the route only partly finished, people cycling along it spent \$95.4 million (along with 2,000 jobs and \$15.1 million in tax revenue for Québec and \$11.9 million for the Government of Canada).⁷⁵ In Québec, bicycle tourists spent \$83 per day, more than other tourists' average of \$66 (2005).¹⁰¹

Meanwhile, in Ontario, cycle tourists spend a total of \$428 million and comprise 1.8% of total visitor spending.¹⁰² Cycle tourism has also been included in Ontario's Cycling Strategy (2013)¹⁰³ and shown by 2017 Ontario's Cycling

Tourism Plan¹⁰². Cycle tourists in Ontario are largely comprised of within province residents (88%), however, the majority of money is spent by overseas visitors; overseas visitors comprise 3.4% of total visitors but contribute 21% of the total spending.¹⁰² It is also highlighted that in Ontario cycle tourists spend an average of \$255 per trip compared to the average of all visitors being \$171 per trip, facilitated by the fact that cycle tourists stay longer than regular visitors.¹⁰²

In order to support the growth of cycle tourism in Ontario, it has been highlighted that building and maintaining infrastructure is key - in 2013 the goal of identifying a province-wide cycling network and link it to prioritizing future highway investments was identified¹⁰³ - and in 2015 the Ministry of Transportation has agreed to invest \$25 million over three years in order to help realize this.¹⁰² Growth in cycle tourism is further supported by The Ontario Trails Action Plan, through development of a provincial cycle tourism route, as well as Ontario’s Tourism Action Plan, which notes making investments in response to the shifting needs of the provinces tourism sector and includes investment in cycle tourism.^{104,105}

Within British Columbia we also have the potential and opportunity to better develop our cycle infrastructure and cycle tourism industry. The Provincial Government shows interest in promoting cycle tourism¹⁰⁶, however, there is a lack of direction and cohesive vision for the province. The BC Cycling Coalition urges for improved infrastructure in order to facilitate cycle tourism, highlighting popular routes, to foster associated economic benefits.¹⁰⁷ Thus far, there has been some research on the benefits of mountain bike tourism in BC and has identified notable economic benefits.^{108,109} For example, \$38 million is realized from mountain bike tourism in the Sea-to-Sky corridor alone (2006).¹⁰⁹ However, in order to realize the full potential of cycle tourism infrastructure investment is required. This would facilitate attracting wider demographics of bike tourists. Within B.C., cycle tourism is largely under researched and economic benefits left largely unrealized.

v. Bike Tourism, Infrastructure, and Cycle Highways

The growth of bicycle tourism in areas has been linked to the construction of and investment in high quality bicycle infrastructure^{85,110,111} and cycle highways, originally built to attract commuters, have been shown to create additional benefits for recreation, sport, and tourism²⁸. Bicycle tourism has been developing in large cities, opposed to the suburbs and countryside, due to a greater infrastructure provision.⁸⁵ Route and trail development has been found to stimulate demand for cycle trips and holidays in some European countries, including the UK, France, and Denmark.⁹¹ The most important factors determining the appeal of a bike tourism location are comfortable climate, segregated bicycle facilities, and road surface/pavement.⁸⁹ Poor infrastructure negatively impact cycle tourism rates; it has been highlighted that cycle touring routes need to be safe, direct, comfortable, and cohesive.⁸⁵ Interestingly, the aforementioned characteristics largely mimic what is delivered by not just high-quality bike infrastructure, but also cycle highways. This high standard of infrastructure and its link to bike tourism is shown directly by infrastructure contained within the EuroVelo network (Figure 18), providing a network that is both used by cycle commuters and travelers alike across the continent.



Figure 18: The estimated development of the EuroVelo network across Europe, including the percentages of routes within the 43,000km network that are on dedicated bicycle paths or lanes, asphalted low traffic roads, non-asphalted roads, and asphalted high traffic roads⁹²

The overlap of the requirements to generate cycle tourism and create a functioning long distance cycle network for commuters is advantageous and creates an interesting opportunity. However, as demonstrated by European nations, there needs to be integration in policy and planning, and government plays a notable role in the success of cycle tourism, ranging from infrastructure investment, policy, and awareness.⁸⁵ Research in Taiwan, where the potential of cycle tourism is being realized, notes the importance of a guiding framework to ensure there is clear bicycling policies, road safety regulations, and bicycle infrastructure plans and standards into infrastructure projects.⁸⁹ Due to the overlapping factors that contribute to developing cycle tourism and those provided by cycle highways and facilitating commuter cycling, it is suggested that they are taken together in consideration in order to further develop both.

D. The Growth of E-bikes and Micro Mobility: Added Value to Cycle Highways

Micro mobility generally refers to small and lightweight vehicles that operate at lower speeds than combustion engine vehicle traffic. Micro mobility includes non-motorized bikes, skateboards, and rollerblades, as well as electric bikes (e-bikes), mopeds, and e-scooters, to name a few (Figure 19). For the following sections, e-versions of micro mobility will largely be spoken to.



Figure 19: Common styles of e-mobility, the bicycle-style e-bike, the scooter/moped-style e-bike, and the e-scooter¹¹²

i. E-bike and Micro-Mobility Trends: Worldwide and in Canada

E-bikes are quickly growing in popularity worldwide, shown by quickly increasing usage and sales. In 2017 the global electric bike market was estimated to be \$16.34 billion¹¹³ and was valued at \$23.89 billion in 2020¹¹⁴. In China sales rose from 300,000 in 2000 to 30 million in 2021¹¹⁵; in Holland, a 30% increase in sales was seen in 2015 alone¹¹⁶ and in 2018 e-bike sales surpassed that of conventional bikes for the first time¹¹⁷. The automotive industry is also aware and aiming to capitalize on the market growth with GM releasing its first electric bike in 2018.¹¹⁸ This global e-bike market growth has been attributed to government support along with shifts in consumer behaviour, driven by perceptions of eco-friendliness, being an efficient commuting solution, increasing fuel costs, and growing interest in cycling as a fitness and recreational activity.¹¹³

Within North America, the market is largely driven by Canadian and American (U.S.) demand and has been estimated to grow 11.01% annually between 2021 and 2028.¹¹⁹ Canada ranks 6th globally in total value of electric bicycle imports (26.8 million USD) has imported 2.7% of Taiwan's global e-bike exports in 2020 (Figure 20). This is very notable, especially when considering population size: when the total import value of Canada is compared to that of the U.S., ranking second globally, we see that Canadians import comparatively more e-bikes per capita than our neighbours (.71 and .66USD per capita, respectively). The Canadian market has been found to be largely fueled by demand from retired individuals and a growing interest in recreational activity, along with a favourable regulatory frameworks and infrastructure developments.¹¹⁹




Figure 20: Value of electric Bicycle exports from Taiwan in 2020, by importing country (in million USD)¹²⁰

Secondary to e-bikes, more people are buying and using e-scooters worldwide. The e-scooter market, is currently worth 20.9 billion USD (2020) is forecasted to grow at a compounding rate annually over the next decade.^{121,122} This contrasts the tepid growth between 2016 and 2020.¹²³ Drivers of the e-scooter market can be considered comparable to e-bikes: factors such as increasing climate change awareness, prices of petroleum products, environmental regulations, government incentive and subsidy programs, technological advancements in batteries, and e-scooter sharing services.^{121,124} Many regions across Canada have seen a rapid uptake of micro mobility, including e-bikes and e-scooters.¹¹²

The growth of e-bikes and micro mobility is further contributed by the increasing number of share companies appearing globally, such as Lime, Jump and Bird, and operating in cities in Australia and New Zealand, South America, Asia, and throughout the U.S. and Europe. Revenue of global e-scooter share programs are projected to double over the next 4 years and e-bike share programs to increase by 50% (Figure 21).




Figure 21: Global revenue from e-scooter share programs worldwide (left) and global revenue from e-bike share programs worldwide (right)¹²⁵

Although Canada has lagged behind other parts of the world in adopting micro mobility sharing, largely due to legislation grey areas, things are changing: Alberta and Quebec are amending legislation and Ontario and British Columbia are in the process of doing the same.¹²⁶ Due to this, within Canada we are seeing various pilot programs for both e-bike and e-scooter sharing, including Toronto, Edmonton, Victoria, Montreal, Waterloo, Calgary, and Kelowna. Calgary's two-year e-scooter pilot program was closely followed by a unanimous city vote

for companies to continue operating.¹²⁷ Lime, a micro mobility company operating in 130 cities around the world, has stated that Calgary holds the highest number of rides per device globally and is leading the micro-mobility movement in Canada.¹²⁷ This shows Canadians shift towards the adoption of e-bikes and scooters in a relatively short time period and further supports growth within the micro mobility sector.

ii. Growth of Micro Mobility in Metro Vancouver

In line with the aforementioned trends, e-bikes are growing in popularity within Metro Vancouver as well.¹²⁸ This is supported by the Provincial government, providing rebates for e-bikes to individuals (\$750,000 over a two year period), and conducting a pilot program for cargo e-bikes for businesses.¹²⁹ They are also growing in usage for business purposes, including Securiguard using e-bikes in their patrol.¹³⁰ Although the exact modal share within Vancouver is unknown, it is clear that it is growing - in 2016 it was reported that “Local e-bike firms are experiencing a sharp uptick in sales in the past two years, ranging from 100- to 500-per-cent growth.”¹³¹

Although in the early stages, within Metro Vancouver we see the potential of micro mobility supported by implementation of e-mobility share pilot programs. A provincial level initiative to assess e-mobility, namely e-scooters, as a safe mode of transport started in April 5th, 2021 and, within Metro Vancouver, includes: the City of North Vancouver, City of Richmond, City of Vancouver, District of North Vancouver, and District of West Vancouver, and, in the province, the City of Kelowna, City of Nanaimo, City of Vernon.¹³²

North Vancouver saw Canada’s first electric bike share program in 2013¹³⁰ and is currently is conducting an two-year e-bike share pilot program with Lime, closely joined by the City of West Vancouver, since July 26, 2021.¹³³ Since its launch, there has been an average of 200 trips per day (median 1.6km in length) totally over 25,000km (Figure 22).¹³⁴ Lime already operates in Calgary, and Edmonton, and runs pilot programs in Ottawa, and Victoria. Most recently Richmond has approved a contract for a pilot program with Lime.¹³⁵




Figure 22: Daily ridership since launch of Lime’s e-bike pilot program on the North shore; raindrops denote rainy days¹³⁴

Within Metro Vancouver we see additional support of e-bikes in various jurisdiction through guidelines and regulations, including the City of Vancouver’s Active Transportation Plan 2014 regarding electrical outlets in off-street bike parking, New Westminster outlining electrical out access in bike storage facilities, North Vancouver requiring charging facilities and bicycle storage in new developments, and West Vancouver planning to implement education and awareness for e-bikes.¹³⁰

iii. Micro Mobility Delivery Services and Cargo Bikes: Worldwide and in Metro Vancouver

Micro mobility is also being used at the business and corporate level in the form of cargo bikes; these versions of e-bikes are built to carry large amounts of cargo. Cargo bikes serve to increase the efficiency of deliveries within the urban space. The application of cargo bikes is especially relevant to 'last mile' delivery in areas with high population densities, as this portion of the supply chain often faces delays.¹³⁶ Cargo bikes have been shown to increase delivery efficiency, be cheaper to run, reduce traffic disturbance, along with reducing the environmental impact of deliveries within the urban environment.¹³⁷⁻¹⁴⁰

Around the world, cargo bikes have already changed urban logistics and show an enormous potential, namely the ability to optimise logistics in densely populated areas with dense delivery points.¹⁴⁰ This is in part a response to retail e-commerce having grown and projected to keep growing, both worldwide and in Canada, contributing to increasing numbers of deliveries.¹⁴¹ Alongside, food delivery services have been also growing worldwide¹⁴² and associated companies have already realized benefits of employing bikes for delivery¹⁴⁰. Within the US, companies like UPS, DHL, and FedEx have been using cargo bikes already for almost a decade.¹⁴⁰

Various studies conducted have investigated efficiency of cargo bikes and compared them to vehicle deliveries. A study conducted in England found that freight cycles performed better compared to vans within cities, making deliveries an average of 1.61 times faster.¹⁴⁰ Regarding economics, it was found that swapping a conventional delivery fleet to bicycles paid for itself after 15 months and was profitable with a high rate of return.¹³⁶ The cost of mobility (parcel/km) of cargo bikes has been found to be almost half that of vehicular delivery and speed and delivery times improved by 69% in high traffic volumes.¹⁴³

This comes along with a notable potential for environmental impact reduction within the delivery industry, as cargo bikes have a much smaller environmental impact than vehicles. For example, if cargo delivery were to replace 10% of van-km currently driven in London 133.3million kg CO₂ would be saved.¹⁴⁰ In Europe, the potential shift to cargo bikes has been estimated to be 51% of all within city motorized freight trips.¹³⁸ When scaling up the current potential of cargo bikes, compounding with the estimated reduction in environment effects, a reduction of environmental impacts of the delivery industry becomes large.

In Canada, we are already seeing the appearance of cargo bikes. FedEx chose Toronto to pilot their cargo bikes and is looking to expand to other cities in Canada.¹⁴⁴ In addition, Montreal's cargo bike pilot, Colibri, makes more than 5,000 deliveries per day and is more profitable and efficient than trucks.¹⁴⁵ Deliveries per hour were found to be 30-40% more efficient than trucks in terms of deliveries per hour.¹⁴⁴

Vancouver, closely follows behind Toronto and Montreal, with a recent pledge to create an e-bike cargo delivery hub¹⁴⁵; here we already see numerous companies including Eeco, Uber Eats, Door Dash, employing bikes, and Shift, employing cargo bikes for their deliveries. The provincial government also offers a rebate of \$1,700 for businesses for the purchase of a cargo bike, and can purchase up to 5 through the program.¹²⁹ The Vancouver led, province-funded cargo delivery hub project will run for 14 months starting June 2021.¹⁴⁵ This pilot project will be followed by an evaluation in the spring of 2022, focusing on quantifying the productivity, cost, incidents, and greenhouse gas emissions reductions.¹⁴⁵ Rob Fleming (MoTI), referring to the intentions of the project, can be quoted as saying "With COVID-19, there has been a surge in online shopping, same-day shipping and home delivery, increasing the number of delivery trucks on B.C.'s roads. This project will support efficient last-mile delivery that does not add congestion, noise or air pollution to Vancouver's busy downtown core".¹⁴⁵

However, it has been highlighted, that currently there is a lack of adequate infrastructure, limiting the potential of cargo bikes; for example, cargo bikes require infrastructure that accommodates their width. In Vancouver, for example, 'All Ages and Abilities' routes meet these requirements. Mike Zipf highlights that Vancouver is taking

width into account when constructing their new bike routes to help accommodate the potential future usage of cargo bikes.¹⁴⁶ However, Sandra Allen, from shift Delivery, also says that obstructions of bike lanes are common, happening on average twice per day and impeding the efficiency of cargo bike to maneuver throughout the city.¹⁴⁶ In Copenhagen we see the potential of cargo bikes being realized, occurring along with their developed network of cycle highways. It is clear that high quality, networked, and accommodating infrastructure is crucial to help realize the potential of e-bikes and needs to be given greater consideration in city and transport planning.¹⁴⁷

iv. E-Mobility Options Increase Micro Mobility Use

E-mobility options contribute to growing micro mobility usage, past conventional micro mobility levels, by making longer distances feasible and making micro mobility accessible to a greater portion of the population.

In the Netherlands, e-mobility makes travelling larger distances more accessible and it has been found that e-bikes increase how often people ride.¹⁴⁸ Wim Bot, from the Dutch Cyclist's Union, highlights that e-bikes make reaching distances of 15km very reasonable; city transportation and planning models assume the reach of a conventional bike to be 7.5km, however, this is doubled to 15km for the e-bike.¹⁴⁹ As it so happens, conveniently Dutch cities tend to be 10-15, up to 20km apart, and are the best distances to justify cycle highways.¹⁴⁹

When looking at Vancouver, these distances are also extremely relevant. For example, the following locations are shown with distances as-the-crow-flies (ACF) and the shortest suggested vehicle routes as suggested by google maps (car):

- Richmond city centre (Brighouse) to downtown Vancouver (VAG) - 12.9km (ACF) – 15.2km (car)
- Downtown Vancouver (VAG) to Burnaby (Metrotown) – 10.2km (ACF) – 12km (car)
- Burnaby (Metrotown) to New West (Douglas college) – 7.4km (ACF) – 9.1km (car)

These distances show that the potential for e-mobility to address regional travel needs is high.

It is not just that it is easier to bike farther with the support of e-mobility but it has been shown that users actually do travel farther distances when using them in the place of conventional bikes.¹⁵⁰⁻¹⁵² A recent study found that individuals who purchased an e-bike increased from 2.1 to 9.2km traveled by bike per day.¹⁵²

E-mobility options also make micro mobility accessible to a larger segment of the population, whom otherwise may not employ more conventional micro mobility options (*e.g.* pedal-bike).¹⁴⁸ E-mobility helps overcome barriers to micro mobility by being less strenuous, going places more quickly (without being sweaty), carrying more cargo, and increasing perceptions of safety.¹⁴⁸ Notably, older individuals and those with physical limitations state that e-bikes allow them to ride if unable to ride a standard bike.¹⁴⁸ E-mobility has shown to provide accessibility in Portland, where 74% of e-scooter users reported having not used the (conventional) bike share, in place since 2016.

As e-mobility makes longer distances accessible and appeals to a greater segment of the population than the conventional bike, we see a modal shift from other forms of transportation.¹⁴⁸ Previous research has shown that e-bikes can replace conventional bike, bus, and even up to 76% of car trips.^{150,151} Additionally, car owners have been found to be more willing to use an e-bike than a conventional bike and public transport.¹⁵⁰ In Portland, modal shift was most notably seen away from walking, single occupancy vehicles, and ride-hailing; it is estimated that e-scooters replaced 301,856 vehicle miles during the 4 month pilot.¹⁵³ During the e-scooter pilot in Calgary, it was reported that 30% of riders had replaced a car trip with a scooter trip.¹²⁶

v. E-Mobility and Cycle Highways

When looking at the trends and considering the context of Metro Vancouver, a few things seem quite clear: more people are buying into and using micro mobility options, along with both provincial and municipal level interest in these modes of transportation. The rapid emergence of micro mobility warrants their incorporation into our transportation network.¹¹²

WSP highlights that micro mobility addresses “some, if not all, of our shifting mobility-needs” and can help close gaps in our current transportation networks.¹¹² Shifting transportation needs have been deemed the ‘missing middle’ and refer to trip types, technology options, network connection, and demographics currently forgotten when planning transportation.¹¹² An example of a ‘missing middle’ is first-and-last-mile trips. By better including these transportation avenues via micro mobility, it is argued that many of these gaps could be filled.¹¹²

The availability of e-bike, and generally micro mobility, friendly infrastructure is a key motivator affecting its adoption.¹¹² This includes separated and comfortable cycle lanes, maintained at a high quality, and that are accessible by broad demographics at a networked level.¹¹² When surveyed, people tend to support the use of e-bikes and e-scooters on bike lanes, contrasting less support for being ridden on roadways or sidewalks.^{112,153} WSP urges that micro mobility is considered in planning and functional design of all future cycling routes.¹¹²

Overall when we look at cycle highways and e-mobility together, we see a positively reinforcing effect. Firstly, increased availability of high-quality infrastructure, such as cycle highways, can increase micro mobility usage. A survey conducted in the Netherlands found 20% of users bought an e-bike because of the *Rijnwaalpad*, one of the early cycle highways implemented in the country.¹⁵⁴ Secondly, increased availability of micro mobility and e-mobility options, in addition to conventional bikes, makes micro mobility more appealing and engages wider user demographics; this means cycle highways become accessible to more people. Sjors van Duren, working on cycle highways in the Netherlands can be quoted as saying “Even without the e-bike, the concept of the cycle superhighway can be a game changer. But with the e-bike it makes it even stronger.”¹⁵⁴

E. The Potential for Cycle Highways to Address Transportation Inequity

i. Background

Equity in transportation means that the impacts, benefits and costs, are considered fair and appropriate.¹⁵⁵ The impacts of transportation planning decisions can be both significant and diverse. These include effects on individuals economic and social opportunities, external costs including congestion and accident risk, land value, local economic activities, including employment and economic development, and household expenditures.¹⁵⁵ In addition, high levels of public resources are also used, such as tax funding and road right-of-way’s; these disproportionately favour some users over others.¹⁵⁵

In terms of equity, “bicycles are the cheapest and most accessible form of mobility”¹⁵⁶, however, oftentimes the supporting infrastructure for employing a bike as transport is poor or absent. Although the bike itself is seen as equitable, it cannot operate within the urban space in an equitable way without infrastructure that supports equitable access. NACTO has highlighted that poor or absent bike infrastructure disproportionately impacts low-income communities and communities of colour.¹⁵⁷ In Vancouver, transportation inequality is displayed through certain demographics being over represented as transit users compared to the general population¹⁵⁸ and certain minorities having less access to bike infrastructure when compared to the regional average¹⁵⁹.

It is being increasingly highlighted that there needs to be a greater consideration of equity when we design our transportation infrastructure and systems.^{112,157} Numerous studies have found that there is inequitable

distribution of transportation infrastructure around our urban areas, for example less transportation infrastructure accessibility correlated with areas with poorer socio-economic indicators and minority populations.^{159,160} As mobility has been tied with economic opportunity, health, and quality of life, inequitable transportation means an inequitable distribution of its consequences and that, with shifting mobility needs, our most vulnerable populations need to be taken into greater consideration.^{112,155}

ii. Equity Factors and Consequences

Within the realm of transportation, we see a distinction between different types of equity, including social and spatial equity.⁹⁶ Social equity refers to the socio-demographics of a population, such as household economic, ethnic populations, or education levels. Comparatively, spatial equity refers to distributional effects, such as accessibility to transit and bike infrastructure.

Several social equity indicators have been found to impact transportation equity. Previous research has shown that household economics play a role, as those with lower household incomes spend a high proportion of their earnings on transportation.¹⁶⁰⁻¹⁶³ Age also has an effect, especially those younger and those older, often being unable or less likely to drive a car.¹⁵⁹⁻¹⁶³ Racial and ethnic minorities have also been correlated with transportation inequality.^{159,160,162,163} These elements further compound with aspects of spatial equity. Spatial equity is affected by whether or not a household has access to a car¹⁶⁰, if they are able to reach public transit options within a reasonable distance¹⁶⁴, and if they have proximal access to bike infrastructure^{160,165}. It is important that various types of equity, along with the variables that affect them, are considered in transportation planning, to ensure higher levels of equitable distribution and access across a regional population.

Previous research in Melbourne, Australia, investigated individual travel patterns, social exclusion, and well-being. It was found that residents averaged 3.8 daily trips (all modes), but trip number declined as the number of social exclusion risk factors (income, employment, political engagement, participation in activities, and social support) increased, for example, 2.8 fewer daily trips were made by people with 2 or more risk factors.¹⁶⁶ Research investigating the travel behaviour of females in the UK found that access to a car significantly impacted a woman's ability to obtain a job – a metric of economic inclusion.¹⁶⁷ Their analysis concluded that in automobile-dependent areas, car access helped achieve equity objectives, however, as efforts are being made to reduce automobile use, they highlight that the needs of vulnerable groups must be considered.¹⁶⁷ Overall, it is highlighted that when different transportation modes are available to choose from, it allows individuals to choose the best fitting option for each trip, reducing chauffeuring costs, increasing independence – especially to younger and elderly people - increasing exercise, saving money, and improving access.¹⁵⁵

iii. Cycle Infrastructure Planning for Equity

When taking equity considerations into account when planning and designing bikeways, one can look at a) the facilities implemented (*e.g.* on street bikeways versus separated bike lanes), and b) the distribution and accessibility of the network. Here we will largely speak to the latter (the former is largely addressed in section II.C. Metro Vancouver: Preferences and Needs of People Cycling).

Previous research has found that bikeway networks in cities have been distributed unevenly, and poor access is largely realized by ethnic minorities and people of lower socio-economic standing.^{159,160} Research on equity pertaining to bike infrastructure has been done in the City of Vancouver, along with cities such as Saskatoon, Winnipeg, and Victoria, including an equity analysis in their cycle network plans.

Various cities have included equity in their analysis of the cycle networks and plans. Winnipeg has defined an equity score by considering youth, seniors, immigrant, aboriginal, and low income populations.¹⁶⁸ This was combined with a level of service analysis which considered the amount of bikeway facilities in different neighbourhoods (bikeway km per km²).¹⁶⁸ These together defined census tracts with low coverage and a scoring highest in equity, which justifies priority in future infrastructure improvements.¹⁶⁸ For the City of Victoria an equity analysis was also conducted to inform the design of their future bike network.¹⁶⁹ They stated one aim of the project was “to develop a well-connected network for cycling that serves all areas of the city and includes areas that have a high density of historically underserved population and relatively low levels of facilities currently.”¹⁶⁹ They assessed equity by creating a low-income score and mapped out the relevant regions to serve.¹⁶⁹

Saskatoon, as part of their Active Transportation Plan, conducted an in-depth equity analysis, considering the same five factors as Winnipeg (e.g. youth, seniors, etc.) highlighting the most inequitable areas. They also assess the accessibility of their network, slightly differently than Winnipeg, by identifying area gaps; gaps were defined by being outside a 400m buffer surrounding their bikeways network.¹⁶⁵ They note that a complete bikeway network would mean that every part of the city would be able to access a designated bike facility within 400m.¹⁶⁵

iv. Equity in Vancouver

Within the Metro Vancouver, light is increasingly being shone onto equity issues in the region and urging for its greater consideration and integration in policy and planning.¹⁶⁴ Within the *Social Equity & Regional Growth Study*¹⁶⁴, suggestions towards integrating social equity into the *Metro 2050* plan are highlighted, including two equity indicators pertaining to transit: ‘relative access to transit’ and ‘employment access (transit).’¹⁶⁴ The former refers to an auto-oriented community design and lack of transit frequency disproportionately impacting transit dependent residents, often racialized, low-income, and women and impacts access to employment, education, health, and recreation.¹⁶⁴ Areas of highest concern were suburban/rural and without proximity to major bus or SkyTrain routes.¹⁶⁴ The latter, ‘employment access (transit)’ specifically refers to transit reliant populations having reduced job opportunity and economic well-being.¹⁶⁴

With respect to transportation infrastructure, TransLink highlights the user demographics employing public transit – bus, sea bus, and SkyTrain – differ when compared to the broader adult population of Metro Vancouver.¹⁵⁸ They find a higher proportion of transit riders between 18 and 24 years old and fewer between 55 and 64 years of age, are less likely to be employed full time, more likely to be employed part time, and more likely to be unemployed, are more likely to be students and also more likely to have university-level education.¹⁵⁸ TransLink also highlights the difference between their ‘choice’ versus ‘captive’ riders; the latter being defined by not having regular vehicle access. Captive transit riders compose 48% of transit users and 56% of all trips. The proportion of captive transit users (48%) is significantly higher than in 2019, where captive riders composed only 35% of transit ridership.¹⁵⁸ TransLink summarizes that captive riders are more likely, than choice riders, to be taking work-related trips, younger (18-24), students, employed part-time, and less affluent (household income of <\$40K).¹⁵⁸

Research in the City of Vancouver assessed the equity of their bikeway facilities and whether it had changed between 2001 and 2016 with the increased investments in cycle infrastructure and corresponding increased ridership rates.¹⁵⁹ It was found that there were disparities in access and that they were not addressed by the investments made in cycle infrastructure.¹⁵⁹ Firth and colleagues highlight that areas with more children or more Chinese residents had comparatively less access to protected bike lanes; this contrasted areas with more university-educated adult have higher levels of bike infrastructure access.¹⁵⁹ Areas with more local street bikeways saw more bike commuting, highlighting the affect access to safe infrastructure has on an individual’s

choice whether they commute by bike.¹⁵⁹ Firth and colleague conclude inequity in distribution of bikeways has persisted, and continues independent of investments and increased infrastructure, and call for future solutions to promote active transportation for all communities and residents.¹⁵⁹

It is becoming increasingly clear that equity considerations need to be made when designing our transportation infrastructure, and specifically bike infrastructure, if we want to realize an equitable mobility network. Other regions within Canada have already begun doing so, however, across Metro Vancouver, we currently lack an overarching equity analysis relevant to our cycling facilities and integrated within our planning decision. For this reason, we have decided to include an equity component in our GIS analysis (VI. Regional Analysis for Possible Cycle Highway Routes in Metro Vancouver).

V. Case Studies on the Early Developmental Process'

The following section takes a detailed look into the early developmental stages of cycle highways in Europe, including the Capital Region of Denmark, the Province of Gelderland, Netherlands, and London, England and trails/greenways in North America, Minneapolis, United States of America and in the Capital Regional District, Canada. Each case focuses on the one/two earliest routes implemented, identifies the key stakeholders involved, describes what the process entailed before construction, funding sources, and the route selection process. For each case a relevant practitioner was interviewed to acquire missing information and discuss factors contributing to project success. Each case is concluded with takeaways, summarized at the end of this section.

A. Cycle Highways in Europe

Cycle Highways are becoming more and more commonplace in Europe, namely in the northwestern region. The following section describes three successful examples of cycle highways and their early development in detail.

i. Capital Region of Denmark, Denmark

There exists an interesting agreement between municipalities in the Capital Region of Denmark: The Cycle Superhighways Collaboration. It was initiated by the Copenhagen Municipality in efforts to increase bike modal share and targeted longer commuter cyclist journeys. Early work established a heat map of the region, highlighting important areas to connect. The Cycle Superhighway Collaboration now includes 30 municipalities with a shared vision of a 'cycle superhighway' network that covers the entire capital region.¹⁷⁰ Projects between municipalities have been quite successful and largely be attributed to an office in Copenhagen working full time on the project, without which, some municipalities have stated, the project would not have continued and ended up as successful.¹⁷¹

The first two 'cycle superhighways' constructed in Copenhagen and nearby regions are the Albertslund route and the Farum route.

Albertslund Route C99

2012

18km

Route description: Largely green surroundings, road sections through Frederiksberg, Copenhagen, and Rødovre. Comprised of traditional Copenhagen separated bike paths along roads, painted bike lanes, and paths in their own route; sometimes is not the most direct possible.¹⁷¹ See Appendix A for route map.

Municipalities: Albertslund, Glostrup, Rødovre, Copenhagen, and Frederiksberg

Cost: Facilities DKK 25 million; Annual operation DKK 2 million¹⁷⁰

Facts and figures:

- Saw a 14% increase in cyclists after construction (2010 to 2018)¹⁷⁰
- Numbers of cyclists have increased by 61% during weekday morning rush hour and by 73% on weekday evening night rush hour²²
- 10% of new cyclists used to travel by car¹⁷⁰
- Average trip length on the route is 7.5km¹⁷²

Farum Route C95

2013 (Farum to Bellahøj); extended 2017 (Bellahøj to Kongens Nytorv)

21km

Route description: Along motorway, and open country and forest, 13 tunnels, multiple lighting facilities. See Appendix A for route map.

Municipalities: Furesø, Gladsaxe, Copenhagen

Cost: Facilities DKK 41 million; Annual operation DKK 2 million¹⁷⁰

Facts and Figures:

- Saw a 68% increase in bicycle traffic after opening the route (2012-2018)¹⁷⁰
- 28% of new cyclists used to drive¹⁷⁰
- Average trip length on route is 14.7km¹⁷³; on cycle superhighways (in general) it is 11km²⁷

Who

The Cycle Superhighways Collaboration:

In 2009 with 16 municipal regions joining together on the potential of long-distance interconnected and cohesive cycle routes within the capital region of Denmark. The Cycle Superhighways Collaboration was subsequently created in 2011.¹⁷⁴ Now there are 30 member municipalities, with another joining in early 2021.¹⁷¹ The collaboration includes multiple groups, namely:¹⁷⁵

1. Steering group: Collectively decides what direction to take and approve new projects and cycle superhighway routes. Comprised of 1) heads of planning and traffic from each 30 member municipalities, 2) a representative from the Capital Region of Denmark (CRD), and 3) a representative of the Danish Road Directorate.
2. Project group: helps develop and implement concrete solutions and contribute professional knowledge. Comprised of representatives from 30 member municipalities (often road/traffic planners that handle implementation of municipal cycle superhighways daily).
3. Operations group helps develop new cooperative solutions and ensures coordination of operations. Comprised of representatives from 30 member municipalities (often operations personnel who carry out day-to-day maintenance and operations of municipal roads and paths).
4. Office of Cycle Superhighways: facilitates cooperation, ensure plans have political backing, and coordinating municipal cooperation during various project phases. Documents impact of cycle superhighways and develops new solutions to improve cycling conditions. They conduct an annual meeting including all municipalities along each route to discuss and update each other on the condition or concerns of the route.¹⁷¹

Copenhagen Municipality

Copenhagen was the city in the region that motivated and initiated movement toward improving cycle infrastructure in the region. Around 2005, Copenhagen set an ambitious goal of increasing the modal share of bikes to 50% for trips to work and educational institutions.¹⁷¹ They set the early groundwork to get the Cycle Superhighways Collaboration started.

The Capital Regional of Denmark and the State (Federal) Government are both involved in that they provide significant funding towards the Office of Cycle Superhighways and related on the ground infrastructure projects.

Early Stages

Copenhagen had set an ambitious goal of increasing the modal share of bikes trips to work and education to 50% around 2005, however, within a couple years of making efforts towards this, they realized that the vast majority of people driving cars in Copenhagen were not residents, but rather those coming from the municipalities surrounding Copenhagen.¹⁷¹ Without jurisdiction over the neighbouring regions, they knew they needed to work in collaboration. To increase bike ridership and reduce the influx of cars from the neighbouring cities into Copenhagen, they decided to develop high class commuter routes for people cycling from the suburbs to the city centre.^{171,175}

In 2008, the City of Copenhagen initiated an analysis outlining the notable potential of long distance bike commutes across municipal borders in the Capital Region.¹⁷⁴ The analysis was contracted out and the consultants identified numerous radial routes, which were outlined within a report and included distances and approximated ride times.¹⁷¹ David Rønno highlights that at the time they knew that people were willing to bike 5km to work but distances to the suburbs were much more than this, so the challenge was to encourage people to bike those longer distances.¹⁷¹

As the routes, at minimum, transcended municipal boundaries, Copenhagen knew collaboration was required and key; in 2009 Copenhagen joined with 15 other municipalities.¹⁷⁴ David highlights that in order to create the collaboration it required a lot of 'tiptoeing', as there are many feelings surrounding the topic; this includes conflicting interests, politics, differing levels of car reliance, and also, because some municipalities are smaller than Copenhagen, they might feel a power dynamic.¹⁷¹ Copenhagen entered discussions with a lot of humility and was careful not to be perceived as telling other municipalities what to do and rather presented the concept as an option. It was made clear the project did not aim to limit car driving but rather improve cycle facilities.¹⁷¹

In 2011, the Cycle Superhighway Collaboration was developed along with a conceptual strategy for the project.¹⁷⁴ This was the basis that existed when the first two routes, the Albertslund route (2012) and Farum route (2013), were launched. 2013 also saw the establishment of the first national cycle superhighway fund: it provides 50% of the investment for cycle highways throughout Denmark.¹⁷⁴ Before the establishment of the Cycle Superhighways Collaboration, municipalities would build short local routes and longer commuter routes were difficult to conceptualise – the Office of Cycle Superhighways steps in to provide guidance on the latter.¹⁷¹

Albertslund Route

The Albertslund route was constructed in 2011 and the first cycle superhighways constructed in the Capital Region. Figure 23 gives a sketched-out representation of what the process entailed. The first of the four lines shows the Albertslund route fragmented both visually and functionally; it is a stretch of bicycle infrastructure with missing links in between. The second line, comprised of small dots, depict the addition of various physical measures addressing missing links. The third line show a functionally complete and physically cohesive route. The last line depicts the completed route, after signage, wayfinding, and a visual identity have been added, making it functionally and visually coherent.




Figure 23: Visual representation of the upgrades made to the Albertslund route, including filling missing links and creating a cohesive visual identity¹⁷⁴

Farum Route

A bike route that was largely built in the 1970's, during the construction of a motorway to connect some of the suburbs north of Copenhagen, preceded the construction of the Farum route. This meant there was already people cycling along this route before it was developed into a cycle highway. Some improvements were made, namely to the urban stretches before the motorway, and signage was posted along the route. Once the route opened as a cycle superhighway, however, it led to a 68% increase in bike traffic - this stands out compared to the other cycle superhighway routes.¹⁷⁰ David highlights that not so much was done to this route in terms of infrastructure upgrades but rather selling the idea and communication around the route can be attributed to its success.¹⁷¹

Funding

After the 16 municipalities initially came together in 2009, the Capital Region granted €54,000 towards the project and the state committed €134 million for the development of cycling infrastructure.¹⁷⁴ By 2010, the Capital Region had committed an annual €400,000 to the development of the Cycle Superhighway Collaboration, formed in 2011.¹⁷⁴

Financial support from regional and national governments is considered important as inter-municipal cycle superhighway projects address regional challenges. Even though construction may occur at the municipal level, they are difficult to prioritize with a municipal budget. The national and regional government support for the cooperation and co-financing of the network was crucial for the success of the cycle superhighways project and ensures it continues to be a success.¹⁷⁵

The Cycle Superhighways Collaboration is in total funded 70% by the Capital Region and the remaining 30% is split by the municipalities.¹⁷⁵ The construction of the cycle superhighways themselves is in principle funded by the municipality in which it takes place. This is because the roads have either federal or municipal designation in Denmark and the roads people bike along are largely municipal roads. Municipalities are able to apply for funding on a yearly or biannual basis for approximately half of project costs.¹⁷¹ The cycle highways constructed to date have received between 40 and 50% co-financing by the state.¹⁷⁵ The municipalities are responsible to pay the operation and maintenance costs.¹⁷⁵

Route Planning Process

Route planning was initiated by the City of Copenhagen: consultants identified numerous radial routes, which were outlined within a report^c and included distances and approximated ride times.¹⁷⁴ Routes were decided upon by developing a heat map (Figure 24). The red areas depict places with more than 10,000 activities in the radius of 2km; activities are defined as residences, workplaces, and adult education facilities ('S' denotes city train stations). This map clearly depicts areas to connect by the cycle superhighway routes, as the routes were focussed on commuter cycling and not children or recreation.¹⁷¹




Figure 24: Map depicting areas of the Capital Region with high levels of activities (red >10,000 within 2km)¹⁷⁶

Generally, route research is done by public sector organizations. It also includes partnerships with universities on data collection; one project conducted entails calling approximately 5,000 individuals and asking them to describe each trip they took in a day.¹⁷¹ This project helps estimate traffic flows within the region and is considered important data in developing the network.¹⁷¹ However, lots of routes focus on expanding and improving the pre-existing cycle infrastructure and developing them into a cycle highway.

A potential route is first screened, looking at satellite images/google street view, to report on what needs to be remedied. The route is then ridden with stakeholders to see what needs to be changed or upgraded (e.g. widths, wayfinding). Routes are often ridden by an individual, collecting data, and then entering it into a rating spreadsheet. The features of a cycle route are entered and assessed and only once a pre-determined threshold is reached, they can be deemed a cycle highway. The criteria of a cycle superhighway is defined in a design manual, *Koncept 2.0*³², outlining specific guidance on construction and design of cycle highways.

The Cycle Superhighways Collaboration together have now developed and planned a network of 26 routes to connect suburban areas to the city (Figure 25). The planned total distance of the network aims to reach 746km by 2045 (Figure 25).

^c I was unable to track down the report; David Rønno does not possess a copy either.




Figure 25: The 26 routes, existing (orange), financed (black), and planned routes (grey), in the cycle superhighways network in the Capital Region (left)¹⁷⁷; the planned increase in total distance of the cycle superhighways network in the Capital Region until 2045¹⁷⁰

Benefits

Wider benefits of the cycle superhighways have been estimated and include¹⁷⁸:

- **Social benefits:** Every year 720,000 fewer car journeys and 55,000 fewer hours spent in traffic. Cycling as transportation is a time efficient way to exercise.
- **Health benefits:** An additional 6 million cycle journeys annually. Approximately 40,000 fewer sick days per year, significant public cost savings, and extra tax revenue.
- **Economic benefits:** Vehicle congestion is reduced. Deliver \$860 million surplus.
- **Environmental benefits:** 45 routes will lead to annual reduction of 1,500 tons of CO₂ emissions and avoid 2,500kg of NO_x per year.

Case Takeaways

1. Propose a network of across the region with clear motivations and research backing
2. Create a central body to facilitate cooperation between municipalities
3. Look for political and financial support from the regional and national governments
4. Make clear what upgrades are required to transform a current cycle route into a cycle highway

ii. Gelderland, Netherlands

Considering the history of cycling in the Netherlands, the concept of *snelfietsroutes* (directly translated to fast bike routes) is quite new. The idea only really began to gain traction in 2006, when it was posed as a means of combatting traffic jams.¹⁷⁹ The association of cycle highways with traffic reduction meant that there were significant monetary contributions made from higher levels of government towards their development.⁴⁵

The province of Gelderland, containing 20 different municipalities, has taken a leading role and is considered to be the best model in the country when it comes to the development of cycle highways.¹⁴⁹ It must be noted, however, that fast bike routes are cropping up all over the Netherlands due their presence on the national agenda; Gelderland is one of the six regions taking the first steps towards developing 675km of *snelfietsroutes* across the country.¹⁸⁰ That being said, the province of Gelderland is known to apply ‘big picture’ thinking, and levels of funding, planning, and cooperation that is not usually seen on cycling projects in the Netherlands.¹⁵⁴ Currently, Gelderland, is in the process of developing a network of 12 *snelfietsroutes* and is investigating and making plans for 7 more.¹⁸¹

The first route constructed in Gelderland, the Rijnwaalpad between Arnhem and Nijmegen, can be considered the best example of a cycle highway in the Netherlands. It contains less compromises that decreases route quality than those found in other regions¹⁴⁹:

Rijnwaalpad (F325)

2015

17.7km

Route description: 4m wide path, smooth red asphalt¹⁵⁴; passes through two tunnels and ‘green bridge’, along the A325 road with separation of noise barrier¹⁸¹. Can be considered an upgrade to a largely pre-existing route.¹⁵⁴ See Appendix A for route map.

Municipalities: Arnhem, Lingewaard, Overbetuwe, and Nijmegen.

Cost: 17,000,000 euro¹⁸¹

Facts and figures:

- Cyclists ride 16km in under 45 minutes, without having to stop once¹⁵⁴
- Busiest section of route sees more than 6,000 cyclists per day¹⁵⁴
- One third of users are new cyclists¹⁵⁴
- 20% of users bought an e-bike because of the Rijnwaalpad¹⁵⁴
- Project has received international plaudits as a model to be replicated elsewhere¹⁵⁴

Who

Many parties came together in the order to realize the cycle highways in Gelderland. Development of the *Rijnwaalpad* included the central government, the province of Gelderland, the Arnhem-Nijmegen urban region and adjacent municipalities, along with interest groups, such as Fietsersbond.¹⁸² The Ministry of Infrastructure and Environment and ProRail collaborated on construction of bridges and tunnels.¹⁸²

Fietsersbond (Dutch Cyclists’ Union):

Fietsersbond is an organization representing the 13.5 million cyclists in the Netherlands and aims to create more and better opportunities for cycling. They are comprised of 35,000 members, 1,500 active volunteers and spread over 150 local branches throughout the Netherlands. They are active in research, lobbying, consumer information, and publicity. They play a big role in campaigning for cycling with numerous local advocates and experts in infrastructure development and design.¹⁴⁹

Fietsersbond was given a grant from the national government to fund the investigation and development of cycle highways to combat car congestion; congestion in the Netherlands is largely contributed to by short car trips.¹⁴⁹ This was closely followed by pilot projects.¹⁴⁹ *Fiets Filevrij* (Cycle Traffic-Free) by Fietsersbond started a campaign with 5 promising, comfortable fast routes where there is often traffic jams.¹⁷⁹

Now, as a strong supporter of *snelfietsroutes*, Fietsersbond works with the Ministry of Infrastructure and Water Management, local authorities, and many others to promote and realize new routes.¹⁸³ They often help with the

early stages of getting *snelfietsroutes* projects started but are not so much involved once the project gains momentum.¹⁴⁹ They also help independently assess whether fast bike routes meet quality standards.¹⁸³

Tour de Force:

The Tour de Force aims to increase the kilometers cycled in the Netherlands by 20% from 2017 to 2027. They began in 2015 as a joint government initiative to invest more attention, priority, and money into bicycle policy and consider the wider social benefits. The joint leadership is overseen by a representative from each of the Association of Netherlands Municipalities (VNG), Provincial Authorities (IPO), Transportation Regions (Vervoeregios's), Dutch Water Authorities, and the Ministry of Infrastructure and Environment. This team collectively works on agreements within the National Bike Agenda.^{149,184}

The Bicycle Agenda outlines various goals, including boosting the quality on busy and important regional cycling routes, and outlines clearly main points and actions towards the realization of these goals.¹⁸⁴ The organizations associated with each goal are also delineated; regarding regional cycling routes these are¹⁸⁴:

1. Government organizations: municipalities, provinces, Transportation regions, Dutch Water Authorities, Ministry of Infrastructure and Environment, ProRail, National Institute for Public Health and Environment (RIVM), Rijk (I&M)
2. Market sector: BOVAG^d, FIPAVO, RAI
3. Civil Society organizations: ANWB, Fietsersbond, Nederlandse Tour Fiets Unie
4. Collaborations: National Bicycle Platform Foundation
5. Knowledge institutes: CROW-Fietsberaad
6. Teams Tour de Force: Regional Route Selection / Financing Team

Early Stages

The developments of cycle highways in Gelderland began with a local chapter of Fietsersbond going to the vice-mayors and aldermen in 2008 and asking for better cycling connections between the cities.¹⁵⁴ But, at the time, the local government did not know how to handle the project, involving 4 municipalities, so it was offloaded onto the regional agenda and risked being shelved.¹⁵⁴ This changed when the National Government made a budget amendment towards investing more into cycle infrastructure, directly leading to notable funding for the region.¹⁵⁴ In Gelderland, the *Rijnwaalpad*'s formal objective, and prerequisite from the national government, was to reduce congestion on the main highway.¹⁸⁵

The support within the national budget occurred as cycle highways crept up the national agenda, as a strong case was made through a focus on congestion amelioration.¹⁴⁹ This budget is supported by the current national government: a right-wing party, reigning since 2010, and the most pro-car party in the Netherlands.¹⁴⁹ The connection between motorists and people cycling is simple: by improving conditions for people cycling, you thereby reducing traffic and also improve the conditions for the drivers that remain on the roads.¹⁵⁴ Now, many bike officials and municipal governments are convinced that cycle highways are a beneficial development.¹⁴⁹

Fietsersbond was involved in the project before funding was allocated and very early on as a primary project leader, helping in collaboration talks to create a network of cycle highways.¹⁴⁹ As there is not a government model on how to go about collaborations, this means that things are discussed and agreed upon on a case-by-case basis.¹⁴⁹ This can be a difficult process and it can take quite some time for all the stakeholders involved to come to an agreement.¹⁴⁹

^d a Dutch trade association of various vehicles and associated activities

Funding

In Gelderland, and all of the Netherlands, cycle highways have been created with subsidies from the national government, province, or city region, along with some EU subsidies, and air quality/climate subsidies.⁴⁵ In early meetings pertaining to the *Rijnwaalpad*, monetary contributions were agreed on by the National Government (€5 million), the province of Gelderland (€5 million), and the Arnhem-Nijmegen urban region (€5 million) and this was followed by commitments from municipalities (€4 million total).¹⁸⁶

Wim Bot has noted that there is not fixed government model for the process of developing cycle highways so discussions can take quite some time, especially pertaining to monetary contributions.¹⁴⁹ Issues also arise when small municipalities may not see the benefit they receive from a route passing through their region.¹⁴⁹ It has been suggested for cost to be separated based on cycling potential, with larger municipalities contributing more.⁴⁵

Although the funding for the *Rijnwaalpad* was obtained quite easily, this was not likely to happen again.¹⁵⁴ For subsequent routes they were forced to identify, assess, and pursue individual funding schemes.¹⁵⁴ Making an economic case and convincing the public played a big role in securing subsequent funding.^{154,149} Gelderland stacks up very well compared to other provinces in the Netherlands in term of total investments secured (€59 million) and a comparatively low proportion not covered by investments (€2 million) in their regional cycle route plans. However, Wim Bot highlights that to date national funding has been incidental and that long-term funding is needed for a normal running program, as it would allow for security in planning.¹⁴⁹

Route Planning Process

Route mapping is done by a collaboration between local governments and Fietsersbond by taking factors such as the origin and destination of traffic, workplace density, and future housing developments.¹⁴⁹ Within the Netherlands, an important argument is often accessibility: 61% of the population lives within 15km of work but the bike modal share up to that distance is only 10%.⁴⁵ This highlights that there is a lot to gain, especially with e-bikes allowing coverage of longer distances. Fast cycle routes also a viewed as a way to connect urban and rural areas, creating opportunities of recreation to the urban resident.⁴⁵

The theme of congestion alleviation, a national issue, has played a significant role in fast bike route funding and planning. In Gelderland, this has motivated work into defining a network of links, up to 15km, between residential and work areas, along with policy goals.¹⁵⁴ They aimed to reduce car dependency and provide drivers alternatives to sitting in traffic jams; this was directly linked to accessibility to the main nodes (e.g. city centre).¹⁵⁴ Following defining a network, predictions were made on how these routes would impact congestion, including traffic modelling and cost-benefit analysis.¹⁵⁴ These became the transformative tool used to secure financial partners.¹⁵⁴ For example, the road department funded one bike tunnel near a major intersection because of such large reductions in travel times for road users.¹⁵⁴

Overall, regions that are candidates for cycle highways have high population centres.¹⁴⁹ More recent discussions in Gelderland proposes that in order to justify creating a *snelfietsroute*, it must have the potential of 2,000 cyclists per day (busiest point) and an average of 1,000 cycles per day over >70% of the route.¹⁸⁷ Additionally, most of the cycle highways in the Netherlands have been developed from previously existing bike routes, meaning routes are upgraded to cycle highway opposed to being built from scratch.¹⁴⁹ Sometimes a pre-existing bike route reduced by just 2-3km makes it a cycle highway and a good alternative to the car.¹⁴⁹

Case Takeaways:

1. Develop vision of usefulness and necessity and put route(s), with research backing, on a map
2. Set up a working group with municipal and regional representatives and fill a leadership position

3. Get on the national agenda to acquire funding from higher levels of government¹⁴⁹; use modelling to secure financial partners
4. Focus on upgrading pre-existing bike routes into cycle highways

iii. London, England

The first cycle highways in London included 12 cycle routes, named ‘Barclays Cycle Superhighways,’ radially extending from inner London.¹⁸⁸ They aimed to make it safer and easier to commute by providing continuous and direct cycle routes.¹⁸⁸ These routes were proposed by Mayor Ken Livingstone, partially funded by Barclays bank, and introduced under Boris Johnson. These early stages of Cycle Superhighways in London was considered the ‘era of blue paint’ and focussed on improving readability and low-cost carriageway solutions.¹⁸⁹ It has been noted that the cycle highway projects in London differ to that of the Netherlands and Belgium, which have capitalized on cycling traditions and existing infrastructure, and largely pass through rural areas; in London, the challenge is how to retrofit the urban space that was not originally planned for bicycles.¹⁸⁹

The first cycle superhighways - pilot routes – aimed to show how cycling could be just as good or even better than the tube. This original set of cycle routes kicked off ‘London’s Cycle Revolution’ and developed largely under Boris Johnson’s government. Transport for London has made notable contributions towards the cycle highway projects, including monetarily and through facilitating discussion between different stakeholders and governments.¹⁹⁰ Now, current design standards make the routes look somewhat dated: between 2012 and 2015 the 2nd generation of cycle superhighways began and were designed to be physically separated from traffic, requiring complete street redesign.¹⁸⁹ As Transport for London has jurisdiction only over major arterial roads, London’s cycle superhighway infrastructure are built on heavy traffic corridors.²⁸

The pilot routes, CS3 and CS7, opened in London in 2010:

CS3

2010

12.3km; extended 2016 (Tower Gateway to Parliament Square) and 2018 (Parliament Square to Lancaster Gate) to 24km.

Route description: segregated from traffic for almost entire route, runs along shared footpath, parallel to A13 (major road), small streets, and parallel to river Thames. See Appendix A for route map.

Municipalities: City of Westminster, City of London, Tower Hamlets, Newham, Barking and Dagenham.

CS7

2010

13km

Route description: colliers wood tube station, along each side of A42 road, painted lanes with no physical separation, Tooting Broadway tube station, along Tooting High Street in vehicle traffic and then into widened cycle lane with parking restrictions, past Clapham Common tube station, along A3, Stockwell tube station, Oval tube station, avoids busy Elephant and castle roundabout along footpath, controlled crossing, to Southward Bridge and near Cannon Street tube station (inner city). See Appendix A for route map.

Municipalities: Merton, Wandsworth, Lambeth, Southwark, City of London

Cost: Both the CS3 and CS7 together, and supporting measures (cycle trainings, maintenances, and parking), cost £18m. Generally, one Barclays Cycle Superhighway, including supporting measures, costs between £8 and £11 million.¹⁹¹

Facts and Figures:

- 84% of CS3 users felt safe during their journey⁷⁹
- Since the introduction of the CS3, cycling has increased by 83% and on the CS7, by 46% (Figure 26)¹⁹²
- Found notable increases in people cycling along CS3 and CS7 and consistent with other routes (Figure 27)





Figure 26: Average two way cycle counts (7:00-19:00) on the CS3 (left) and CS7 (right) before and after introduction of cycle superhighways¹⁹²




Figure 27: Increase in cyclist travelling at the AM peak hour at points along four different cycle highways, including the first two constructed (CS3 and CS7)¹⁹³

Who

Ken Livingstone (Mayor of London 2000-2008)

Plans for 12 ‘cycle highways’ in London were first announced by mayor Ken Livingstone in 2008. During the time Livingstone served as mayor, many foundations that laid the groundwork for the Barclays Cycle Superhighways were established.¹⁹⁴ Prior to the work of Livingstone and through the 90’s, cycling levels and provisions for cycling were extremely low; the first National Cycling strategy was launched in 1996.¹⁹⁵ Livingstone’s activities included creating the Cycling Centre of Excellence at TfL in 2002; they were to manage the proposed 900km of the London Cycle Network (LCN), being in development since 1996 but progressing slowly.¹⁹⁴ This occurred along with the London cycling action plan (2004)¹⁹⁶ from TfL, which changed policy and set clear targets regarding cycling. Additionally, a team was also set up to bid for major events and, in tandem, a bid to host the Tour de France Grand Depart in 2007 was put forward.¹⁹⁴ Livingstone also proposed a cycle hire scheme for London.¹⁹⁵

Boris Johnson (Mayor of London 2008-2016)

During the election and at the beginning of Boris Johnson’s term as mayor of London, pressure was put on transportation issues and continue cycle infrastructure developments made by Livingstone. In 2009 Johnson called for a ‘cycling revolution’¹⁹⁵ and in 2009/2010 a record investment of £111m into cycling was planned.¹⁹⁷

This included rebranding Livingstone's original cycle hire plan with support from Barclays for 2010^e.¹⁹⁵ Johnson pulled funding to finish the LCN+ network and shifted focus onto 16 Cycle Superhighways between inner and outer London.¹⁹⁵ This included the two pilot cycle highway routes, the CS3 and CS7. At the end of his term, he stated his 'single biggest regret' was not opening cycle highways sooner and can be quoted as saying "Knowing what I do now, we would have blasted ahead with our new segregated cycle lanes from the beginning."¹⁹⁸

Transport for London

Transport for London (TfL) was established in 2000 as a local government body to manage transportation across London.¹⁹⁹ A management board is selected and appointed by the Mayor of London and their role is to implement the Mayor's transport strategy and manage transport services.¹⁹⁹ This includes transportation infrastructures, including buses and the London Underground, the congestion charge scheme, has responsibility for a network of main roads, all of the traffic lights, and taxi regulation. Since early on, they have also focused on cycling and cycle infrastructure within London¹⁹⁰; the National Cycling Strategy Board was established in 2001¹⁹⁶ and the Cycling Centre of Excellence in 2002¹⁹⁴. TfL also offered cycle funding for businesses within 1.5km of a Barclays Cycle Superhighway Route.²⁰⁰ The scheme included a number of funding credits, averaging in worth of £4,000 that could be exchanged for cycle parking, staff commuter cycle training, and mechanic cycle safety checks.²⁰⁰

Barclays

The development of cycle highways in London was sponsored by Barclays Bank. They agreed to make a monetary contribution of £25m over 5-years.²⁰¹ The project was named after them: 'Barclay Cycle Superhighways,' and they also lent their corporate colour to the project, most notably in the surfacing of the paths. The initial cycle hire program launched in London came in parallel with the first cycle highways (2010) and were also sponsored by Barclays: 6,000 blue bikes with 400 docking stations.

London Cycling Campaign

The London Cycling Campaign (LCC) is an independent charity that lobbies for better cycling conditions in London. They have pushed to get numerous cycle routes built within London. Their vision is to create a world class cycling city and organize campaigns around reducing carbon emissions, low traffic neighbourhoods, ensuring perceived safety for all users, along with improving safety through education and road design. They have 11,000 members, who are covered by third-party liability insurance and connections for legal advice. The LCC were supportive of the routes and were directly involved, via discussions and meetings, in the development of Barclays Cycle Superhighways.²⁰² TfL involves them in discussions and they are consulted regarding cycle infrastructure developments.¹⁹⁰

Sustrans

Sustrans is a UK-wide walking and cycling charity organization. They are best known for the project of the National Cycling Network, where they coordinate development, maintenance, and improvement of routes, however, are also small percentage owners (2%). They publish numerous guidelines and suggestions regarding cycling and cycle infrastructure, including education and outreach programs, assessment of the UK cycle network, and a Handbook for Cycle-Friendly Design²⁰³, pertaining to design, including cycle highways.

Early Stages

The developments of cycle highways in London come subsequently to shifting transportation motivations; those specifically pertaining to cycling can be traced back to the 1990's. Cycling had been moving its way into the

^e Done by Montreal-based PBSC Urban Solutions (scheme based on a feasibility study by German Dector-Vega and Charles Snead in November 2008).

transportation agenda and city plans for some time, leading to the creation of various cycle infrastructures, which provided an opportunity for upgrades into a cycle highway network.

The London Cycling Action Plan was published in 2004 and outlined objectives for cycle developments and the London Cycle Network.¹⁹⁶ This network laid much of the groundwork to be later upgraded into cycle superhighways. Prior to the London Cycling Action Plan, The National Cycling Strategy (1996) provided a framework for cycle developments, the National Cycle Network (NCN), and ambitious targets to increase cycling.¹⁹⁶ The parts of the NCN's quiet lanes, on-road routes and traffic-free paths and parts were also later upgraded to cycle superhighways. In 2001, the Transportation Strategy was released by the mayor, outlining a basis of changes and improvements to transportation in London; cycling was an integral part and a key action of the establishment of the Cycling Centre of Excellence, to develop cycling in London.¹⁹⁶

In 2008 Mayor Livingstone set the target of a 400% increase in cycling by 2025 and proposed £400 million for construction of 12 'cycle superhighways'; he can be quoted as saying "We want nothing short of a cycling transformation in London".²⁰⁴ Shortly following, Johnson became mayor: Livingstone's original cycle highway plan was adapted and Barclays joined as a monetary sponsor. An approach to design and implement cycle infrastructure was developed; this included adaptations of European designs to the UK context, lobbying to change UK regulations surrounding cycling, on-street roll-outs, and learning from others via city visits and an international benchmarking study.¹⁹³

For cycle superhighway developments within Greater London, TfL hosts discussions and brings together representatives.¹⁹⁰ TfL identifies stakeholders across London and local stakeholders for each route to engage with, including: elected representatives, representatives of road users (e.g. London Cycling Campaign, Sustrans, Freight Transport Association, etc.), London-wide organizations representing interest groups, and frontages (those with property along routes).²⁰⁵ Sophie Edmondson highlights that TfL, acting as the meeting host, creates a neutral ground for discussion and also conveys the interest they have in active transportation for Greater London; this contributes to city departments being receptive to conversation.¹⁹⁰

The first 'Barclays cycle superhighways' were comparatively low cost and minor street changes to better accommodate people cycling. The schemes were coordinated by TfL and the 32 London boroughs and agreement was obtained from local councils before proceeding with the cycling schemes. The first two cycle highways constructed, the CS3 and CS7, were closely followed two more in 2011. The initial routes were part of a pilot program that was already embedded within intentions and plans for a larger network throughout London. TfL has continuously worked on the cycle highways program to research and learn from mistakes and improve pre-existing routes through continued improvements.¹⁹³ Around the time and following the developments of early cycle superhighways, there was pressure seen from campaign groups, bloggers, and commuter cycling through social media and on street demonstration that brought London's cycle routes to the media's attention.

Funding

Funding for the Barclays Cycle Superhighways came largely from national government grants and TfL for cycling improvements.¹⁹⁰ The eight London Borough and businesses along the pilot routes were provided additional funding from TfL, for bike parking, cycle trainings, and maintenance sessions.²⁰⁶ Barclays bank also agreed to contribute £25m over 5-years.²⁰¹ This kind of funding – named brand urbanism – is a relatively new strategy within the urban public space²⁰⁷ and has not been seen often in the development of cycle infrastructures. This source of funding can help provide a greater possibility for local governments to realize ambitious projects, as the brand shows its involvement and responsibility for a city.²⁰⁷

Route Planning Process

The 12 original radial routes expanding from central London were selected to provide geographical coverage, upgrade routes with existing cyclists, and with future commuter potential (Figure 28). Various criteria was included in informing route selection, including¹⁹¹:

- Safe, straight, direct, continuous routes between central and outer London
- Space for high volumes of cyclists
- Good geographical coverage of London (i.e. 'clock-face' layout)
- Market research based on census information
- Corridors popular with existing cyclists
- Corridors with potential to attract more cyclists
- Lots of 'trip attractors' (i.e. destinations people might want to cycle to)
- Presence of existing cycling infrastructure that would benefit from upgrades

Local councils, cycling groups, and other parties are then consulted regarding each of the proposed routes. However, many of the 12 originally proposed routes were not built due to opposition from respective London boroughs.




Figure 28: Cycle Superhighway network as proposed in 2009; orange routes denote those to be delivered in 2010¹⁹³

The CS3 route from Barking to Tower Gateway already had cycling provision but was not continuous and underused.¹⁹¹ This route was chosen by TfL to better connect the pre-existing infrastructure in order to increase facility use and considered a good value investment.¹⁹¹ These upgrades came with other measures, including cycle parking.¹⁹¹ Comparatively, the CS7 route was chosen following a study done by TfL, looking at travel options served by the Northern Line (tube).¹⁹¹ It was concluded that door-to-door bike journeys were faster than those via the tube.¹⁹¹ Now cycle superhighways (now called cycleways) are informed by a data and evidence led approach: the Strategic Cycling Analysis.²⁰⁸

Case Takeaways

1. Use evidence led analysis to map out routes/the network (Strategic Cycling Analysis²⁰⁸)²⁰⁹
2. Have a neutral and invested authority identify and engage stakeholders and create a platform for discussion and collaboration; develop shared frameworks and agreements
3. Get creative with sources of funding
4. Capitalize on pre-existing infrastructure and what routes people are already cycling along
5. Use high profile events to gain momentum

B. Greenways and Trails in North America

It must be noted that within North America there are no constructed bike infrastructures that have taken the name of 'cycle highway'. The examples coming closest to a 'cycle highway', or rather possessing a greater number of commonalities to how cycle highways have been defined are often named 'greenways' and 'trails'. An important distinction is that 'greenways/trails' are often multi-use routes considering a variety of users. For example, The Capital Regional District Trails in British Columbia make sure to adequately consider and address the needs of people cycling, pedestrians, skateboarders, inline-skaters, and mobility challenged individuals, *etc.*²¹⁰ In comparison, 'cycle highways' prioritize the needs of people cycling.

i. Minneapolis, United States of America

The Midtown Greenway was developed out of an old grade-separated rail line running through the city. A rail-to-trail conversion came about when the potential value of an active transportation corridor was realized for the route. What began as a group of volunteers developed into the Midtown Greenway Coalition. This happened alongside the route being purchase by the Hennepin County Regional Railroad Authority for its potential use as a transit corridor. A group, dedicated to focussing on collaboration between various stakeholders was also developed: the Midtown Community Works Partnership. The development of a collective vision of the Midtown Greenway included numerous related projects and benefits such as housing, placemaking, and the revitalisation of proximal areas, which contributed to its succes.^{211,212}

The Midtown Greenway is the heaviest used bikeway in the state and includes separated spaces for both bikes and pedestrians:

Midtown Greenway

2000 (phase 1); 2004 (phase 2); 2007 (Hiawatha Bridge connection)

8.9km (5.5 miles)

Route description: two one way bike lanes, and one two-way walking path, most of route is grade separated.²¹³

See Appendix A for route map.

Municipalities involved: City of Minneapolis

Cost: 36 million USD²¹⁴

Facts and figures:

- Hosts up to 5,460 people cycling daily²¹³
- Bike traffic on the Greenway increased 261% between 2003 and 2011²¹⁵
- The City of Minneapolis experienced a 76 percent increase in cycling between 2007 and 2013²¹³
- The Greenway is plowed in the winter, lit at night, and open 24/7

Who:

Midtown Greenway Coalition (MGC):

The Midtown Greenway Coalition (MGC) is a non-profit organization focused on developing and maintaining the Midtown Greenway.²¹⁶ They are 100% supported by donations and grants and receive no operating funds from the government.²¹⁶ Established in 1995, they worked to get each section of the Greenway built between 2000 and 2007 and advocated for engagement from public agencies.²¹⁶ They were the main community partner of the Midtown Greenway development.²¹¹ After completion of the Midtown Greenway their work continues, including making the Greenway safer, working with proximal building developers, improving signage and wayfinding, advocating for a streetcar along the route, coordinating clean-ups, and extending the Greenway (over the Mississippi River and through Saint Paul).²¹⁶

Midtown Community Works (MCW) Partnership

Midtown Community Works, created in 1998, is a public-private partnership, including executives of corporations and non-profit institutions (e.g. MCC, Wells Fargo Bank), the Mayor of Minneapolis, and various elected officials from Minneapolis City Council, Hennepin County Board of Commissioners, and the Metropolitan Council.²¹¹ They help guide redevelopment, by providing leadership, integrating planning, and mobilising resources, for the Midtown Greenway-Lake Street Corridor.²¹¹ The partners are committed to a unifying public policy, based on a vision for the Midtown Greenway-Lake Street Corridor.²¹¹ They help ensure targeted investments and coordination of public and private investments by the provision of a forum.²¹¹ The goals of the partnership are: 1) enhance economic vitality within the corridor, 2) support a balanced transportation system and improve the integrations of the corridor within the city and the region, 3) enhance public safety and community vitality within the corridor.²¹¹ The implementation of recommended projects are then carried out by the 'Implementation Committee.'²¹²

Hennepin County Regional Railroad Authority (HCRRA)

The HCRRA is a political subdivision and local government unit that was established in 1980.²¹⁷ This effectively means that, and at the time of the Greenway Project developments, The HCRRA was comprised of 7 members which overlapped with the Hennepin County Board of Commissioners; this overlap meant that the politics were consistent and made things easier.²¹⁸ The HCRRA aims to acquire abandoned railroad corridors and preserve them for future transportation use along with planning, design, and implement light rail transit in Hennepin County.²¹⁷ They have authority to establish levies to fund rail project, as they are a unit of government.²¹⁷ They own 46 miles of corridors, including the Midtown Greenway.²¹⁷ They purchased the unused rail corridor in 1993.²¹⁹ Corridors are acquired for future transportation needs, although several recreational trails have been created for interim use; interim use is decided in collaboration with government agencies and public and non-profit partners.²¹⁷ The HCRRA, unable to construct or operate recreations trails themselves, partners with the City of Minneapolis and the Three Rivers Park District in order to complete projects.²¹⁷ The HCRRA played a significant role in funding the Midtown Greenway. Currently, there are tentative plans to build a light-rail alongside the bike and pedestrian trails.²¹⁹

Early stages

What later became the Midtown Greenway was a non-operational (since the early 1990's) freight rail corridor, littered with trash.²¹³ The rail corridor was built approximately 125 years ago and part of Milwaukee Railroad's main line to the west coast.²¹⁶ The rail line faced more and more conflicts as the city grew and Minneapolis City Council directed the railroad to undertake a grade separation.²¹⁶ Prior to any formal discussions of a greenway, there was already an idea for some time of having a lakes to river connection via and East-West Greenway in Minneapolis.²¹⁸ At one point George Puzak was investigating having a throughfare street with traffic calming measures one block north of the busy Lake Street and Tim Springer was investigating the street one block south, 31st street.²¹⁸ Through this, George and Tim came together to work on realizing their shared Greenway vision.²¹⁸ In the late 80's, individuals who later founded the Midtown Greenway Coalition, began meeting with neighbourhood stakeholders along the corridor.²¹⁶ Discussions of turning the rail corridor into an amenity rich

bike trail began with a group of volunteers and in parallel to a reduction in rail traffic.²¹⁶ The Midtown Greenway Coalition was founded by Tim Springer, George Puzak, and Joan Vanhala. Tim recollects the different visions each had for the future of the corridor: George was aiming for a green connection between the lakes and river, Joan wanted to improve the lives of people living in the urban core, and Tim wanted a fast, safe, and pleasant bicycle transportation and recreation corridor.²¹⁸ These informed the future vision of the corridor. In 1993, the corridor was purchased by the HCRRA for future transit developments.²¹⁶

By 1995, the corridor was recognised for its potential as an active transportation route and prompted the formation of the Midtown Greenway Coalition (MGC).²¹³ The MGC advocated for the railway's transformation into the bike freeway of today.²¹³ This was closely followed by the development of the Midtown Community Works Partnership (MCWP) in 1998, during which a purpose and plan was emerging.²¹² However, the challenge was "how to tell this story, how to reach a wide and very mixed audience - how to capture the imagination, energy and commitment needed to turn plans into projects and dreams into reality."²¹² Within the MCWP, there were elected officials from each of the municipalities that the greenway ran through, along with representative from multiple interest groups along the route.²¹⁸ The MCWP engaged with stakeholders, created connections, and facilitated engagement with the project.²¹⁸

Early on, the MGC and the MCWP operated in parallel, but not together; the MGC did not have a seat in the MCWP.²¹⁸ Collaboration between the two groups began as the MCWP needed to know more about the on-the-ground work, hence engaging with the MGC.²¹⁸ This led to the MGC being offered a seat in the partnership and future collaboration.²¹⁸

Once there was broad-based commitment from various stakeholders in the corridor, the Lake Street Midtown Greenway Corridor Framework Plan (1999) outlined the collective vision and the steps required in order to realize the Midtown Greenway.²¹² In parallel to the stakeholder commitment, there was a strong community and public interest in developing the rail line into a shared greenspace, along with commitment from a number of elected officials and council members.²¹⁸

A strong focus and core value of the project was on 'placemaking and connections' and it outlined numerous other development activities in the proximal areas of the greenway.²¹² Goals of the Midtown Greenway development included general improvements to the neighbourhood, housing stock, and the look and feel as well as better quality of life for neighbours and addressing environmental concerns, namely water quality.²¹¹ Springer²¹⁸ highlights that changing an old railway corridor into a greenway is an urban planners dream and would want take advantage of its potential, ensuring that the project was integrated with its surrounding through careful development and time spent on visualising the goals of the project.²¹⁸ There was a multi-pronged strategy and everyone worked together to tackle problems and develop a new vision.²²⁰ In many respects it is an easy project for politicians to support, as there is really no downside to it: it is a transition from a garbage filled rail corridor to a clean and pleasant travel and recreation corridor, recollects Tim Springer.²¹⁸ During its development, the example of Minneapolis's Cedar Lake Trail (constructed 1995-2011) was followed, which was the first implementation of the concept of a bicycle freeway with separated travel lanes in the United States.²¹³

In parallel to advocacy for a bike and pedestrian route along the corridor, in 1999 the Metropolitan Council received funding for a busway in the Twin Cities from the Minnesota Legislature and the Midtown Greenway Corridor was selected.²¹⁶ The MGC responded in opposition, or rather passed a resolution calling instead for a light rail or streetcar line.^{216,218} This was closely followed by a public meeting and the Metropolitan council agreed to conduct a feasibility study; some assumptions of this study were disagreed upon by the MGC and they decided to conduct their own.²¹⁶ A nationally prominent consultant, Jim Graebner (Lombardo Group), was

contracted and concluded their findings in *The Feasibility of a Single-Track Vintage Trolley in the Midtown Greenway*²²¹.

Phase One of the Greenway opened in 2000, between 31st Street and Chowen Avenue to 5th Avenue, before rail service in the corridor ceased.²¹⁶ In 2001, trains stopped operating and the last railroad tracks between Hiawatha and Chowen Avenues were removed.²¹⁶ This segment became part of the Greenway (Phase Two) and was opened in 2004.²¹⁶ This was followed by the last segment, between Hiawatha Avenue and the Mississippi River, opening in 2006.²¹⁶

During the process of planning and construction, the MGC worked with the city of Minneapolis and other public agencies. This collaborative group of stakeholders continually engages with residents, businesses, and private developers, ensuring continued improvement.²¹³ Since, 2006 the HCRRA began re-evaluating implementing LRT along the corridor and, since 2012, the MGC is working towards a vision for a turf track streetcar along the corridor.²¹⁶

Funding

The Midtown Greenway, cost 36 million USD (including land acquisition, engineering, and construction costs) and was funded by a combination of Federal, State, County, city governments, and the HCRRA; the largest portion of costs were paid by Hennepin County the HCRRA.²¹⁴ Individuals from different levels of government were connected to the projects – connections that were made through personal communication throughout the development process - and contributed to providing continued support to the project.²¹⁸ Much of the funding from higher levels of government was obtained through grant proposals.

The HCRRA funded both Phase 1 and II land acquisitions of 4.2 miles (9.3 million USD), as well as the remaining, Phase 3, acquisition, of 1.3 miles, totalling 10.3 million USD.²¹⁴ The trail engineering and construction costs for Phase 1, 2, and 3 (5.5 miles) cost 9.8 million USD, which was funded by Federal transportation focused grants (4.5 million USD) and Hennepin County (6 million USD).²¹⁴ The engineering fees for the trails and Hiawatha Bridge were funded mainly by Hennepin County, along with a Congressman earmark for the bridge of 3 million USD.²¹⁴ The trail entrance site land purchase was paid for by Hennepin County (6million USD) and the construction of the entrance ramp paid for by the HCRRA (1.2 million USD).²¹⁴

Past the initial construction costs, operations and maintenance costs have also been broken down and totaled (up to 2007). Trail infrastructure (pavement, signs, lights, security) was paid for by the City of Minneapolis Public Works (150,000 USD). Corridor vegetation, litter, graffiti costs have been paid by Hennepin County (310,000 USD). Policing has been done by the Minneapolis Police and funded by the Federal ‘Weed and Seed Strategy’^f.

Route Planning Process

The project of the Midtown Greenway revolved around its potential transformative ability of the divisive and segmenting abandoned ditch running through the community. The project, creating an active public space and recreational amenity, promised increased cohesion and revitalisation for the community. The route of the Midtown Greenway entailed retrofitting the pre-existing, albeit then largely unused, grade-separated railroad line (Figure 29). Therefore, the selection of the route itself was relatively straightforward and confined to the abandoned train line, although where the Greenway crosses Hiawatha Avenue, there is a diversion.²¹⁸ Tim Springer notes that this diversion, going north a block to avoid colliding with the train bridge over Hiawatha

^f “The goals of Weed and Seed are to control violent crime, drug trafficking, and drug related crime in designated high-crime neighborhoods and provide a safe environment free of crime and drug use for residents”²⁵³

Avenue, was not the ideal decision and could have been better if the Greenway would have been allowed to continue in a straight line.²¹⁸



Figure 29: 29th Street Rail Corridor (1997), looking south towards Sears Roebuck Building, prior to construction of the Midtown Greenway (left)²²²; and the Midtown Greenway Trail Opening (2000) (right)²²³

However, the project was entangled with numerous development and revitalisation projects that elevated its value to the community (Figure 30). Proximal to the Midtown Greenway sits Lake Street (blue line); the two corridors run parallel, just a block away from each other.²¹² Once upon a time, the railroad corridor served proximal businesses and helped retain jobs.²¹² Historically, neighbourhood success and decline could be compared to the vitality of Lake Street, especially east towards the Lakes District.²¹² Now, we see the Midtown Greenway interacting and contributing to life on Lake Street, especially at commercial centres and main intersections along Lake Street. Within the Lake Street Midtown Greenway Corridor Framework Plan (1999) each of the regions circled in yellow have been given a list of action steps for development, including things such as public art, recreation facilities, transit stations, and infill housing (Figure 30).²¹² Effectively, the ‘Greenway Renaissance’ provided a range of opportunities for development, recreation, and regional connection.




Figure 30: Recommended focus areas on key projects (yellow circles). Each project has a variety of initiatives associated with it and aim to provide the basic community building blocks – housing, jobs, transit, and recreational amenities – making active and stable neighbourhoods with a strong sense of identity²¹²

Benefits

- Has sparked numerous projects along the greenway, which include residential, office, retail, hotel space, along with bike storage and repair facilities²¹³
- Increased property value (up 90%) along trail corridors²¹³
- “The Midtown Greenway has helped spark more than \$750 million worth of new housing developments along its edges. It has truly helped to revitalize south Minneapolis, as well as helping to spark the biking renaissance in Minneapolis.” – Soren Jensen, Greenway Coalition Executive Director²¹³
- A reduction in the average number of bicycle crashes per year within 2.5km buffer of Phase 1 of Midtown Greenway. Between 1998 and 2000, there were on average 78.33 crashes year.²²⁴ In each of the two years after the Midtown greenway opened, 50 bicycle crashes were reported within the same buffer and found to be statistically significant.²²⁴

Case Takeaways

1. Create a shared vision for the project to act as a guide for decisions, policy, and construction
2. Create a dedicated group willing to work hard to get people on board with the vision and a collaboration with representative of various interest groups
3. Engage politicians, the community, corporate and powerful people, and minorities; collaborate with the transportation authority and apply for national level funding
4. Seize the opportunity and realize the potential of converting abandoned rail infrastructure

ii. Capital Regional District, Canada

The first long distance multi use trails accommodating cycling in Capital Regional District (CRD) were the Galloping Goose and Lochside Regional Trails. Both are considered a ‘rail to trail’ conversions, as they make use of the old rail right of ways from the Canadian Northern Pacific Railway routes, as they pass through the region. These trails are considered the backbone of a 475km CRD cycling network.²²⁵ They have come about from strong

advocacy from individuals from governments, various councillors, groups, including the Provincial Capital Commission. They all helped garner support, decided on trail developments and projects via meetings, and agreed on the CRD to have rights to manage and operate the land the trails reside on.

The Galloping Goose and Lochside Trails are popular and a high proportion of the regions daily bike trips travel on these paths.²²⁵ The Galloping Goose and Lochside Trails are also partly responsible for Victoria's comparatively high bike mode share of 4.7% (work trips) in Canada.²²⁵ The Galloping Goose provides a direct link between urban core and the fast growing suburbs to the west.²²⁵ The mode share of 4.7% is three times the Canadian average for metropolitan areas (1.7%) and almost double that of the next highest metropolitan area, Saskatoon, with 2.5% mode share.²²⁵

The two first routes, were the Galloping Goose, opening in 1987, and Lochside Regional Trail, opening in 2001:

Lochside Regional Trail

2001

29km

Route description: runs from Swartz bay ferry terminal to Victoria, past beaches, farmland, wetland, country lanes and suburban backyards; mixture of paved and gravel surface, sometimes shared with motor vehicles²²⁶; stretches from Switch Bridge on the Galloping Goose to Swartz Bay ferry terminal in North Saanich.²²⁷ See Appendix A for route map.

Municipalities involved: Saanich, Central Saanich, Sidney, North Saanich, Victoria

Cost: (see **Funding**)

Galloping Goose Regional Trail

1987 (rural portion)

43km (rural portion)²²⁷; 55km (1993-today)

Route description: passes through urban, rural, and wilderness scenery between Victoria and Sooke. See Appendix A for route map.

Municipalities: Sooke, Metchosin, Colwood, Langford, View Royal, Saanich, Victoria

Cost: (see **Funding**)

Facts and figures:

- Popular for commuting and recreation
- Runs along former railway line
- The Lochside and Galloping Goose average 3.8 million visits per year, according to the CRD (2021)²²⁸

Regarding the Galloping Goose, Andrew Petter can be quoted as saying "Victoria is becoming a greenway capital. It is impossible to underestimate the economic and lifestyle benefits of having a continuous greenway linking the Western Communities with Victoria and the Saanich Peninsula."²²⁹

Who

Greater Victoria Cycling Coalition

The Greater Victoria Cycling Coalition aims 'to get more people cycling more places more often' including via education, facilitating communication, improving facilities, and improving laws surrounding cycling.²³⁰ Over the past 26 years they have been active in lobbying around bike infrastructure projects including the Galloping Goose and Lochside Regional Trails.²³⁰ They were part of the group which contributed to the initial phases of connecting the Galloping Goose trail and also contributed to the urban portion of the Lochside Regional Trail.²³¹ This was largely led by Denise Savoie, the chair of the Cycling Coalition at the time. They have also been active

developing the Downtown AAA bikeway network, improving bike parking, installation of bike-triggered traffic lights, along with cycling education programs, and bike safety awareness campaigns.²³⁰ Currently they are supporting the CRD's announcement²³² for separation of bike and pedestrian paths, lighting, and improved road crossings along parts of the Galloping Goose and Lochside Regional Trails.²³⁰

Capital Regional District (Parks)

The Capital Regional District (CRD) includes thirteen municipalities of Greater Victoria and three unincorporated areas. The CRD advocated and coordinated with public agencies, municipalities, and private organizations in order to establish and operate the trails system.²²⁷ In 1988 the CRD proposed a 225km regional trail system from Swartz Bay to Point-No-Point (Juan de Fuca Electoral Area).²²⁷ Part of this proposed network included the 29km that became the Lochside Regional Trail.²²⁷ This included an that municipalities to include the trail in the official community plans and envisioning partnerships for trail development and maintenance.²²⁷ The CRD Parks now holds the lease on the land the trails reside on and manages both the Galloping Goose and Lochside Regional Trails. Some parts of the corridors were handed over from municipal governments (e.g. Victoria and Saanich), who at the time were the portion within their jurisdiction, to the CRD.²³¹

Provincial Capital Commission

The Provincial Capital Commission (PCC) was a crown corporation created in 1956 with a mandate of "Connecting and Celebrating the Capital with all British Columbians".²³³ They owned and stewarded multiple heritage buildings and the subsequent revenue generated supported a self-sustaining business model and funded various outreach and initiatives.²³³ They established a significant 'Greenways Fund', which spurred early interest and helped create momentum for the trails projects.²³⁴ They also were part of the initial 3 way partnership, composed of the PCC, the Municipality of Saanich, and the City of Victoria, towards the development of the trails.²³¹ Both Andrew Petter and David Cubberley worked with the PCC and the associated trail developments. The PCC was later dissolved in 2014.²³⁵

The Ministry of Transportation and Infrastructure (MoTI)

The Provincial Government's Ministry of Transportation and Infrastructure was involved in the development of the trails as they were the landowners for significant portions of the routes. They initially held the land of the Galloping Goose right-of-way for potential future incorporation into highway developments.²³¹ The rural portion of the Galloping Goose was given to the CRD for management as a trail and subsequently MoTI agreed to lease the urban portion of the Galloping Goose to the CRD (a clause retained rights for highway developments).²³¹

Regional Trails Coordinating Group (1980's)

They were established to consider rails-to-trails conversion opportunities and comprised of representatives from each municipality and from key recreations groups (hiking, cycling, equestrians).²¹⁰ They identified the Galloping Goose, Lochside, Interurban rail corridors and other inter-connections.²¹⁰ They are no longer in existence.²¹⁰

The Municipality of Saanich and City of Victoria, along with the PCC, composed the initial 3-way partnership focused on developing the trails.²³¹

Early stages

The corridors of both the Lochside and Galloping Goose trails are built on right of ways established by the Canadian Northern Pacific Railway (CNPR) in 1910.²³⁴ Prior to the Lochside Trail, the CNPR ran a daily train trips, carrying passengers, between Victoria and Patricia Bay, Saanich – the Eastern Spur Line²³⁴ - from 1917 to the 1920's – and freight until 1990.²²⁷ The Galloping Goose trail developed out of a 177km train line running west out of Victoria, running through Sooke, north along Sooke Lake, skirting Shawinigan Lake, to Cowichan Lake, and Youbou (est. 1924). The line, largely used for transporting logs and freight, also had a passenger car known as

the 'Galloping Goose'.²²⁷ The Galloping Goose trail now connects Victoria to an abandoned goldrush site, Leechtown.²³⁴

After the train lines were decommissioned (the last of the Saanich Spur was removed circa 1988), as per federal law, the railways were offered for purchase to other government levels before private sale.²³⁴ This resulted in the Province of British Columbia, Ministry of Transportation and Highways, acquiring the bulk of the right of way; a small piece was sold to the Borden Family.²³⁴

Galloping Goose:

With regards to the Galloping Goose, the majority of the right of way is owned by the Province of British Columbia and a lease allows the CRD to develop, operate, and maintain a regional trail along the corridor.²²⁷ The rural portions of the Galloping Goose Trail were transferred by the Provincial Government to the Capital Regional District for operation as a recreational trail.²³⁴ In 1987, the year the Galloping Goose opened, the land lease included 43km of the corridor between Atkins Avenue, View Royal and Leechtown, Juan de Fuca Electoral Area,²²⁷ however, the urban portions were kept provincially owned²³⁴. This meant that there was no cyclable connection between the trail and downtown Victoria. MoTI held onto this piece for its potential future value in widening the Trans Canada Highways Capital Approaches and was coveted by BC Transit.²³⁴

At the time, the case for transit being compatible with a commuter trail in a 30m wide corridor needed to be made before the Galloping Goose could be realized.²³⁴ The case included drawing on European examples, where corridors often have a shared purpose as a trail and for transit, in addition to the highway corridor already being wide enough for future expansion without including the railway right-of-way.²³⁴ This process of pushing to lease the right of way to operate a cycling and walking trail benefitted largely from public advocacy.²³⁴ This was initially led by Denise Savoie, and accompanied by two councillors from Victoria, Alistair Craighead and Geoff Young, one councillor from Saanich, David Cubberley, the President of the Victoria Cycling Coalition, John Luton, and Chair of the Victoria Cycling Coalition, Francesca van Lune.²³¹

This process included bringing together municipal, provincial, and federal players to discuss the trails and come to agreements.²³⁶ Discussions included using the right of way for highway widening and interchange building, the downtown portion becoming a transport 'queue jumper', and funding for the Switch Bridge.²³⁷ In the around the early 90's, Councillor Geoff Young hosted a TV program with Denise Savoie, David Cubberley, and George Heffelfinger on the feasibility of using the rail right of way for the development of a trail, where they floated the idea and advocated for both the Galloping Goose and Lochside trails.²³⁷ Savoie recalls that the advocates present from the City of Victoria, including Alastair Craighead and Geoff Young, were crucial, otherwise, "we in the community who were pushing for the development of the trail that became the Galloping Goose trail, would have cried in the 'wilderness' for a long time."²³⁶ John Luton recalls his, and Cubberley's, unique and advantageous position, both as an assistant to a Cabinet Minister were able to influence decisions and plans about the highway improvement project.²³⁸

Ultimately, it was backed by the Provincial Government and Minister Andrew Petter and a lease to use the right of way as a commuter-recreational trail was granted. This portion of the trail, between Atkins Avenue and Switch Bridge and Switch Bridge to the South Side of the Selkirk Trestle was leased to the CRD in 1993.²²⁷ This agreement, however, included a caveat: a clause that allowed MoTI to take back portions of the trail in order to create space for interchanges along the highway.²³¹ However, David Cubberley highlights that overall it was a benefit that MoTI signed an agreement that ensured the trails continuity: when land was taken back, construction ensured that the trail would continue through the newly developed space.²³¹ Most recently, the McKenzie interchange resulted in a grade separation for the trail, taking form as a bridge of ample width.²³¹

Lochside Trail:

The Lochside Trail came about after agreements with municipalities and the province permitted the CRD to establish and maintain the trail and outlined roles and responsibilities for maintenance.²²⁷ David Cubberley notes that the Lochside developed more easily, subsequent to the establishment of the Galloping Goose, however, it was a more complicated process in some respects, as there were multiple different owners of the land along Lochside Drive.²³¹ The current 29km Lochside Trail is built on remnants of the old Saanich Spur right-of-way route.²³⁴

After the Spur line was abandoned, the land was handed over to the municipalities along the route in the form of a road allowance – Lochside Drive; some parts were developed for vehicle access while other parts remained closed off, and other parts became the Patricia Bay Highway.²²⁷ Within the highway right-of-way, in order to build the trail, the key stakeholder to engage and receive permission from was MoTI.²³¹ However, other parts where Lochside Drive had been made into local/collector roads required permissions from Saanich to retrofit the road and integrate bike lanes.²³¹ Another portion of the trail had been sold off to Borden Mercantile, who subsequently wanted to build a parkade atop the trail.²³¹ Due in part to the shared land ownership, David states that the Lochside came together more slowly, took more doing, and numerous challenging baby steps.²³¹

David attributes some of the process, or rather how things aligned throughout the process, to luck: there was advocacy at the community level from the Victoria Cycling Coalition, at the council level from Alistair Craighead, Geoff Young, and David Cubberley, and at the political level from Minister Andrew Petter.²³¹ In the early stages, David also stressed the importance of developing the nearer portions to downtown Victoria and in the heart of Saanich in order to establish a continuity of trail and build a constituency to use it.²³¹ He argues that this helps avoid argument on whether the project is worthwhile as people see proof of its value whenever they use it.²³¹

Throughout this process, in parallel and contributing to its success, multiple visions and strategies concerning the Lochside Regional Trail were developed. In 1988, the CRD proposed a 225km regional trail system from Swartz Bay to Point-No-Point (Juan de Fuca Electoral Area).²²⁷ This network linked major parks, natural and cultural features, and provided opportunity for outdoor recreation and commuters.²³⁹ Part of the proposed network included 29km that became the Lochside Regional Trail.²²⁷ This included an ask of municipalities to include the trail in their official community plans in addition to envisioning partnership for trail development and maintenance.²²⁷ In the mid-90's things started to take off, when the CRD Parks partnered with the PCC to create the *Regional Blue/Green Spaces Strategy*.²³⁹ Following, the CRD Parks Master Plan (2000) was developed with 3 years of public consultation and outlined the vision, objectives, and management direction of the regional trail system, the Lochside Regional Trail.²²⁷ In 2001, the Lochside Regional Trail Management Plan was approved by the CRD, after consultation with Saanich peninsula municipal councils, stakeholders groups, and the public; it included a vision for development, management, and operation.²⁴⁰ Municipalities developed their respective sections and agreement were made, allowing the CRD to operation the Lochside as a regional Trail in cooperation with the municipalities and the MoTI.²²⁷ Now the Lochside Trail is managed by the CRD.

Both Cubberley and Luton recall throughout their development the trails were comprised of multiple smaller projects. These projects would then garner support for further trails developments. Luton²³⁸ recalls how building the Switch Bridge (1997) – an overpass connecting the Goose and Lochside trails – and paving adjacent trails kickstarted further developments on both trails. Luton notes that whenever a piece is added, especially with regards to major projects, traffic on the trail would 'scale up by orders of magnitude'. Picking at significant gaps and barriers also helps, through increasing users, to create pressure to fix other sections along the route. This was seen by developing the Switch Bridge, effectively putting pressure on developing the Blenkinsop Trestle, bike lanes along Lochside Drive in Saanich, and fixes at key intersections.²³⁸ Subsequently, the Blenkinsop Trestle catalysed enhancements to the Lochside Trail as a whole.

Funding

Many funding sources were contributed throughout continued development of the trails to realize them in the condition they are today. David Cubberley and John Luton note that there is no total cost for the project as it was a long sequence of context specific smaller projects (*e.g.* bike friendly signals, shared road bike lanes), involving different stakeholders, that came together to create the trails that exist today.^{231,238}

Overall, funding included the PCC who played a significant role. Funding for specific projects was also contributed by the provincial Cycling Network Program.²³⁴ Local municipalities made contributions within their jurisdictions and the CRD contributed based on established regional interest.²³⁴

The PCC was the first and principal funder of greenways and played an important role in getting the trail project going, helping develop both the Galloping Goose and Lochside Trails.²³¹ A combination between an initiative from Minister Andrew Petters and the Chair of the PCC, Pamela Charlesworth, helped create a million dollar 'Greenways Fund' (from internal PCC resources) which acted as seed money for the trails project.²³¹ This galvanised project interest and grew momentum.²³⁴ This meant that there was a provincial entity that could partner with municipalities to help realize the trails; prior there was no precedent for this sort of project.²³¹ This contributed notably to realizing the first portion of trail – the rural portion of the Galloping Goose.²³¹

David Cubberley²³¹ highlights the importance of '50 cent dollars' for engaging municipalities and getting them on board. Municipalities are receptive to signals from senior governments and are help to be convinced when partners are available and helping indicate a direction.²³¹ The bottom line of how much the project would cost was less important to convey and Cubberley states has the possibility of deterring project interest.²³¹ moving incrementally, getting things moving, and convincing people throughout the process worked within the context of the CRD.²³¹

Later, in 2001, the Lochside trail project had to face the problem of rebuilding the trestle across Blenkinsop Lake. At this point the Lochside Trail was already largely constructed and addressing the issue of the bridge reconstruction came quite late.²³¹ Agreeing on this project, and how it was to be conducted, was a long process and included funding contributions from multiple stakeholders:

Blenkinsop Bridge/Trail Improvements Project (2001)²⁴¹ (an example of funding distribution):

Total cost: \$925,000

Funding agencies:

- Capital Regional District \$150,000
- Cycle Network \$200,000
- Millennium Bureau of Canada \$265,000
- Provincial Capital Commission \$160,000
- Municipality of Saanich \$150,000

Additionally, the Highway Island Project contributed significantly to bridge construction, including the Switch Bridge, the Inurban Bridge, the Wilkinson Bridge, and the Helmcken Underpass, which all contribute grade separation from motor vehicles.

Route Planning Process

Both the Galloping Goose and the Lochside trail follow along the old train rail path and largely determined the routes. This notably simplified, and almost removed the process of route selection. With respect to the Lochside trail, it follows the routes of the Saanich Spur line that then became Lochside Drive. Today, some parts follow

along the right-of-way of the provincial Patricia Bay Highway, developed in part out of the Saanich Spur Line, and along McDonald Park Road.²²⁷

Luton highlights that the trails also parallel the major highway corridors in the region. Due to this, communities and neighbourhoods that generate commuter travel along these roadways, also generate commuter travel along the trails to and from downtown.²³⁸ It is somewhat uncommon for rail to trail facilities to align so well and mimicking travel patterns in the way the Lochside and Galloping Goose have.²³⁸

However, one portion of the Lochside Trail was developed quite late: the Blenkinsop Trestle. Before the bridge was restored, there was a proposal to run the trail out of direction to an adjacent major road, along it, then back to the trail alignment.²³¹ Although this scenario was argued for, Cubberley highlights that it would have been painful to track the trail out to a major road, have an intersection which would include people travelling in two directions, and track it back to the trail alignment and it would have been all of more expensive, along with increasing the risk and lowering the quality of experience for the users of the trail.²³¹ The bridge restoration, which is now the most beautiful bridge on either the Galloping Goose and Lochside Trails, turned out to be the answer only through a lot of process and building up of constituencies.²³¹

Case Takeaways

1. Work on multiple smaller projects within the greater project, incrementally building, garnering support, and acquiring funding as you go.²³¹
2. Connect invested individuals at the political level to work together and push the vision²³¹
3. Work on developing personal relationships, creating piecemeal connections, within the city, regional, and provincial level for support across the political landscape; political signals and '50c' dollars get the attention of municipalities²³¹
4. It is an advantage to convert a pre-existing corridor; focus on establishing continuity

C. Summary of Cases and Recommendations

The learnings from the five cases: Capital Region, Denmark, Gelderland, the Netherlands, London, United Kingdom, Minneapolis, the United States of America, and the Capital Regional District, Canada outlined in the previous section are summarized here. Takeaways from each case, listed at the end of the respective case, have been compiled together and grouped into four main overarching themes: project vision and network plan, cooperation and collaboration, political and economic support, and infrastructure development. This is followed by an interesting note on hosting a notable bike event, the Tour de France. Within each topic, with reference to what was learned from the case studies, conclusions are drawn in effort to provide guidance and help Metro Vancouver prioritize the next steps towards the realization of cycle highways in the region.

i. Project Vision and Network Plan

DK Propose a network of across the region with clear motivations and research backing

NL Develop vision of usefulness and necessity and put route(s), with research backing, on a map

GB Use evidence led analysis to map out routes/the network

US Create a shared vision for the project to act as a guide for decisions, policy, and construction

CA Work on multiple smaller projects within the greater project, incrementally building, garnering support, and acquiring funding as you go.

Consistent in the cases investigated is the development of a vision and goal of the project and the European cases showed consistency in the developing routes/network plans that we backed with research. Although visions and goals of projects varied, they were important in garnering support and ensuring the project received

widespread backing. Generally, cycle highway projects in Denmark, the Netherlands, and London focus on commuter cyclists. In Denmark, a goal of creating a higher bike modal share in transportation and reducing car traffic motivated the development of long-distance routes connecting Copenhagen with the suburbs.¹⁷¹ Research is conducted by universities, such as to acquire trip data and estimate traffic flows.¹⁷¹ This was echoed in the Netherlands, where cycle highways were not taken seriously until they were backed by the national government with an objective to reduce highway congestion.¹⁸⁵ In Minneapolis, it was highlighted that creating a shared vision was important for the development of their Greenway, as this meant there was something to guide decisions, policy, and construction. Comparatively, in Victoria, even though a vision for the project existed since 1988, the project was broken into multiple smaller projects, incrementally building towards the vision. This meant that support was garnered, and additional funding was acquired as they progressed, opposed to being laid out from the start.

Having a clear network or route proposal with research and numbers to back it make a strong case for why it should be contracted and can be useful to convince stakeholders to get involved. Before any collaborations occurred, the city of Copenhagen contracted out a project to develop network of cycle highways largely based on a heat map of activity nodes across the Capital Region of Denmark. In the Netherlands, after the proposal of a network, it is assessed on how it impacts congestion, potential ridership is calculated, and a cost-benefit analysis is conducted.^{154,187} Many considerations are taken into an account to inform where the route is constructed and how the network interlinks across London and their new cycle highways take a rigorous data informed and evidence led approach when planning their routes (see Strategic Cycling Analysis²⁰⁸). This contrasts the implementation of the first generation of cycle highways, however, which were largely pushed through due to political steer from both Mayor Johnson and Livingstone.²⁰⁹ Neither Minneapolis nor Victoria had a notable route or network planning component as they were rails-to-trails conversions, bound by the pre-existing infrastructure lines.

To propose a credible project and garner support, it is proposed to:

- Create a Shared Vision to Guide the Project
- Conduct an Evidence-Led Analysis to Inform the Design of a Network

ii. Cooperation and Collaboration

DK Create a central body to facilitate cooperation between municipalities

NL Set up a working group with municipal and regional representatives and fill a leadership position

GB Have a neutral and invested authority identify and engage stakeholders and create a platform for discussion and collaboration; develop shared frameworks and agreements

US Create a dedicated group willing to work hard to get people on board with the vision and a collaboration with representative of various interest groups.

CA Connect invested individuals at the political level to work together and push the vision

Regarding cooperation and collaboration, we see two themes within the cases investigated: 1) the establishment of a central group to engage and host discussions between various stakeholders and 2) the connection between passionate and invested individuals which grow momentum for the project. Speaking to the former, Copenhagen is an excellent example of this and where the Cycle Superhighways Collaboration was established. It was started by the Copenhagen Municipality, who realized routes transcending municipal boundaries would need to be collaborated upon. Now it is comprised of 30 municipalities, which convene on the continued development of cycle highway network across the region. In Gelderland, the Netherlands, Fietsersbond acted the role as a project leader and coordinated collaboration talks. Wim Bot highlights that setting up a working group with municipal and regional representatives was of utmost importance.¹⁴⁹ In London,

TfL identifies and engages with stakeholders. As they are considered to create a neutral ground for discussion, as well as being invested in the development of transportation in the region, cities are quite receptive and open to conversations with them.¹⁹⁰ In Minneapolis, the comparative group was the Midtown Community Works Partnership, a public-private partnership which included executive of corporations, non-profits, the Mayor, elected officials, council members and helped unify policy and guide development.²¹¹

The presence of a dedicated group is also a recurring theme in the cycle highways projects. In the Netherlands, this takes the form of *Fietsersbond*, who lobby the government for better cycling infrastructure and now receive national funding for the investigation and development of cycle highways. In Minneapolis, a group was created around the greenway project by a few individuals invested in the idea. Tim Springer highlights that this group, the Midtown Greenway Coalition, was key in the realization of the project.²¹⁸ In the Capital Regional District, a passionate group of individuals was positioned throughout government and made connections with other invested individuals and working together, pushed the vision at the political level.

To grow momentum for the project and foster cooperation and collaboration, it is proposed to:

- Connect With Interested and Invested Individuals
- Establish a Cycle Highways Focussed Group to Engage and Host Discussions Between Stakeholders

iii. Political and Economic Support

DK Look for political and financial support from the regional and national governments

NL Get on the national agenda to acquire funding from higher levels of government; use modelling to secure financial partners

GB Get creative with sources of funding

US Engage politicians, the community, corporate and powerful people, and minorities; collaborate with the transportation authority and apply for national level funding

CA Work on developing personal relationships, creating piecemeal connections, within the city, regional, and provincial level for support across the political landscape; political signals and '50c' dollars get the attention of municipalities

Cycle highway projects are often on local roads and considered within the jurisdiction of municipalities, however, projects often address regional issues, such as air pollution and traffic congestion. This can complicate funding. However, getting multiple levels of government on board with the project can lead to funding opportunities. In Denmark, in the early stages of municipal partnership, the Capital Region granted €54,000 towards the project and two years following, they committed to providing €400,000 annually to the Cycle Superhighways Collaboration. In total the Collaboration is funded 70% by the Capital Region and the remaining 30% by the municipalities.¹⁷⁵ In the Netherlands, getting on the national agenda, and project visibility, led to funding for cycle highways; the national right-wing pro-car party supports cycle highway developments.¹⁴⁹ Modelling the benefits of cycle highways has also contributed to securing support from financial partners.¹⁵⁴ However, to date funding has been incidental and that long-term funding is required to ensure security in planning, contrasting how funding is allocated in Denmark.

In London, the first generation of cycle highways capitalized on a novel funding source: Barclays Bank. Brand urbanism, asking large corporations to make notable investments towards developing urban shared spaces, can be a strategic way to acquire additional funding. Comparatively, in Minneapolis various individuals were engaged, including political individuals and corporate and powerful people to gain support. Similarly, to the European the Danish and Dutch cases, however, much of the funding for the Greenway came from various levels of government.²¹⁴ The trails in the Capital Regional District gained much of their support across the political

landscape through personal relationship between interested politicians. Upper levels of government displaying project support subsequently motivated local governments to invest in them. Local action was also catalysed by higher levels of government offering to fund approximately 50% of the projects cost, making it more feasible for local governments to budget it into their finances.

To contribute to making projects feasible at the municipal scale, it is proposed to:

- Secure Funding from Higher Levels of Government

iv. Infrastructure Development

DK Make clear what upgrades are required to transform a current cycle route into a cycle highway

NL Focus on upgrading pre-existing bike routes into cycle highways

GB Capitalize on pre-existing infrastructure and what routes people are already cycling along

US Seize the opportunity and realize the potential of converting abandoned rail infrastructure

CA It is an advantage to convert a pre-existing corridor; focus on establishing continuity

In both the cycle highways developments in Europe and the Greenways in North America, we see previously existing infrastructure being capitalized on and upgraded. This means that projects do not have to be realized from scratch, requiring less planning, cutting down costs, and capitalizing on pre-existing cycling. In Denmark, before the concept of cycle highways became commonplace, there already existed a culture of biking and some internationally recognised bike infrastructure designs. In Denmark, it is made clear what upgrades are required in order to make a cycling route into a cycle highway.¹⁷¹ To do this the Office of Cycle Superhighways provides an excel spreadsheet and data collection instructions to municipalities; they are clearly shown whether the route meets the base standard of a cycle highway and if not, what areas need improvement.¹⁷¹ A process of upgrading pre-existing bike routes to a cycle highway is also done in the Netherlands and London.

Comparatively, in North America, both the Greenway in Minneapolis and the Trails in the Capital Regional District were rails-to-trails conversions. In Minneapolis, this was an abandoned grade-separated rail corridor running through the centre of the city and already had numerous advantages, such as grade separation, proximity to activity nodes, a recreation facility, and the ability to be a good transportation corridor. This was similarly done in Victoria but the old train corridors, residing largely outside of the urban cores, were seen to largely have recreation potential. Much of the work done on these trails, due to changes in land rights and ownership which occurred in a piecemeal fashion, was directed at establishing continuity.

In order to make investments the most effective per dollar spent, it is proposed to:

- Capitalize on Upgrading Pre-Existing (Bike) Infrastructure

An International Bike Event: The Tour de France

The Tour de France was hosted by London, United Kingdom in 2007 and Utrecht, the Netherlands in 2015, has left lasting impacts on cycling in both regions.

In London, Mayor Ken Livingstone, who began the idea of cycle highways in London, put a bid in to host the Tour de France in 2007. It's argued that hosting the Tour de France was not done as an isolated action, but rather within a broader strategy to develop cycling in London.¹⁹⁴ Mayor Ken Livingstone can be quoted as saying:

'The Tour will be great for London, showcasing the UK capital to the world, bringing huge amounts of visitors to London, and encouraging more Londoners to take to two wheels. Cycling is increasing here more than any other city in Europe with a 72 per cent increase in the last five years. We want to use the excitement of the Grand

*Depart to help us persuade even more people to cycle, not just as a sport but as an everyday and non-polluting way of getting around the city.*¹⁹⁴

In addition TfL, the host organizer, had stated objectives for the event: 1) to promote cycling in the capital, 2) to market London on a World Stage and encourage tourism, 3) to demonstrate London can bid for and win major sporting events.¹⁹⁴ During the event, media coverage promoted TfL's future commitment to cycle provision, with a focus on environmental and health benefits.¹⁹⁴ It has been highlighted that post London hosting the Tour de France Grand Depart, there was a swath of cycle related activity including most notably Mayor Johnson publishing a Cycling Revolution policy document, a key part being that TfL would create cycle superhighways and a cycle hire scheme.

Comparatively, in the Netherlands the intention of hosting the Tour de France Grand Depart may have not been so deeply integrated in helping precipitate a cycling culture but has improved Utrecht's image as a cycling city as well.²⁴² In part due to having been known for its cycling culture, the Netherlands has also hosted the Tour de France Grand Depart multiple times prior to 2015 (1954 Amsterdam, 1973 Scheveningen, 1978 Leiden, 1996 's-Hertogenbosch, and 2010 Rotterdam). In Utrecht, however, people did seize the opportunity of hosting a global event to promote cycling. Due to the event, interest in cycling and cycle touring has increased.²⁴² In addition, the Tour de Force, a national cycling initiative, was formed in 2015, the same year the Tour de France was hosted. However, the Tour de Force was initiated by the city of Zwolle after they won a cycling competition; as the initiative was formed at the same time as the Tour de France start in Utrecht, the global cycling event inspired its naming.²⁴³ It is an initiative of local and central governments with a goal of keeping the Netherlands in a leading place in the field of cycling. Within their agenda, they prioritize cycle highways and advocate for their construction at the national level.

VI. Regional Analysis for Possible Cycle Highway Routes in Metro Vancouver

An analysis into potential cycle highway routes in the Metro Vancouver region was conducted using various data sets and employing GIS software. This aims to serve as a preliminary analysis to highlight possible routes for consideration to implement cycle highways as well as inform subsequent analyses. The analysis also contains an equity component, which subsequently informs the analysis proposing possible routes for consideration.

A. Equity Analysis

i. Background and Basis for Analysis

To investigate transportation equity across Metro Vancouver, two types of equity were investigated: social equity and spatial equity. The contributing factors of social equity, referring to socio-demographic factors, and spatial equity, distributional or effects of access, in transportation is in line with previous research.^{96,155}

The criteria outlined below have been selected for the following reasons:

- They are in line with previously conducted equity research within the realm of transportation planning
- They have been considered relevant to creating a broad and encompassing approximation of equity within the context of Metro Vancouver
- They are feasible within GIS software capabilities
- Data is accessible and able to be imported into the GIS software when not available through GIS

Social equity has been shown to have notable effects on individual mobility choices within a region. For example, how much money someone makes directly impacts their ability to purchase a car. Household

economics are largely considered to impact transportation choices and have been previously measured by median income level^{159,161} or living below the poverty line^{160,162,163,168}. Another demographic unevenly impacted by transportation accessibility are youth, considered under 18, and seniors, over 65.^{159,160,162,163,168} These groups are more likely to be transit dependent and less likely to drive.¹⁶⁰ Racial and ethnic minority populations are also considered important to consider when planning bike infrastructure^{159,160,162,163}, including aboriginal populations^{165,168}. Previous research conducted for the City of Vancouver found notable inequalities in access for Chinese, children, and populations of lower education level.¹⁵⁹ The researchers stress that the aforementioned sociodemographic groups with noted inequalities are taken in priority for subsequent equality analysis.¹⁵⁹

Spatial equity is a form of equity that speaks with specifics towards transportation infrastructure. This form of equity, especially within the North American car-centric planning context, can be quantified by car accessibility, specifically zero-car households.¹⁶⁰ However, city planning can also ameliorate the effect not having access to a car has on transportation equity; this is largely realized by good public transit services, in addition to active transportation options. Access to transit has been identified as a contributing factor, with a notable impact, on inequality in Metro Vancouver.¹⁶⁴ Access to transit has been defined as areas within 1km from a transit stop.¹⁶⁴ Transit reliant populations and areas with lower connectivity face isolation, delays, and fewer opportunities when compared to the rest of the region.¹⁶⁴ It has also been highlighted that access to bike infrastructure and paths contribute to improved transportation equity.^{160,165} Access to bike infrastructure is associated with a closer proximity, defining it as accessible, and is considered widely in the literature to be 400m in urban areas.^{18,160,165} Saskatoon states in their active transportation plan “for a complete bikeway network, these buffers would overlap to cover the entire city, ensuring all residents are within a 400 metre bicycle ride of a designated bicycle facility” and have assessed their current network coverage with this criteria.¹⁶⁵

Based on the above research, the following factors have been selected for consideration for the equity analysis of potential cycle highway routes in Metro Vancouver.

A. Social Equity

1. Household economics
 - Median Income level or living below the poverty line
2. Transit dependent populations
 - Youth
 - Seniors
3. Racial/Ethnic minority and indigenous populations
4. Population with lower education levels

B. Spatial Equity

5. Vehicle access
 - Zero-car households
6. Transit access
 - Areas without transit access (stop/station farther than 1km)
7. Bike infrastructure/path access
 - Areas without bike infrastructure access (outside buffer-space of 400m or 1/4mile)

ii. Data Collection

Most of the data employed for the equity analysis was available through Statistics Canada or through regional organizations. Income and education data was taken from Statistics Canada, along with information on people

identifying as First Nation or a visible minority. Statistics Canada had data available for people over the age of 65 but only had data on those 14 and younger, not 18 and younger as hoped.

Vehicle ownership information also was not easily available at a scale meeting the requirement for the analysis. Therefore, we used income data combined with mode share data, both drawn from Statistics Canada, as a rough proxy for vehicle ownership. TransLink had data available on the transit network across Metro Vancouver (called the General Transit Feed Specification). This was used to determine access to the transit network. Access to cycling facilities focused on the 'comfortable for most' (CfM) category and drew upon the previously conducted State of Cycling project by TransLink and HUB Cycling.

iii. Analysis

Preliminary maps were created using the seven equity criteria listed above.

Social Equity

Using the median total household income from Statistics Canada by census tract area, the regional average was calculated. Then, using standard deviation, households above and below that average were determined. In a similar way, education levels were mapped out. The regional average of those who had a high school education or less (34%) was determined, then the standard deviation was used to create a middle range (21% - 49%). Areas above this then had lower education rates than the average, while areas below had higher education rates. This was done using dissemination areas (a smaller area than the census tract).

Age was used to determine potentially transit-dependent populations. We combined those over 65 and under 14 to determine the percentage for each dissemination area. We then averaged this across Metro Vancouver (average was 32%) and used standard deviation to create a middle range (24% - 40%). We then identified the areas that were either above or below that average range.

To determine ethnic makeup, the average concentration for those who identified as First Nation and other minority groups (these were not combined) was calculated for the region, as well as the middle range using standard deviation. This was done by dissemination areas.

Spatial Equity

Statistics Canada income and mode share data was used as a rough proxy for vehicle access. We used median total household income by census tract and determined the average income for the region (\$78,000). Census tracts were then defined to fall into above or below average income levels. The average driving share percentage, from the mode share data, was calculated at the census tract level, and areas falling above and below were defined. Income and driving share percentage were then used to create four categories:

- above average income and above average driving
- above average income and below average driving
- below average income and above average driving
- below average income and below average driving

Below average income and below average driving was used as our rough proxy for vehicle access.

Access to transportation was investigated by identifying the centre (or centroid) of each dissemination area; if the centroid was further than 1 kilometre from any transit stop or facility, this was deemed poor access. HUB Cycling and TransLink's State of Cycling report classified all bike routes across Metro Vancouver by comfort level - comfortable for most, some, few and very few; the 'comfortable for most' (CfM) category was focused on. Using dissemination areas, we calculated whether a comfortable for most facility was either within 400 metres of the centre (or centroid) or if the dissemination area contained or intersected with a comfortable for most

facility. Areas that did not meet either of these criteria were identified as having less access to the quality cycling network.

iv. Results

Through combining the social and spatial equity considerations we designated each dissemination area as one of seven equity seeking levels. The CfM cycling network was then overlaid, allowing us to see which areas face higher transportation inequity and less accessibility to CfM bike infrastructure. This is shown in the map below (Figure 31): the CfM network (green) and the relative transportation equity scores of the dissemination areas. Dissemination areas with higher levels of transportation inequity are depicted in red, and thus highlight areas of concern, and blue denoting areas with lower relative levels of transportation inequity, implying that within these regions people are more likely to have their transportation needs met. This map helps highlight areas that may benefit from the implementation of cycle highways (*i.e.* lacking high quality bike infrastructure and facing high transportation inequity).




Figure 31: Map of Metro Vancouver, displaying relative equity and overlaid with the 'comfortable for most' network²⁴⁴

The distribution of the CfM network was further investigated and determined by looking at coverage by area: a 400-metre buffer was added to the 'comfortable for most' facilities and the proportion of CfM coverage was divided by the area dissemination block. This is in line with analysis done in Victoria¹⁶⁹ and Winnipeg¹⁶⁸. As parks and natural areas included large amounts of land and had little contribution to population, their areas were excluded from the total area of each dissemination area.

To investigate how CfM infrastructure was distributed across the levels of transportation inequity, we compared within each of the seven equity score categories: (a) the percentage of the total Metro Vancouver population with (b) the percentage coverage of the CfM cycle infrastructure (Figure 32):




Figure 32: The percentage share of the total Metro Vancouver population (orange) and the percentage of total coverage of the 'comfortable for most' cycle infrastructure in the region, compared within each of the seven relative equity categories

The figure above shows a similar distribution between population and coverage of 'comfortable for most' facilities. However, on the left we see the percentage of the population outweighing comfortable for most access, and on the right, the opposite is true. Looking at the 'average' category, both the share of the population and 'comfortable for most' facilities is almost equal; there is approximately a 1 percent discrepancy. If the highest quality 'comfortable for most' cycling facilities were equitably distributed across Metro Vancouver, the share of the population compared to the share of 'comfortable for most' facilities would be roughly equal, similar to the 'average' category.

The figure above suggests that the three categories representing higher relative transportation equity have a higher share of the CfM facilities and are disproportionate to their respective population. We see this discrepancy range from 2.3% to 5.8% more than their population equivalent. The opposite is seen for the three categories representing lower relative transportation equity; their share of CfM facilities is between 2.2% and 4.6% lower than their respective population equivalent.

This figure allows one to conclude that the least advantaged areas in Metro Vancouver have less access to CfM facilities compared to the most advantaged areas and comfortable cycling facilities are more concentrated in the more advantaged areas across Metro Vancouver.

Preliminary Equity Results and Significance to Cycle Highway Route Analysis

Transportation equity is important to address in any transportation planning work. Our equity analysis shows that there are several areas across Metro Vancouver that score lower on transportation equity. This preliminary analysis suggests that the coverage of the 'comfortable for most' cycling facilities have greater representation in more advantaged areas, however, further analysis is required to form a more complete picture and make more concrete conclusions.

For the cycle highway route analysis, the transportation equity results inform destinations to consider when assessing favourable cycle highway routes (Figure 33). These areas included those that were less advantaged on the social equity measures, and had poor transit, cycling or vehicle access (spatial equity). The goal is for this information to contribute to developing cycle highways that will make improvements and address concerns relevant to transportation equity and help guide which regions may stand to benefit most from implementing cycle highways.




Figure 33: Areas with the highest concentration of equity seeking groups, denoted in shades of red, across Metro Vancouver²⁴⁴

B. Route Analysis

i. Background and Basis of Analysis

A GIS analysis was conducted to investigate routes with good potential for the implementation of a cycle highway. In order to inform the GIS analysis, variables of interest were investigated. Variables were selected based on literature that outlined important traits of a cycle highway, especially those that were considered likely to have a notable and pre-determining impact on its future success and usage. We highlight that these criteria focus on the unchangeable or largely unmodifiable factors of the region, for example topography, versus factors that can be addressed retroactively through design and development, such as paving or separation from traffic.

The criteria outlined below were chosen for the following reasons:

- They have been based off and follow various pre-existing guidelines for cycle highways
- They are considered, or have the potential, to play a notable early-stage role in the development of a cycle highway (*i.e.* favourable route selection) and are deemed worth considering at an early stage as they are difficult to remedy retroactively
- They are feasible and an application of the GIS software
- Data is accessible and able to be imported into the GIS software when not available through GIS

Directness, length, and connecting major destinations all notably impact the viability of cycle highways to be a useful transportation facility. The gradient, intersections and stops, and the road type and posted speed limits also have notable effects on the efficacy of a transportation facility as well as on user comfort while riding the routes, such as energy expenditure or perception of safety.

It is also of utmost importance that cycle highways, in order to serve as a transportation infrastructure, travel through and connect major destinations.^{21,32,43,44} Major destinations include residential areas,^{32,36,43–45} employment areas,^{32,36,37,43–45} amenities and commercial areas,^{36,37,44} and education facilities.^{36,37,44} Integration with public transportation helps facilitate multimodal trips, so proximity to transportation hubs should also be considered.^{36,37,44,45} The aforementioned major destinations also line up with those listed in the B.C. Active Transportation Guide.¹¹

Gradients should be minimized on cycle highways and throughout the literature specific recommendations pertaining to gradient percentage are given.^{11,37,40,41} Generally, gradients are recommended not to surpass 4% and have a maximum of 6%.^{11,37,40,41} Some jurisdictions employ a measure of gradient severity, calculated dependent on distance.^{33,34,245}

Intersections and stops also negatively impact the efficacy of a cycle highway and it is considered important that they are reduced and avoided.^{21,34,40,41} This can be done in the early stages of development by selecting a route that goes through areas with fewer intersections, have the right of way, or contain intersections with the potential to be treated retroactively; via this analysis we aim to pick routes with fewer stops and make an effort to treat this challenge proactively. In the Netherlands, cycle highways are suggested to have a maximum of 0.4 stops per kilometer and aim to ideally have none.³⁴ Reduced stoppages allow people cycling to maintain better average speeds while travelling along the route.

Across the literature, directness is consistently mentioned as an important consideration when planning cycle highways.^{32,34–40} This ensures that cycling along a cycle highway can be a competitive mode of transportation. Although in many areas, directness is referenced more generally, the Netherlands has gone a step further in

defining a reasonable detour factor (equals the distance of travel divided by the distance of displacement) of a cycle highway to be up to 1.2.³⁴

The length of the route should also be considered important, as cycle highways are intended to help foster longer distance travel by bike. Generally cycle highways are considered to be a minimum of 5km in length.^{29,30,32,37,41,42}

Road types and posted speed limits are also of concern, as fast travelling and proximal vehicle traffic poses risk to people cycling. In this respect, routes along roads with separated bike lanes are suggested to have a speed limit of 60km/h or below.¹³ However, as per context specific cycle infrastructure guidance with British Columbia and Canada, speeds up to 80km/h may be permitted, provided there is adequate protection.^{11,246} If people cycling are riding mixed with car traffic, 30km/h or below is suggested.^{34,40-42,44,47}

The five criteria chosen for the GIS analysis of candidate cycle highway routes in Metro Vancouver include:

1) Major Destinations

- The route travels through and connects major destinations, including:
 - Residential areas
 - *Population density*
 - Employment areas, amenities/commercial areas, and education facilities
 - *Job density*
 - *Number of services/amenities (e.g. medical office, post office) served*
 - *Number of commercial areas served*
 - *Number of education facilities served*
 - Transportation
 - *Number of transportation hubs on route (e.g. SkyTrain station)*
 - *Number of connections to active transportation routes (e.g. other bike routes)*
 - Areas facing higher relative transportation inequity (from VI.A. Equity Analysis)

2) Gradient

- The route travels across topography with limited or gradual elevations changes; avoid steep inclines
- Gradient percentage of less than 4% is recommended and maximum 6%
- Gradient severity can be calculated dependent on distance

3) Intersections and Stops

- Route favours passage through areas that have fewer or no intersection or required stops
- If intersections are included, favour those with the possibility to become a bike-right-of-way

4) Directness

- The route travels as close as possible to the most direct path, or as the crow flies and detours are reduced and avoided
- Detour factor is less than 1.2 (Detour factor = L_{ch}/L_o ; L_{ch} = length of CH, L_o = length 'as the crow flies')

5) Length

- The route is a minimum of 5km long

6) Road Type and Posted Speed Limit (only applies when route travels along a roadway)

- Route favours lower speed limits on roads
- Give preference for smaller, low traffic roads; avoid arterial roads
 - Within urban areas aim for speed limits at or below 30km/h, especially and when bike traffic is mixed with car traffic *i.e.* no separated bike path
 - Bike routes along roads with separated bike lanes are suggested to have speed limits of 60km/h or below; speeds up to 80 km/h may be permitted provided there is adequate protection

ii. Data Collection

Much of the analysis was done using the existing State of Cycling dataset. The provincial Digital Road Atlas was used to analyze intersections and stops as well as road type and posted speed. Both directness and length were analyzed using tools in the GIS program, as well as the Road Atlas and State of Cycling dataset. Information on slope was drawn from the provincial Digital Elevation Model.

To analyse major destinations, notable amounts of new data was required. We drew on data from Statistics Canada for population density. We were not able to obtain specific data for most of the employment areas factors such as services/amenities and number of commercial areas. Instead, TransLink’s Regional Town Centres as well as Frequent Transit Development Areas were used as a proxy. For educational facilities, post-secondary institutions were added by hand, and high school data was drawn from existing internal HUB Cycling data. Major transit centres (SkyTrain stations, bus exchanges, Rapid Bus stops, SeaBus or West Coast Express stations) were drawn from TransLink’s publicly available data; ferry terminals and airports were added by hand. State of Cycling data was used to determine connections to existing cycling facilities.

iii. Scoring Tool

To rank each route, we created a scoring tool which scored each of the six aforementioned variables of interest. This tool assigned points and a weighting helping represent their relative importance. The scoring and justification for each variable is described below. In Table 8, the maximum points available in each criterion, as well as the weighting, are summarized.

Ranking (by weight)	Criteria	Max possible points	Weight
1	Major Destinations - Total	140	30%
	Residential Density	15	
	Employment/Education/Amenities	60	
	Transportation	50	
	Equity	15	
2	Gradient	30	25%
3	Reduced Intersections	30	15%
4 (tie)	Direct	30	10%
4 (tie)	Length	30	10%
4 (tie)	Road Type and Posted Speed	35	10%
Total		295	100%

Table 8: Ranking of each of the six criteria used to assess the routes and corridors with the greatest potential for implementation of a successful cycle highway

1. Major Destinations

The major destinations criteria included sub-categories: residential areas, employment/education/amenities, and transportation. Regarding residential areas, the most densely populated areas were assigned the most points within the density category, with the points decreasing for each drop in density until regionally average density received 0 points. The employment/education/amenities category was informed by proximity to Frequent Transit Development Areas and Regional Town Centres, receiving the most points, and high schools and post-secondary schools, receiving slightly fewer points. The transportation sub-category received points for being close to major transit centres, ferries, or airports (all receiving equal points). Also, connection to cycle facilities contributed: those rated as 'comfortable for most' received the most points, fewer points were awarded for connections to 'comfortable for some', 'comfortable for few', or 'comfortable for very few' routes. In addition, we considered equity and informed by the previous analysis (VI.A. Equity Analysis). Areas deemed to have poor transportation equity included those that were less advantaged across the social equity measures and did not have good transit, driving or cycling access were included. Routes that were close these areas received points.

The criteria of major destinations had the highest point allocation (due to the quantity of sub-factors) and thus the highest overall weighting. Key destinations are both a major reason for people to ride on a cycle highway and are also not easily changed.

2. Gradient

Routes within the ideal slope range of less than 4% for most of the route were assigned the most points, with points diminishing as the slope increased. Zero points were assigned for slopes between 6% and 8%. Gradient or slope can be a deterrent to people riding. While you can re-route around the steepest hills in some areas, for the most part the slope acts as a determining factor. Routes with more or steeper hills will not be as attractive to people riding.

3. Intersections and Stops

Routes with five or fewer intersections every 5 kilometres scored highest, while routes with more than seven intersections every 5 kilometres received zero points. Intersections, while important, were lower in the overall ranking. This is because intersections can be upgraded to grade-separated (more expensive) crossings or intersection treatments can be implemented.

4. Directness and 5. Length

Simple yes/no criteria's included directness and length and were assigned points if they met the criteria, and zero points if they did not. For directness, our detour factor was defined as biking distance divided by the walking distance; meeting this criteria meant a detour factor of 1.2 or less. In future, routes can be adjusted to make them more direct if needed. Regarding length, all the selected routes were longer than 5 kilometres.

6. Road Type and Posted Speed Limit

Off-street routes scored the highest. Routes on low-speed roads and protected bike lanes on roads with speed limits up to 50 kilometres per hour were ranked the same. Protected facilities on roads with speed limits of 60 kilometres per hour, as well as up to 80 kilometres per hour got points, but comparatively less. Road type and posted speed are considered important, however, can also be adjusted in future without much trouble.

The above weighting outlined above (Table 8) was adjusted to ensure that a route that scored well on major destinations and average on the other criteria would perform similarly to a route that scored well on the other criteria and average on major destinations. Both would be somewhat outperformed by a route that scored moderately well across all the criteria.

iv. Initial Route Selection

To start the GIS analysis, some potential routes were selected. Ideas for potential routes were drawn from previous work done by HUB Cycling on potential cycle highway routes, TransLink's Major Bikeway Network, and long-distance routes identified by HUB Cycling along the Ministry of Transportation and Infrastructure's highways.

These potential routes were then broken down into two groups. The first group includes existing bike 'routes'. The second group is denoted as 'corridors'; corridors may include existing bike routes, but also may have an absence of bike facilities or poor-quality facilities.

The potential routes were further refined by the following criteria:

- High quality routes (namely regarding the 'route' group)
- Good potential for ridership
 - Connected destinations such as town centres and were anchored by destinations on each end
- Included more municipalities than just Vancouver
- Connected at least two municipalities
- Included more suburban municipalities (namely regarding the 'corridor' group)
- Were included on TransLink's Major Bike Network

The four routes (and two proposed extensions) used in the analysis include:

1. BC Parkway

This existing route is anchored by Surrey Regional Centre and connects the municipalities of Surrey, New Westminister, Burnaby, and Vancouver. The route connects four town or regional centres. Nearly all the route is rated as 'comfortable for most.' The entire BC Parkway is shown on TransLink's Major Bike Network (MBN).

As there is no strong anchor where the BC Parkway ends in Vancouver, we extended the route via 10th Avenue Bikeway through the Broadway Corridor and ending at the Arbutus Greenway. This extension was analysed in addition to the pre-existing BC Parkway route.

2. Central Valley Greenway

The Central Valley Greenway is another existing high-quality route and connects Lougheed Town Centre in Burnaby to Downtown Vancouver Regional Centre. The route also connects Brentwood Town Centre. The MBN shows the whole route and it is a 'comfortable for most' designation for the entire length.

We connected the Central Valley Greenway to downtown via Quebec Street and the Dunsmuir viaduct; this extended Central Valley Greenway route and constituted the route analysed below.

3. Union Adanac - Frances Union Bikeway (FUB)

This route includes the Union-Adanac Bikeway in Vancouver and the Francis-Union Bikeway in Burnaby. It connects north Burnaby with downtown Vancouver. Destinations along the route include the Burnaby Heights, East Village and Gastown commercial areas. Part of the route is included on TransLink's MBN, and about half of the route is rated as 'comfortable for most.'

As the Burnaby end lacks a strong anchor, we connected it to the Burnaby campus of Simon Fraser University (SFU); this constituted one of the analysed routes. We also analysed an extension to the route: downtown Vancouver to the North Shore, ending at the Ambleside Town Centre. This extension was analysed in addition to the pre-existing Union Adanac - Frances Union Bikeway route.

4. Vancouver to Steveston

This route is anchored by downtown Vancouver and Steveston Town Centre. Additional destinations include the Broadway Corridor and Richmond Regional Centre. The route follows the Arbutus Greenway and the Railway Greenway, both deemed 'comfortable for most' facilities; both of these are included on the MBN.

The six corridors used in the analysis include:

1. Downtown Vancouver to Tsawwassen Ferry Terminal

This route roughly parallels the Highway 99 corridor. The north anchor is the Downtown Vancouver Regional Centre. Along the way the route connects with Oakridge Town Centre and Ladner Town Centre before ending at the south anchor - the Tsawwassen Ferry Terminal and Tsawwassen Town Centre. Connecting Vancouver, Richmond, Delta and Tsawwassen First Nation, this route contains a diversity of jurisdictions. The MBN includes a route roughly along this route.

2. Coquitlam to Maple Ridge via Lougheed Highway

Following the Lougheed Highway, this corridor connects Lougheed Regional Centre to Pitt Meadows Town Centre and Maple Ridge Town Centre. This corridor includes the municipalities of Coquitlam, Port Coquitlam, Pitt Meadows, and Maple Ridge. TransLink's MBN also includes this route.

3. Tri-Cities via Barnet Highway to the North Shore

In the east, this corridor starts at the Coquitlam Regional Centre and runs through the Port Moody Town Centre. The corridor follows the Barnet Highway into Burnaby, and then the Francis Union Bikeway to the Ironworker's Bridge. On the North Shore, the corridor roughly follows the Spirit Trail to Lonsdale Regional Centre before ending at Ambleside Town Centre. This corridor connects several municipalities - Port Moody, Burnaby, Vancouver, and the three North Shore municipalities. Large parts of this corridor are on the MBN including the section in the Tri-Cities, the Francis-Union Bikeway, and the Spirit Trail.

4. Surrey Regional Centre to Langley Regional Centre

Linking Surrey, the Township of Langley and Langley City, this corridor is roughly parallel to the Fraser Highway. Destinations include Surrey Regional Centre, Fleetwood Town Centre, and Langley Regional Centre. The full corridor is included on TransLink's MBN.

5. Surrey Regional Centre to Maple Ridge Regional Centre

This corridor includes the Golden Ears Greenway - an existing route that has limited stopping for about 10 kilometres from Tynehead Park across the Golden Ears Bridge. Anchored in the west by Surrey Regional Centre, the corridor links Guildford Town Centre before ending at the Maple Ridge Regional Centre. Municipalities include Surrey, Township of Langley, and Maple Ridge. This corridor is also included on the MBN.

6. White Rock Town Centre to Richmond Regional Centre

Roughly following the Highway 99 corridor from White Rock to Richmond, this corridor connects the White Rock Town Centre and Richmond Regional Centre. The middle section crosses the Fraser River via the Massey Tunnel, anticipating a future active transportation crossing. Some parts of this route are on the MBN.

v. Analysis

We broke each route into smaller segments of approximately 1km. This allowed us to see the strengths and weaknesses of the whole route as well as subsections. Using GIS software, we analyzed each route and corridor based on the selected criteria. Results were exported to Excel and scored based on the scoring tool. Results of

the analysis were integrated with results from the equity analysis. Lastly, once the selected corridors and routes were analysed, we queried GIS for any other routes that fit the criteria and scored these with our scoring tool.

vi. Results

Scores of Proposed Routes and Corridors

The scores for each segment were added up to get a total score for each route or corridor. The total scores are shown, as well as their percentage of the possible maximum score in Table 9.

Name	Total Weighted Score	% of max score
Route 1 - BC Parkway + Extension	38.9	58.5%
Route 1 - BC Parkway	38.8	58.4%
Route 2 - Central Valley Greenway	37.1	55.7%
Route 3 - Adanac & FUB + Extension	35.0	52.6%
Corridor 3 - Tri-Cities to North Shore	33.0	49.7%
Route 3 - Adanac & FUB	32.3	48.5%
Route 4 - Vancouver to Steveston	30.1	45.3%
Corridor 2 - Coquitlam to Maple Ridge	27.7	41.6%
Corridor 6 - White Rock to Richmond	26.6	40.1%
Corridor 4 - Surrey to Langley	26.6	39.9%
Corridor 1 - Downtown to Tsawwassen	26.3	39.6%
Corridor 5 - Surrey to Maple Ridge	24.2	36.4%

Table 9: Total scores for each route and corridor, including proposed extensions

The scores of the 10 routes (and 2 extensions) and corridors ranged from 36.4% to 58.5% of the maximum possible score. From these scores, we see that the routes and corridors fall into three rough categories. The top third in scoring (denoted in blue) includes four routes: the BC Parkway plus our proposed extension to the Arbutus Greenway, the pre-existing BC Parkway route, the Central Valley Greenway, and the Francis Union Bikeway plus our proposed extension from downtown Vancouver to the North Shore. Scoring in the middle (denoted in tones of green/yellow/orange) were the Tri-Cities via Barnet Highway to the North Shore corridor, Union Adanac and Francis Union Bikeway, and the Vancouver to Steveston route. The bottom third in scoring (denoted purple) were the remaining five corridors, Coquitlam to Maple Ridge via Lougheed Highway, White Rock Town Centre to Richmond Regional Centre, Surrey Regional Centre to Langley Regional Centre, Downtown Vancouver to Tsawwassen Ferry Terminal, and Surrey Regional Centre to Maple Ridge Regional Centre.

Existing routes that scored the highest were the BC Parkway and Central Valley Greenway. Both routes have limited hills, run through several denser populated areas, and link key destinations. In addition, large portions of both routes are off street, thus not required to share a roadway with motor vehicles. Regional connections are met by the BC Parkway, linking four different municipalities, and Central Valley Greenway, connecting three. Also, the our proposed extensions elevated the scores of each of the routes they were applied to.

Aside from the Tri-Cities to North Shore Corridor, the rest of the corridors did not score as high as the routes (and proposed extensions). This, for the most part, was due to the corridors residing in more suburban areas. These areas are less dense and contain fewer major destinations, which was a key component influencing score. On the other hand, it must be highlighted that suburban areas stand to gain from high-quality cycling facilities that connect people to key destinations.

Integration of Equity Analysis Findings

The analysis aims to include and integrate equity considerations and draws from results of the previously outlined equity analysis (VI.A. Equity Analysis). Each of the proposed routes and corridors connect to some of the disadvantaged areas. Of note, is the BC Parkway. This route links more disadvantaged areas in North Surrey with some disadvantaged areas in Burnaby. The BC Parkway then runs through the north part of a disadvantaged area of notable size in south and east Vancouver.

GIS Query: Additional Possible Routes

Other possible routes, beyond those initially identified, were queried in GIS and scored. As Table 10 illustrates, several Vancouver routes scored well, including Ontario, Inverness, Off Broadway, Sunrise and Woodland. Surrey's Wildflower route also scored relatively well, as did Coquitlam's, similarly named route. Although the additional routes expand to disadvantaged areas, they are overrepresented within the City of Vancouver and few cross municipal boundaries in a meaningful way.

Name	Total Weighted Score	% of max score
Route 1 - BC Parkway + Extension	38.9	58.5%
Route 1 - BC Parkway	38.8	58.4%
Ontario	37.6	56.5%
Route 2 - Central Valley Greenway	37.1	55.7%
Route 3 - Adanac & FUB + Extension	35.0	52.6%
Corridor 3 - Tri-Cities to North Shore	33.0	49.7%
Inverness	32.3	48.6%
Route 3 - Adanac & FUB	32.3	48.5%
Wildflower Sur	30.7	46.1%
7th	30.6	46.1%
Sunrise	30.5	45.9%
Woodland	30.3	45.5%
Route 4 - Vancouver to Steveston	30.1	45.3%
Serpentine	28.2	42.4%
Wildflower Coq	28.2	42.4%
Corridor 2 - Coquitlam to Maple Ridge	27.7	41.6%
38th	27.4	41.2%
Corridor 6 - White Rock to Richmond	26.6	40.1%
Corridor 4 - Surrey to Langley	26.6	39.9%
Corridor 1 - Downtown to Tsawwassen	26.3	39.6%
Cypress	26.3	39.5%
Ridgeway	25.5	38.4%
Corridor 5 - Surrey to Maple Ridge	24.2	36.4%
Langley	24.1	36.3%
Balaclava	23.8	35.8%
Fraser Trail	23.1	34.7%
Richmond Dyke	19.4	29.1%
Traboulay	18.2	27.4%

Table 10: Additional routes with potential for implementation of a cycle highway in Metro Vancouver, proposed via GIS query based on the predetermined criteria

Amalgamated Results

The map below (Figure 34) illustrates each of the investigated routes, corridors, and additionally proposed routes returned from the GIS query across the region. Each route has been segmented into pieces, approximately 1km in length, allowing better visualisation of subsections. This map includes a visualisation of the areas with the highest equity seeking groups in the region (grey tones).




Figure 34: The relative scores of segments for each of the proposed routes, corridors, and GIS queried routes, overlaid on concentration of equity seeing groups across the Metro Vancouver²⁴⁴

C. GIS Analysis Conclusions: Recommendations and Future Work

Our analysis demonstrates that the following four routes and one corridor should be given preferential consideration for an upgrade to a cycle highway:

- BC Parkway (plus extension to the Arbutus Greenway)
- BC Parkway
- Central Valley Greenway
- Adanac + Francis Union Bikeway (plus extension from downtown Vancouver to the North Shore)
- Tri-Cities to the North Shore

Although the Ontario and Inverness bikeways scored similarly to these four, these included additional positive attributes. The four are not contained within any single municipality, but link at least three municipalities together. This elevates their regional importance. Ontario and Inverness, while they scored well, are entirely contained within the City of Vancouver.

Also, the Central Valley Greenway and BC Parkway routes nearly mirror TransLink's 2018 Major Bikeway Network (MBN). The other two routes closely follow the updated MBN, are included in the draft Transport 2050 plan, and anticipated to be adopted in 2022. The MBN is a conceptual framework of longer distance, regionally significant cycling routes. Cycle highways and the MBN share a number of concepts. The cycle highway concept could relatively easily be incorporated into the existing MBN. Municipalities seeking funding for bicycle projects through TransLink get additional consideration if the proposed project is part of the MBN. All four of these routes would be more likely to receive funding for upgrades as they are already included in the MBN (or upcoming updates).

Our ranking system proposes a data-informed analysis of the region and illustrates relative favourability of several routes and corridors for upgrade to cycle highways. However, routes that scored relatively lower should still be given consideration as potential cycle highway routes, as they are still considered preferential routes within the region.

Limitations of the GIS analysis conducted include data availability and duration of the project. The data available and informing the equity analysis was managed in order to best align with our goals. There was an absence of data for the age 14-18 age group, who are still considered transit dependent. Additionally, vehicle access was estimated by developing a proxy based on average income and driver share percentages; groups with lower-than-average incomes and lower than average driver share percentages were predicted to have reduced vehicle access. However, this proxy is vulnerable to the impact of confounding variables. It would be valuable in future equity work and work pertaining to the development of cycle highways to obtain age data to be all inclusive of those 18 and under, along with having data on car ownership across the region. Overall, more research is needed on how cycle highways can provide more mobility options for areas that are disadvantaged both on social and spatial measures.

The route analysis was more objective, measuring physical features of the urban environment, however, pertaining to the criteria of 'major destinations', care must be taken into defining this category. Locations included in our analysis were based on previous research and included residential, business/amenity/education, and transportation locations; major destinations also serve to approximate cycling potential. Recreation areas are also considered an important destination and it is suggested that these areas, such as regional parks, are included in future analyses. Cycling potential can also be investigated further by access to data including trip data, such as start and end locations of daily commutes, providing information on traffic flows and trip lengths. The aforementioned considerations would contribute to a more robust analysis exploring cycling potential on proposed cycle highway routes; for implementation of initial cycle highway routes it is important to identify areas with the highest cycling potential.

In addition, further analysis can also be done on the existing dataset, such as identifying what percentage of potential cycle highways routes are already classified as comfortable for most; comfortable for most facilities require comparatively less upgrades to reach meet the high-standard set by cycle highways compared to routes with poor or absent cycle facilities. This is appealing as it saves construction costs and increases project feasibility.

It must be highlighted that this analysis is meant to serve as an initial exploration and preliminary analysis of the potential cycle highway routes in Metro Vancouver. A phased approach, where this analysis forms the basis and informs future analyses, is suggested. The underlying equity work is also a good start to regional understanding. Further work could delve deeper into both the social and spatial equity elements, adding additional data for a fuller and more nuanced analysis.

Future analyses on cycle highways are also recommended to integrate TransLink's MBN, or vice versa, as they have many overlapping characteristics. Considering their overlap, more consideration should be given for how they intersect and complement each other. For example, it may be of interest to see what percentage of each potential route constitutes proposed MBN routes. Integrating findings of this cycle highways project with those of the MBN would likely prove beneficial to both and the overall outcome of long-distance high-quality cycle routes in the region.

VII. Conclusions and Recommendations

This report outlines the demand and benefits of cycle highways for the region of Metro Vancouver. This report also delivers:

- A working two-part definition for cycle highways with relevance to Metro Vancouver
- Recommendations for taking the next steps towards their development in the region
- Suggested routes for consideration to upgrade into cycle highways

Demand for Cycle Highways

Through investigating the challenges and goals, the current cycling conditions, and user preferences of cycle infrastructure in Metro Vancouver, it is concluded that there is exists a demand for the implementation of cycle highways.

Cycle highways have notable potential to address regional challenges, including vehicle congestion, climate change goals, and equity concerns. Metro Vancouver, projected to continue growing in population is seeing increasing pressure on transportation networks and infrastructure. Cycle highways have been implemented in both Denmark and the Netherlands with a primary goal of reducing vehicle congestion. Additionally, transportation accounts for approximately 45% of the total greenhouse gas emissions of the Metro Vancouver region and reductions can be realized by inducing a modal shift from vehicle trips to biking. Additionally, equity issues throughout the region are intertwined with our transportation infrastructure and there is a need for continued improvements. However, bikes, considered the cheapest and most accessible form of mobility, require supporting infrastructure to make it equitable and accessible. Cycle highways, with their long-distance connections designed for users of all abilities can contribute to the realization of equitable mobility within the region. Implementation of cycle highways throughout the region is also in line with the Draft Regional Transportation Strategy 2050, outlining clear intentions of implementing a 850km network of 'traffic-protected bikeways' connecting urban centres that are comfortable for most users. Addressing the aforementioned regional challenges and increasing cycling and associated infrastructure is also echoed by the Metro 2050 Regional Context Statements and various initiatives and goals at the Provincial level, including CleanBC and the Active Transportation Guide.

There is also demand for cycle highways in terms of addressing user needs and accessibility issues, as well discontinuity of the current network across the region. Both these factors are crucial to address, as they ensure wider demographics, and thus more individuals, can employ bike infrastructure to meet their transportation needs. The long distance and continuous connections of cycle highways elevate cycling as a transportation mode and make it competitive with other modes of transportation, especially over longer distances; they have been

found to increase bike ridership and contribute to increasing bike trip length. Additionally, the high-quality and people cycling focused nature of cycle highways make notable contributions to addressing user preferences, including favouring separated bike lanes and paths, route directness, increased safety, and smooth riding surfaces. This is directly supported by research conducted within Metro Vancouver on cycle facility preferences. As there currently notable incongruity between the most commonly use cycle routes in Metro Vancouver and those that are preferred – attributed to the absence and availability of other options - the implementation of cycle highways has the potential to fill the current gap between user needs and the currently available infrastructure.

Cycle Highway Working Definition

The concept of cycle highways is defined by their goals and design characteristics. Although still evolving, here a working two-part definition, consisting of clear objectives and design characteristics, is proposed for Metro Vancouver. This definition has been based on common themes found in regions that have implemented cycle highways, including Denmark, the Netherlands, and London, and through discussions with the Cycle Highway Working Group, including members of HUB Cycling and TransLink:

1. The objectives of cycle highways are to provide:

- The highest quality bike routes that protect and prioritize people cycling along the entire route.
- Direct connections between major destinations and a backbone of the regional cycling network
- The ability to maintain consistent speeds and avoid frequent stops
- Safety and comfort for all ages and abilities, day and night, throughout the year
- Connections greater than 5km in length to facilitate long distance and multimodal travel
- Readily identifiable and intuitive routes

2. Design characteristics of cycle highways include:

1. Directness – aim for the most direct route; reduce and avoid detours.
2. Longer Lengths – generally greater than 5km long.
3. Connections Between Major Destinations – may include residential, employment, amenities and commercial areas, and education facilities.
4. Capacity for Speed – structure and shape allow for higher speeds and speed maintenance.
5. Mode-Separation and Path Types – largely mode separated; interventions to limit conflict when not.
6. Intersection Treatments and Minimal Stops – minimize stops through intersection treatments.
7. Consistent and Ample Widths – allow for passing or riding alongside one another.
8. Consistent and High-Quality Paving – smooth and maintained.
9. Lighting – appropriate for riding in low-light conditions and at night.
10. Minimizing and Alleviating Gradients – avoid steep inclines and prioritize mild grades.
11. Clear Signage and Branding – ensures it is readily identifiable and intuitive to use.
12. Regular Maintenance and Winter Service – ensures reliability at all times of the year.
13. Service Stations – may include bike pumps, drinking water, bike parking.

The aforementioned working definition is proposed to be used as a jumping off point in discussions with various stakeholders, including local, regional, and provincial level governments, TransLink, and HUB Cycling. Although implementation of all design characteristics consistently may prove difficult, it is urged that the highest standards are aimed for whenever possible.

Benefits of Cycle Highways

Cycle highways impart notable benefits to both transportation and beyond transportation. Through increasing levels of cycling health, environmental, and economic benefits are realized. Cycling has been repeatedly shown

to promote general health, prevent disease, and improve mental and social well-being. This is realized by diverse segments of the population and e-bike users alike and further translates to reduced healthcare costs. A cost-benefit analysis conducted in Denmark found the single most important factor contributing to the positive monetary return on the cycle highway network expansion was the associated health benefits. Environmental benefits are largely realized due to the modal shift away from fossil fuel burning modes of transportation and have positive impacts on air quality and noise pollution. The UN Environment Program has highlighted that there is a staggering potential for reducing GHG emissions in the transport sector and requires a shift to environmentally efficient transport modes, such as cycling. Economic benefits include the stimulation of businesses proximal to the bike infrastructure and the cost-efficiency of implementation and maintenance of bike infrastructure relative to automotive infrastructure. Numerous cost-benefit analysis' have found positive returns on the implementation of cycle highways.

Economic benefits of high-quality cycle infrastructure such as cycle highways have also been found via fostering cycle tourism. This emerging phenomenon is occurring around the world, including numerous countries throughout Europe, however, until recently, North America has been slow to identify the potential of cycle tourism. Canadians display interest in cycle tourism and travel to destinations, such as the U.S. and New Zealand, as cycle tourists. Within Canada, Québec estimates 10% of its population to identify as a cycle tourist and, to attract cycle tourism, has developed La Route Verte (4345km); along the route alone people spend \$95.4 million annually. Ontario has also followed suit. These benefits have the potential to be realized within British Columbia as well. The Provincial Government currently shows interest in cycle tourism and some benefits of cycle tourism, via mountain biking, are already being realized. As aspects of routes favourable for bike touring and preferences of bike tourists overlap significantly with those addressed by cycle highway creating an opportunity in tourism value via their implementation.

Benefits of implementing cycle highways is further supported by the significant increase in use of e-bikes and micro mobility, both in Vancouver and across Canada, consistent with the trends seen worldwide. Shifts in consumer behaviour are attributed to their eco-friendliness, efficient commuting choice, rising fuel costs, increasing interest as fitness and recreation activity, and further compounded by the increasing number of companies offering share programs for e-bikes and e-scooters. Increasingly, cargo bikes are being viewed as efficient and cost-effective delivery solutions within the urban environment and have already been implemented successfully in parts of Europe. Within British Columbia, incentive programs for e-bikes and cargo bikes are offered by the Provincial Government and pilot programs for shared e-mobility are popping up throughout Metro Vancouver. Recently, Vancouver has pledged to create an e-cargo-bike delivery hub and within the region we already see companies capitalizing on delivery bikes. Although the current infrastructure limits the potential of the cargo bike, these concerns would largely be addressed through the design and implementation of cycle highways. Increasing usage of e-bikes and e-mobility amongst the population adds value to cycle highways via increased accessibility and increasing trip lengths. By implementing cycle highways, e-bikes and micro mobility are effectively made more appealing as a transportation choice. Cycle highways and e-mobility can be considered to have a positively reinforcing relationship.

The Next Steps for Metro Vancouver

Investigation of three cases where cycle highways were successfully implemented within Europe (Denmark, the Netherlands, and England) and two cases of the successful implementation of greenways/trails in North America (United States of America and Canada) has helped delineate priorities to begin the process of developing cycle highways in Metro Vancouver. Learnings pertain to four main categories: project vision and network plan, cooperation and collaboration, political and economic support, and infrastructure development. The main takeaways and recommendations for Metro Vancouver are outlined:

a. Create a Shared Vision to Guide the Project

Clearly outlining the visions and goals of the project are important to garnering support and receive widespread backing. Visions and goals for the implementation of cycle highways have included increasing bike modal share in transportation, fostering greater commuter distances travelled by bike, and reducing vehicle traffic and highway congestion.

b. Conduct an Evidence-Led Analysis to Inform the Design of a Network

Proposing a network is stronger than individual routes. Ensuring that the proposed network and routes are backed research shows informed decision making and gives the project credibility; numbers, such as cost-benefit analysis, provide additional support. In Denmark, their network plan was based on a heat map of activity nodes, whereas in the Netherlands, proposed networks are assessed, estimating impacts on congestion, potential ridership, and cost-benefit analysis. In Denmark, universities conduct research (*i.e.* traffic flows) informing plans; similar could be done in Metro Vancouver. The Strategic Cycling Analysis (London) clearly outlines an evidence-led approach to cycle highway route planning. This can be used to guide a similar analysis across Metro Vancouver.

c. Connect Interested and Invested Individuals

Connecting individuals who are interested in the creation of cycle highways helps grow momentum for the project and push the vision. People currently invested in the project should look towards getting more people on board. Individual connections may include advocacy groups, interested citizens, politicians, and government employees. HUB Cycling has started looking into this.

d. Establish a Group to Engage and Host Discussions Between Stakeholders

A group that hosts discussions and fosters collaboration between stakeholders is of utmost importance. This group contributes to establishing a working group, comprised of stakeholders focused on the development of cycle highways across the region. Stakeholders may include municipal, regional, and provincial representatives, transportation authorities, and advocacy groups. It is of added benefit for this group to be neutral and have the focus of developing cycle highways in the region. In Denmark, a single municipality spearheaded a collaboration, now headed by an office focused on cycle highways and involving 30 municipalities. In the Netherlands an advocacy group acted as a project leader, and in England the regional transport authority successfully engages with stakeholders and hosts collaboration. Within Metro Vancouver, TransLink and HUB Cycling may be considered to work together to spearhead creating and hosting a collaboration between municipalities.

e. Secure Funding from Higher Levels of Government

Cycle highway projects address regional issues, such as air pollution and traffic congestion, and cross jurisdiction boundaries. Addressing regional issues is of interest to higher levels of government, which can contribute notable funding. This can help overcome the barrier of the limitations of municipal budgets. In the Netherlands and Denmark, cycle highways are supported and funded at the national level. Within British Columbia, the Provincial Government has previously been involved with funding the development of the Galloping Goose and Lochside Regional Trails as well as showing project support, subsequently motivating investment from local governments. It is suggested that a regional cycle highways project in Metro Vancouver looks to the Provincial Government for support and funding.

f. Capitalize on Upgrading Pre-Existing (Bike) Infrastructure

Investments are more effective and planning costs can be reduced if routes do not need to be realized from scratch. Pre-existing bike routes with good bike ridership are good candidates for upgrading to a cycle highway, especially when considering where to locate pilot routes; this approach has been taken in Denmark, the Netherlands, and England. In Denmark, a step further is taken: a spreadsheet is provided to municipalities that

provides guidance on what upgrades need to be made to meet the standards of a cycle highway. This could be adapted to the context of Metro Vancouver. It is helpful to clearly convey standards and how they can be met, as a spreadsheet or otherwise, to municipalities to assist in infrastructure implementation decisions.

Suggested Routes to Upgrade to a Cycle Highway

The GIS analysis included in this report is meant to serve as data-informed preliminary analysis, to propose favourable routes for the future construction of a cycle highway and to inform subsequent similar analysis. The GIS analysis on potential routes was informed by preceding GIS analysis investigating transportation equity across the region.

The Metro Vancouver region was analysed for routes with potential to be developed into cycle highways. The assessment included comparing a group of pre-selected routes, including four pre-existing bike 'routes' (plus two proposed extensions, and six potentials 'corridors'. Each route was assessed with respect to six variables of interest: route directness, length, connections to major destinations, gradient, number of intersections and stops, and the road type/posted speed limit, which were weighted, based on relative importance, and scored. The software was additionally queried, based on the defined variables, to find additional possible routes across the region that may have been missed.

Our analysis concluded that the following should be given consideration to upgrade to cycle highways:

- BC Parkway (plus extension to the Arbutus Greenway)
- BC Parkway
- Central Valley Greenway
- Adanac + Francis Union Bikeway (plus extension from Downtown Vancouver to the North Shore)
- Tri-Cities to the North Shore

These routes fell into the top performing category of routes assessed, supporting further investigation as candidates for implementation of a cycle highway; however, routes that scored lower should still be given consideration, as they are still considered preferential routes within the region.

The BC Parkway and the Central Valley Greenway also mirror aspects of TransLink's 2018 Major Bikeway Network (MBN); Adanac + Francis Union Bikeway plus extension and Tri-Cities to the North Shore closely follow the updated MBN, included in the draft Transport 2050 plan, and anticipated to be adopted in 2022. As municipalities seeking funding for bicycle projects get additional consideration by TransLink if its part of the MBN. In addition to performing well on our ranking scheme, all four of these routes would be more likely to receive funding for upgrades as they are already included in the MBN (or upcoming updates) than some others.

These routes transcend jurisdiction boundaries, have pre-existing bike infrastructure, and already have people cycling along them. These reasons overlap with the justification for early cycle highway routes in Denmark, the Netherlands, and London, England. In terms of transportation equity, these routes also link disadvantaged areas; of note is the BC Parkway, connecting regions that could benefit to improved transportation such as North Surrey, parts of Burnaby, and the south and east parts of Vancouver. These routes may be eligible for funding from TransLink, further supporting their candidacy. However, any cycle highway project in Metro Vancouver needs to be done considering regional and context specific factors, in addition to being supported by the local municipalities and First Nation groups.

As results of the analysis investigating cycle highway route candidates found notable overlap with TransLink's MBN and many of the intentions of TransLink's MBN and the goals of cycle highways align, their integration is suggested. For example, TransLink's MBN proposes bike infrastructure route paths across Metro Vancouver, however, how they are implemented could take form as the high-quality, accessible, and attractive design of

cycle highways. This is in effort to ensure simplicity in bike network planning and outcome. In the Netherlands and Denmark both bike infrastructure generally and cycle highways are held to a consistent and high standard, leading to simplicity in use. Comparatively, London has gone through many iterations of bike network plans, of different standards and under different names, complicating the process and resulting in an additional process of merging outcomes. In Metro Vancouver we are already seeing complexity in our bike infrastructure, such as the 'comfortable for most, some, few, and very few' and the 'All Ages and Ability' designations. The connection between these two concepts is likely to benefit the end result and ensure a simplicity in outcome for users.

Project Limitations

Limitations of this report include team size, covid-19, and project duration. Research was conducted by a master's student working from home, due to covid-19. Research was conducted over a six-month period under the supervision of an individual within HUB Cycling. Case studies of regions that have successfully implemented cycle highways and that are contained in this report reside in Europe. Although recommendations were generalised, the political structures within these countries and in the European Union may differ and affect the methods possible and effective for the implementation of this type of infrastructure. As there is no known example of a cycle highway that has been developed in North America, case studies within this region focussed on greenways and trails that displayed traits akin to cycle highways. The methods employed to develop these routes, which tend to have a more significant recreation than transportation focus as seen with cycle highways, may not translate directly to the implementation of a cycle highway. The recommendations drawn from case studies are meant to prompt discussion and inform the initial steps taken to develop cycle highways in the region. Furthermore, the GIS analysis was contracted out and conducted within a short time frame. The GIS analysis contained in this report means to act as a preliminary analysis. Further analyses are required to gain a more comprehensive picture to inform cycle highway route and network planning decisions.

Contribution

This report is the first and only report to investigate the concept of cycle highways with specific reference to the context of Metro Vancouver. Through a literature review, a working definition of cycle highways is proposed and to be used as a reference point to develop a more defined and context specific definition for the region. Clear recommendations for the initial steps to take towards developing a cycle highway network in the region are made and, and through conducting an analysis of the region, candidate routes for development into cycle highways in Metro Vancouver are proposed.

This is also the first report to make a context specific case for cycle highways in the region. Research into user preferences of bike infrastructure within Metro Vancouver is drawn upon and similarities with cycle highways are highlighted. Cycle highways and their potential contribution to addressing challenges faced within Metro Vancouver, including congestion, climate change, and equity, are outlined. The growth of e-bikes and micro mobility, both stimulated by consumer and provincial government initiatives, is investigated and their potential to positively reinforce each other is highlighted, in addition to the potential of cycle highways to stimulate cycle tourism within the region.

VIII. References

1. Metro Vancouver. *Metro 2050 Regional Growth Strategy*.; 2021.
2. TransLink. *Transport 2050: Draft Regional Transportation Strategy*.; 2021.
3. Dachis B. *Tackling Traffic: The Economic Cost of Congestion in Metro Vancouver*.; 2015.
4. TransLink, Mayor's Council on Regional Transportation. *Better Transit and Transportation for a Better British Columbia*.; 2017.
5. Metro Vancouver. *Climate 2050 Strategic Framework*.; 2018.
6. City of Vancouver, Horne M. *Administrative Report - Climate Emergency Response: 2019 Apr 16*. Vancouver; 2019.
7. Meschik M. Reshaping City Traffic Towards Sustainability Why Transport Policy Should Favor the Bicycle Instead of Car Traffic. *Procedia - Soc Behav Sci*. 2012;48:495-504. doi:10.1016/j.sbspro.2012.06.1028
8. Province of British Columbia. Active Transportation. <https://www2.gov.bc.ca/gov/content/transportation/transportation-environment/active-transportation>. Accessed December 1, 2021.
9. Ministry of Transportation and Infrastructure, Province of British Columbia. *Move. Commute. Connect. Active Transportation Report Card 2019/2020*.; 2020.
10. Ministry of Transportation and Infrastructure, Province of British Columbia. *Active Transportation Strategy General Population Survey 2019*.; 2020.
11. Ministry of Transportation and Infrastructure. *Active Transportation Design Guide*.; 2019.
12. Province of British Columbia. *CleanBC: Roadmap to 2030*.; 2021.
13. HUB Cycling & TransLink. *Benchmarking the State of Cycling in Metro Vancouver*. Vancouver; 2019.
14. "They were saying no one would ride it": 10 years on, Burrard bike lane is N. America's busiest, officials say. CBC News. <https://www.cbc.ca/news/canada/british-columbia/burrard-street-bridge-bike-lane-10-year-anniversary-1.5211791>. Published 2019. Accessed September 16, 2021.
15. Teschke K, Harris MA, Reynolds CCO, et al. Route infrastructure and the risk of injuries to bicyclists: A case-crossover study. *Am J Public Health*. 2012;102(12):2336-2343. doi:10.2105/AJPH.2012.300762
16. Emond CR, Tang W, Handy SL. Explaining Gender Difference in Bicycling Behavior. *Transp Res Rec J Transp Res Board*. 2009;2125(1):1-19.
17. Garrard J, Rose G, Lo SK. Promoting transportation cycling for women: The role of bicycle infrastructure. *Prev Med (Baltim)*. 2008;46(1):55-59. doi:10.1016/j.ypmed.2007.07.010
18. Winters M, Teschke K, Grant M, Setton EM, Brauer M. How far out of the way will we travel? Built environment influences on route selection for bicycle and car travel. *Transp Res Rec*. 2010;(2190):1-10. doi:10.3141/2190-01
19. Translink. *Cycling for Everyone: A Regional Cycling Strategy for Metro Vancouver*. Vancouver; 2011.
20. Winters M, Teschke K. Route preferences among adults in the near market for bicycling: Findings of the cycling in cities study. *Am J Heal Promot*. 2010;25(1):40-47. doi:10.4278/ajhp.081006-QUAN-236
21. Taciuk A, Davidson G. Practitioner's guide to planning, designing, and implementing bicycle highways in North America. *Transp Assoc Canada Conf - Innov Technol Evol Transp TAC 2018*. 2018:1-22.
22. Skov-Petersen H, Jacobsen JB, Vedel SE, Thomas Alexander SN, Rask S. Effects of upgrading to cycle highways - An analysis of demand induction, use patterns and satisfaction before and after. *J Transp Geogr*. 2017;64(September):203-210. doi:10.1016/j.jtrangeo.2017.09.011
23. Heinen E, van Wee B, Maat K. Commuting by Bicycle: An Overview of the Literature. *Transp Rev*. 2010;30(1):59-96. doi:10.1080/01441640903187001
24. Hunt JD, Abraham JE. Influences on bicycle use. *Transportation (Amst)*. 2007;34(4):453-470. doi:10.1007/s11116-006-9109-1
25. Techke K. Off-street bike paths and multiuse paths lessons in safe design from street engineering. *Landscapes*. 2018;20(4):44-45.
26. HUB Cycling. Go by Bike Week Survey - Spring 2021. 2021.
27. Office for Cycle Superhighways. *Cycle Superhighway Bicycle Account*. Copenhagen; 2019.
28. Liu G, te Brömmelstroet M, Krishnamurthy S, van Wesemael P. Practitioners' perspective on user experience and design of cycle highways. *Transp Res Interdiscip Perspect*. 2019;1. doi:10.1016/j.trip.2019.100010
29. European Cyclists' Federation. *Fast Cycling Routes: Towards Barrier-free Commuting*. 2014.
30. Cabral Dias GJ, Gomes Ribeiro PJ. Cycle Highways: a new concept of infrastructure. *Eur Plan Stud*. 2021;29(6):1003-1020. doi:10.1080/09654313.2020.1752154
31. Sargentini M, Valenta S. *Maak van Het Fietspad Geen Autosnelweg! Pleidooi Voor Een Opportunistische Aanpak Bij Langeafstandsroutes Voor Fietsers*.; 2015.
32. Sekretariatet for supercykelstier. *Koncept 2.0 - Planlægning, Udformning Og Drift*. Copenhagen; 2018.
33. Transport for London. *London Cycling Design Standards*. London; 2014.
34. CROW. *Design Manual for Bicycle Traffic*. Ede; 2007.
35. Provincie Vlaams-Brabant – Dienst Mobiliteit. *Kwaliteitscriteria Voor Fietssnelwegen Bijlage Bij Subsidie-reglement Fietssnelwegen*. Leuven; 2014.
36. Office for Cyclesuperhighways. *Cycle Superhighways*. Copenhagen; 2019.
37. Regionalverband Ruhr. *Radschnellweg Mittleres Ruhrgebiet*.; 2018.

38. Stadt Wien. Qualitätskriterien für Rad-Langstrecken. <https://www.wien.gv.at/stadtentwicklung/projekte/verkehrsplanung/radwege/langstrecken/qualitaetskriterien.html#gesamt>. Accessed August 11, 2021.
39. Toimiala Helsingin kaupunki Kaupunkilympäristön. Helsingin kaupunki Pyöräliikenteen suunnitteluohjeTitle. <https://pyoraliiikenne.fi/>. Accessed January 10, 2022.
40. Cerema. *Fiche Vélo: VeloRéseau Cyclable à Haut Niveau de Service: Objectifs et Principes d'aménagement*. Vol 2013.; 2016.
41. Ministerium für Verkehr Baden-Württemberg. *Qualitätsstandards Für Radschnellverbindungen in Baden-Württemberg.*; 2018.
42. Janet van der Meulen. *Snabba Cykelstråk Idéer Och Inspiration.*; 2014.
43. Interreg North-West Europe. Cycle Highways Innovation for smarter People Transport and Spatial Planning (CHIPS). <https://cyclehighways.eu>. Accessed November 3, 2021.
44. Baker J. *Hinweise Für Die Planung von Veloschnellrouten (Velobahnen)*. Bern; 2018.
45. Hendriks R. *Zo Realiseer Je Een Snelle Fietsroute.*; 2006.
46. Departement Mobiliteit en Openbare Werken. *Vademecum Fietsvoorzieningen.*; 2017.
47. Dufour D, Caers I, Baert W, Marchal R. *Rapport Fix the Mix!* Brussels; 2018.
48. Buczynski A. Bicycle tunnels on RijnWaalpad cycle highway. European Cyclists' Federation. <https://ecf.com/news-and-events/news/bicycle-tunnels-rijnwaalpad-cycle-highway>. Published 2017. Accessed December 18, 2021.
49. Gössling S, Choi AS. Transport transitions in Copenhagen: Comparing the cost of cars and bicycles. *Ecol Econ.* 2015;113:106-113. doi:10.1016/j.ecolecon.2015.03.006
50. Gotschi T. Costs and benefits of bicycling investments in Portland, Oregon. *J Phys Act Health.* 2011;8 Suppl 1(s1):S49-S58. doi:10.1123/jpah.8.s1.s49
51. Rojas-Rueda D, de Nazelle A, Teixidó O, Nieuwenhuijsen MJ. Replacing car trips by increasing bike and public transport in the greater Barcelona metropolitan area: A health impact assessment study. *Environ Int.* 2012;49:100-109. doi:10.1016/j.envint.2012.08.009
52. World Health Organization. *WHO Definition of Health*. Geneva; 1948.
53. Racioppi F, Dora C, Krech R, von Ehrenstein O. *A Physically Active Life Through Everyday Transport. With a Special Focus on Children and Older People and Examples and Approaches from Europe.*; 2002.
54. Davis A, Cavill NA. *Cycling and Health; What's the Evidence?*; 2007.
55. Pucher J, Jacobsen PL, Buehler R, et al. *City Cycling*. (Pucher J, Buehler R, eds.). MIT Press; 2012.
56. Peterman JE, Morris KL, Kram R, Byrnes WC. Pedelects as a physically active transportation mode. *Eur J Appl Physiol.* 2016;116(8):1565-1573. doi:10.1007/s00421-016-3408-9
57. Kennedy A. Exercise and heart disease: Cardiac findings in fatal cycle accidents. *Br J Sports Med.* 1997;31(4):328-331. doi:10.1136/bjism.31.4.328
58. Steindorf K, Schmidt M, Kropp S, Chang-Claude J. Case-Control Study of Physical Activity and Breast Cancer Risk among Premenopausal Women in Germany. *Am J Epidemiol.* 2003;157(2):121-130. doi:10.1093/aje/kwf181
59. Hou L, Ji BT, Blair A, Dai Q, Gao YT, Chow WH. Commuting Physical Activity and Risk of Colon Cancer in Shanghai, China. *Am J Epidemiol.* 2004;160(9):860-867. doi:10.1093/aje/kwh301
60. Bopp M, Kaczynski AT, Campbell ME. Health-related factors associated with mode of travel to work. *J Environ Public Health.* 2013;2013. doi:10.1155/2013/242383
61. Supercykelstier. *The One-Month Bike to Work Challenge in the Capital Region of Denmark*. Denmark; 2019. <https://vimeo.com/355082221>.
62. Avila-Palencia I, De Nazelle A, Cole-Hunter T, et al. The relationship between bicycle commuting and perceived stress: A cross-sectional study. *BMJ Open.* 2017;7(6):1-11. doi:10.1136/bmjopen-2016-013542
63. Leyland L-A, Spencer B, Beale N, Jones T, van Reekum CM. The effect of cycling on cognitive function and well-being in older adults. 2019:1-17.
64. Smith O. Commute well-being differences by mode: Evidence from Portland, Oregon, USA. *J Transp Heal.* 2017;4:246-254. doi:10.1016/j.jth.2016.08.005
65. St-Louis E, Manaugh K, Van Lierop D, El-Geneidy A. The happy commuter: A comparison of commuter satisfaction across modes. *Transp Res Part F Traffic Psychol Behav.* 2014;26(PART A):160-170. doi:10.1016/j.trf.2014.07.004
66. Wild K, Woodward A. Why are cyclists the happiest commuters? Health, pleasure and the e-bike. *J Transp Heal.* 2019;14(May):100569. doi:10.1016/j.jth.2019.05.008
67. Litman TA. *Transportation Cost and Benefit Analysis: Techniques, Estimates and Implications*. 2nd ed. Victoria; 2016. <https://www.vtpi.org/tca/>.
68. Golub A, Hoffmann ML, Lugo AE, Sandoval GF. *Bicycle Justice and Urban Transformation: Biking for All?* Routledge; 2016.
69. Efrogmson D, Rahman M. *Transportation Policy for Poverty Reduction and Social Equity.*; 2005.
70. Bo Andersen L, Schnohr P, Schroll M, Ole Hein H. All-Cause Mortality Associated With Physical Activity During Leisure Time, Work, Sports, and Cycling to Work. *Arch Intern Med.* 2000;160(11):1621-1628. doi:10.1001/archinte.160.11.1621
71. Fishman E, Schepers P, Kamphuis CBM. Dutch cycling: Quantifying the Health and Related Economic Benefits. *Am J Public Health.* 2015;105(8):e13-e15. doi:10.2105/AJPH.2015.302724

72. Buekers J, Dons E, Elen B, Int Panis L. Health impact model for modal shift from car use to cycling or walking in Flanders: Application to two bicycle highways. *J Transp Heal.* 2015;2(4):549-562. doi:10.1016/j.jth.2015.08.003
73. Rich J, Jensen AF, Pilegaard N, Hallberg M. Cost-benefit of bicycle infrastructure with e-bikes and cycle superhighways. *Case Stud Transp Policy.* 2021;9(2):608-615. doi:10.1016/j.cstp.2021.02.015
74. Peter C, Swilling M, United Nations Environment Program. *Sustainable, Resource Efficient Cities – Making It Happen!*; 2012.
75. Flusche D. *Bicycling Means Business: The Economic Benefits of Bicycle Infrastructure.*; 2012.
76. BikeCalgary. FAQs – Bike Calgary. <https://bikecalgary.org/faqs/>. Accessed June 22, 2020.
77. The City of Portland Oregon. Bicycles in Portland Fact Sheet. <https://www.portlandoregon.gov/transportation/article/407660>. Published 2019. Accessed January 20, 2022.
78. Garrett-Peltier H. *Pedestrian and Bicycle Infrastructure: A National Study of Employment Impacts.* Amherst; 2011.
79. New York City Department of Transportation. *Measuring the Street: New Metrics for 21st Century Streets.*; 2013.
80. Drennen E. *Economic Effects of Traffic Calming on Urban Small Businesses.* San Francisco; 2003.
81. Hales MC, Anderson S. *The Economic Impact of the Bicycle Industry in Portland.* Portland; 2015.
82. Newson C, Sloman L. *The Value of the Cycling Sector to the British Economy: A Scoping Study.*; 2018.
83. Flow Project, Koska T, Rudolph F. *The Role of Walking and Cycling in Reducing Congestion: A Portfolio of Measures.*; 2016.
84. Ruhr Regional Association. *Feasibility Study - Radschnellweg Ruhr RS1.*; 2016.
85. Anisya N, Sabri M, Anuar FI, et al. A Systematic Review on Bicycle Tourism: Concept, Issues, and Future Directions. *TEAM J Hosp Tour.* 2019;16(1):49-66.
86. Ritchie BW. Bicycle tourism in the South Island of New Zealand: planning and management issues. *Tour Manag.* 1998;19(6):567-582. doi:10.1016/S0261-5177(98)00063-6
87. Nickerson NP, Jorgenson J, Berry M, Kwenye J. Analysis of Touring Cyclists: Impacts, Needs and Opportunities for Montana. *Inst Tour Recreat Res Publ.* 2014;226.
88. Lamont M. Reinventing the Wheel: A Definitional Discussion of Bicycle Tourism. *J Sport Tour.* 2009;14(1):5-23. doi:10.1080/14775080902847363
89. Lee CF, Huang HI. The Attractiveness of Taiwan as a Bicycle Tourism Destination: A Supply-Side Approach. *Asia Pacific J Tour Res.* 2014;19(3):273-299. doi:10.1080/10941665.2012.739190
90. Weston R, Davies N, Lumsdon L, et al. *The European Route Network Eurovelo: Study.* Brussels; 2012.
91. Faulks P, Ritchie B, Fluker M. *Cycle Tourism in Australia: An Investigation into Its Size and Scope.*; 2006.
92. EuroVelo. EuroVelo: the European cycle route network. <https://en.eurovelo.com>. Accessed December 9, 2021.
93. Dean Runyan Associates. *The Economic Significance of Bicycle-Related Travel in Oregon.*; 2013.
94. McClure Consulting LLC, Economic & Policy Resources I, Kimley-Horn and Associates I. *An Economic Impact Study of Bicycling in Arizona.*; 2013.
95. Grabow M, Hahn M, Whited M. *Valuing Bicycling's Economic and Health Impacts in Wisconsin.*; 2010.
96. Lee RJ, Sener IN, Jones SN. Understanding the role of equity in active transportation planning in the United States. *Transp Rev.* 2017;37(2):211-226. doi:10.1080/01441647.2016.1239660
97. Weed M, Bull C, Brown M, et al. A Systematic Review and Meta-Analyses of the Potential Local Economic Impact of Tourism and Leisure Cycling and The Development of an Evidence-Based Market Segmentation. *Tour Rev Int.* 2014;18(1):37-55. doi:10.3727/154427214x13990420684482
98. Cope A, Cairns S, Fox K, et al. The UK National Cycle Network: an assessment of the benefits of a sustainable transport infrastructure. *World Transp Policy Pract.* 2003;9(1):6-17.
99. Ritchie BW, Hall CM. Bicycle Tourism and Regional Development: A New Zealand Case Study. *Anatolia.* 1999;10(2):89-112. doi:10.1080/13032917.1999.9686974
100. North Carolina Department of Transportation. *Pathways to Prosperity - The Economic Impact of Investments in Bicycle Facilities.*; 2004.
101. Velo Québec Association. *Bicycling in Québec in 2005.*; 2006.
102. Ministry of Tourism Culture and Sport. *Tour By Bike - Ontario's Cycling Tourism Plan.* Toronto; 2017.
103. Ontario Ministry of Transportation. *# CycleON Cycle ON - Ontario's Cycling Strategy.*; 2013.
104. Ministry of Tourism Culture Sport and Tourism Industries. *The Ontario Trails Strategy (OTS) Trails Action Plan.*; 2015.
105. Ministry of Tourism Culture and Sport. *Ontario's Tourism Action Plan.*; 2016.
106. Province of British Columbia. Recreational and tourism cycling. <https://www2.gov.bc.ca/gov/content/transportation/driving-and-cycling/cycling/recreational-tourism-cycling>. Accessed December 10, 2021.
107. The BC Cycling Coalition. Cycle Tourism. <https://www.bccc.bc.ca/cycle-tourism>. Accessed December 10, 2021.
108. Freeman R. Mountain Bike Tourism and Community Development in British Columbia: Critical Success Factors for the Future. 2011.
109. Freeman R, Thomlinson E. Mountain Bike Tourism and Community Development In British Columbia: Critical Success Factors for the Future. *Tour Rev Int.* 2014;18(1):9-22.
110. Pucher J, Garrard J, Greaves S. Cycling down under: A comparative analysis of bicycling trends and policies in Sydney and Melbourne. *J Transp Geogr.* 2011;19(2):332-345. doi:10.1016/j.jtrangeo.2010.02.007

111. Yeh CC, Lin CJY, Hsiao JPH, Huang CH. The Effect of Improving Cycleway Environment on the Recreational Benefits of Bicycle Tourism. *Int J Environ Res Public Health*. 2019;16(18). doi:10.3390/ijerph16183460
112. Leger S, McLaughlin D, Tracksdorf K. *Leading the Charge on Canadian E-Bike Integration*. Montreal; 2018. doi:10.7554/eLife.37910
113. Research and Markets. Electric Bikes Market by Product Type Drive Mechanism Battery Type Nickel-metal hydride and Others) - Global Opportunity Analysis and Industry Forecast, 2017-2025. <https://www.researchandmarkets.com/reports/4621205/electric-bikes-market-by-product-type-drive>. Published 2018. Accessed October 4, 2021.
114. E-bike Market - Growth, Trends, COVID-19 Impact, and Forecasts (2021 - 2026). Research and Markets. <https://www.researchandmarkets.com/reports/4544651/e-bike-market-growth-trends-covid-19-impact>. Published 2021. Accessed October 5, 2021.
115. Statista. Worldwide sales of electric bicycles in 2016, by region. <https://www.statista.com/statistics/255658/worldwide-sales-of-electric-bicycles-by-region/>. Published 2016. Accessed October 4, 2021.
116. Bike Europe. Speed E-Bike Sales Scores 30% Growth in Holland. <https://www.bike-eu.com/market/nieuws/2016/01/speed-e-bike-sales-scores-30-growth-in-holland-10125408>. Published 2016. Accessed October 4, 2021.
117. Boffey D. "Bike country No 1": Dutch go electric in record numbers. *The Guardian*. <https://www.theguardian.com/world/2019/mar/01/bike-country-n0-1-dutch-electric-record-numbers-e-bikes-netherlands>. Published 2019. Accessed October 4, 2021.
118. Valdes-Dapena P. GM is getting into the e-bike business. *CNN*. <https://www.cnn.com/2018/11/02/business/general-motors-ebikes/index.html>. Published 2018. Accessed October 4, 2021.
119. Market Study Report LLC. Global e-bike market size to reach USD 48.46 billion by 2028. <https://www.globenewswire.com/news-release/2021/04/06/2204781/0/en/Global-e-bike-market-size-to-reach-USD-48-46-billion-by-2028.html>. Published 2021. Accessed October 4, 2021.
120. Statista. Value of electric bicycle exports from Taiwan in 2020, by importing country. <https://www.statista.com/statistics/873518/taiwan-electric-bicycle-export-value-by-country-destination/>. Published 2021. Accessed October 4, 2021.
121. Globe Newswire. Global Electric Scooter Market (2020 to 2026) - by Country, Product, Battery Type and Company Analysis. *GlobalNewswire*. <https://www.globenewswire.com/en/news-release/2021/07/22/2267012/28124/en/Global-Electric-Scooter-Market-2020-to-2026-by-Country-Product-Battery-Type-and-Company-Analysis.html>. Published 2021. Accessed October 5, 2021.
122. Globe Newswire. Electric Scooters Market Size, Share & Trends Analysis Report By Product, By Battery, By Voltage, By Region And Segment Forecasts, 2021 - 2028. *GlobalNewswire*. *Electric Scooters Market Size, Share & Trends Analysis Report By Product, By Battery, By Voltage, By Region And Segment Forecasts, 2021 - 2028*. Published 2021. Accessed October 5, 2021.
123. Electric Scooters Market 2021 Analysis and Review: Electric scooters Market by Technology Type –Plug-In and Battery for 2021-2031. *Future Market Insights*. <https://www.futuremarketinsights.com/reports/electric-scooters-market>. Published 2021. Accessed October 5, 2021.
124. Opportunities for the Electric Scooter Market in Canada. *Lucintel*. <https://www.lucintel.com/Canada/opportunities-for-the-electric-scooter.aspx>. Accessed October 5, 2021.
125. Statista. E-Scooter-sharing. <https://www.statista.com/outlook/mmo/mobility-services/e-scooter-sharing/worldwide?currency=usd>. Published 2021. Accessed October 5, 2021.
126. Jarratt E. Year of shared e-scooter pilots, policy reviews sets stage for wider adoption. <https://electricautonomy.ca/2019/11/08/year-of-shared-electric-scooter-pilots-policy-reviews-sets-stage-for-wider-adoption/>. Published 2019. Accessed October 5, 2021.
127. E-scooters to stay on Calgary streets with new rules. *CTV News Calgary*. <https://calgary.ctvnews.ca/e-scooters-to-stay-on-calgary-streets-with-new-rules-1.5273355>. Published 2021. Accessed October 4, 2021.
128. Griffin K. Pedal to the metal: Popularity of electric bikes growing on city roads and bike paths. *Vancouver Sun*. <https://vancouver.sun.com/news/local-news/pedal-to-the-metal-popularity-of-electric-bikes-growing-on-city-roads-and-bike-paths>. Published 2019. Accessed October 4, 2021.
129. Government of British Columbia. Province increases e-bike rebates to increase affordability. <https://news.gov.bc.ca/releases/2020TRAN0109-001308>. Published 2021. Accessed October 4, 2021.
130. Aono S, Bigazzi A. *British Columbia Electric Bicycle (E-Bike) Market Review*.; 2018.
131. Shore R. E-bike sales accelerating as riders seek an added spark for hilly routes. *Vancouver Sun*. <https://vancouver.sun.com/business/local-business/e-bike-sales-accelerating-as-riders-look-for-an-added-spark-for-hilly-routes>. Published 2016. Accessed October 4, 2021.
132. Province of British Columbia. Active transportation pilot projects. <https://www2.gov.bc.ca/gov/content/transportation/transportation-environment/active-transportation/policy-legislation/motor-vehicle-act-pilot-projects>. Published 2021. Accessed October 4, 2021.
133. Richter B. North Shore rolls out e-bike share program. *North Shore News*. <https://www.nsnews.com/local-news/north-shore-rolls-out-e-bike-share-program-3987101>. Published 2021. Accessed October 6, 2021.

134. HUB Cycling, Litman T, Mathurin Z, Corriveau L. WEBINAR: E-bikes: Harnessing their potential to get more people biking (October 6, 2021). 2021.
135. City of Richmond, Bie L. City Council Agenda September 27, 2021 "E-Scooter Pilot Project- Recommendation to Award Contract for Shared System." 2021.
136. De Oliveira Leite Nascimento C, Rigatto IB, De Oliveira LK. Characterization and analysis of the economic viability of cycle logistics transport in Brazil. *Transp Res Procedia*. 2020;46:189-196. doi:10.1016/j.trpro.2020.03.180
137. Melo S, Baptista P. Evaluating the impacts of using cargo cycles on urban logistics: integrating traffic, environmental and operational boundaries. *Eur Transp Res Rev*. 2017;9(2). doi:10.1007/s12544-017-0246-8
138. Wrighton S, Reiter K. CycleLogistics - Moving Europe Forward! *Transp Res Procedia*. 2016;12:950-958. doi:10.1016/j.trpro.2016.02.046
139. Sheth M, Butrina P, Goodchild A, McCormack E. Measuring delivery route cost trade-offs between electric-assist cargo bicycles and delivery trucks in dense urban areas. *Eur Transp Res Rev*. 2019;11(1). doi:10.1186/s12544-019-0349-5
140. Verlinghieri E, Itova I, Collignon N, Aldred R. *The Promise of Low-Carbon Freight - Benefits of Cargo Bikes in London.*; 2021.
141. Statista. Retail e-commerce revenue in Canada from 2017 to 2025. <https://www.statista.com/statistics/289741/canada-retail-e-commerce-sales/>. Published 2021. Accessed October 6, 2021.
142. Global Online Food Delivery Services Market Report 2021: Market is Expected to Reach \$192.16 Billion in 2025, from \$126.91 Billion in 2021 - Long-term Forecast to 2030. PR Newswire. <https://www.prnewswire.com/news-releases/global-online-food-delivery-services-market-report-2021-market-is-expected-to-reach-192-16-billion-in-2025--from-126-91-billion-in-2021---long-term-forecast-to-2030--301285677.html>. Published 2021. Accessed October 7, 2021.
143. Ben Rajesh P, John Rajan A. Sustainable performance of cargo bikes to improve the delivery time using traffic simulation model. *FME Trans*. 2020;48(2):411-418. doi:10.5937/FME2002411R
144. Chung E, Hopton A, Reid T. Parcel delivery companies are trading trucks for bikes in some Canadian cities. Here's why. CBC News. <https://www.cbc.ca/news/science/parcel-delivery-trucks-e-bikes-1.5819378>. Published 2020. Accessed October 7, 2021.
145. Ministry of Transportation and Infrastructure, Ministry of Environment and Climate Change Strategy. B.C. partners with Vancouver on cargo e-bike project. BC Gov News. <https://news.gov.bc.ca/releases/2021TRAN0037-000972>. Published 2021. Accessed October 7, 2021.
146. HUB Cycling, Allen S, Starr S, Zipf M, O'Melinn E. HUB Cycling Webinar: The Potential of Cargo Bikes for Business. 2021. https://www.youtube.com/watch?v=UVFP_OBENfA.
147. Lenz B, Riehle E. Bikes for Urban Freight? Experience in Europe. *Transp Res Rec*. 2013;(2379):39-45. doi:10.3141/2379-05
148. MacArthur J, Harpool M, Schepke D, et al. *A North American Survey of Electric Bicycle Owners.*; 2018.
149. Bot W. Personal Communication, September 29, 2021.
150. Kroesen M. To what extent do e-bikes substitute travel by other modes? Evidence from the Netherlands. *Transp Res Part D Transp Environ*. 2017;53:377-387. doi:10.1016/j.trd.2017.04.036
151. Cairns S, Behrendt F, Raffo D, Beaumont C, Kiefer C. Electrically-assisted bikes: Potential impacts on travel behaviour. *Transp Res Part A Policy Pract*. 2017;103:327-342. doi:10.1016/j.tra.2017.03.007
152. Fyhri A, Beate Sundfør H. Do people who buy e-bikes cycle more? *Transp Res Part D Transp Environ*. 2020;86(June):102422. doi:10.1016/j.trd.2020.102422
153. Portland Bureau of Transportation. *2018 E-Scooter Findings Report*. Portland; 2019.
154. Bruntlett M, Bruntlett C. *Building the Cycling City: The Dutch Blueprint for Urban Vitality*. Island Press; 2018.
155. Litman T. *Evaluating Transportation Equity: Guidance for Incorporating Distributional Impacts in Transportation Planning*. Vol 8.; 2014.
156. Stehlin JG. *Cyclescapes of the Unequal City - Bicycle Infrastructure and Uneven Development*. Minneapolis: University of Minnesota Press; 2019.
157. National Association of City Transportation Officials (NACTO). *Designing for All Ages and Abilities.*; 2017.
158. Translink. *Customer Service Performance - Quarter 4 2020: Bus SeaBus Skytrain*. Vancouver; 2020.
159. Firth CL, Hosford K, Winters M. Who were these bike lanes built for? Social-spatial inequities in Vancouver's bikeways, 2001–2016. *J Transp Geogr*. 2021;94. doi:10.1016/j.jtrangeo.2021.103122
160. Prelog R. *Equity of Access to Bicycle Infrastructure - GIS Methods for Investigating the Equity of Access to Bike Infrastructure.*; 2015.
161. Grisé E, El-Geneidy A. If we build it, who will benefit? A multi-criteria approach for the prioritization of new bicycle lanes in Quebec City, Canada. *J Transp Land Use*. 2018;11(1):217-235. doi:10.5198/jtlu.2018.1115
162. PlanH. *Supporting Equity in Planning and Policy Action Guide.*; 2021.
163. Dill J, Haggerty B. Equity Analysis of Portland's Draft Plan - Findings. *Urban Stud Plan Fac Publ Present*. 2009;135.
164. Luna Aixín Consulting, Keltie Craig Consulting, Kapenda K, et al. *Social Equity & Regional Growth Study- Considerations for Integrating Social Equity into Regional Planning and Metro 2050.*; 2021.
165. City of Saskatoon. *Active Transportation Plan - Final Report.*; 2016.
166. Stanley JK, Hensher DA, Stanley JR, Vella-Brodrick D. Mobility, social exclusion and well-being: Exploring the links. *Transp Res Part A Policy Pract*. 2011;45(8):789-801. doi:10.1016/j.tra.2011.06.007


167. Dobbs L. Wedded to the car: Women, employment and the importance of private transport. *Transp Policy*. 2005;12(3):266-278. doi:10.1016/j.tranpol.2005.02.004
168. Urban Systems, Alta Planning and Design, Copenhagenize, et al. *Winnipeg Pedestrian and Cycling Strategies Final Report*. Winnipeg; 2014.
169. Urban Systems, Gehl Architects, 8 80 Cities, Alta Planning and Design. *#Biketoria Final Report*. Victoria; 2016. https://issuu.com/gehlarchitects/docs/2016-01-22_biketoria_final_report_d.
170. Supercykelstier. *Ruteoversigt - Visionsplan 2017-2045*. Copenhagen; 2018.
171. Rønno D. Personal Communication, December 15, 2021.
172. Office for Cycle Superhighways. *The Albertslund Route*.; 2013. <https://supercykelstier.dk/wp-content/uploads/2020/02/Albertslund-Route.pdf>.
173. Supercykelstier. About cycle superhighways. <https://supercykelstier.dk/about/>. Accessed January 12, 2022.
174. Hjuler SB. *Cycle Superhighways of the Capital Region, Denmark (Presentation Prepared for Helsinki)*.; 2021.
175. Hjuler SB, Bondam K. Cycle Superhighways: How we built an inter-municipal network in Denmark. C40 Knowledge Hub. https://www.c40knowledgehub.org/s/article/How-we-built-an-inter-municipal-cycle-superhighway-network-across-the-Capital-Region-of-Denmark?language=en_US. Published 2020. Accessed September 22, 2021.
176. HUB Cycling, Rønno D, Lanius-Pascuzzi G. WEBINAR: Cycle Superhighways, Lessons from Copenhagen (September 2021). 2021.
177. C40. No Title. <https://c40-c-na81.content.force.com/servlet/servlet.ImageServer?id=0151Q000005a3Y0&oid=00D36000001Enhz&lastMod=160014893000>. Accessed December 20, 2021.
178. C40 Cities Climate Leadership Group, Nordic Sustainability. Cities100: Copenhagen's Cycle Superhighways make winners of both people and the climate. C40 Knowledge Hub. https://www.c40knowledgehub.org/s/article/Cities100-Copenhagen-s-Cycle-Superhighways-make-winners-of-both-people-and-the-climate?language=en_US. Published 2019. Accessed September 27, 2021.
179. Fietsersbond. *Een Toekomstagenda Voor Snelfietsroutes*.; 2013.
180. Verkeerskunde. Snelfietsroutes door heel Nederland. <https://www.verkeerskunde.nl/artikel/snelfietsroutes-door-heel-nederland>. Published 2019. Accessed January 12, 2022.
181. Province of Gelderland. Snelle Fietsroutes Gelderland. <https://www.snelfietsroutes gelderland.nl/>. Accessed September 27, 2021.
182. Ministry of Infrastructure and Environment. Duurzame mobiliteit. rwsduurzamemobiliteit.nl. Accessed September 28, 2021.
183. Fietsersbond. Fietsersbond. www.fietsersbond.nl. Accessed September 27, 2021.
184. Tour de Force. *Bicycle Agenda 2017-2020*.; 2017.
185. Dutch Cycling Embassy, Tour de Force. *Best Practices Dutch Cycling*. Utrecht; 2021.
186. van Duren S, Stadsregio Arnhem Nijmegen. *Fietsbeleid in de Stadsregio Arnhem Nijmegen*. <https://www.fietsberaad.nl/Kennisbank/Fietsbeleid-in-de-Stadsregio-Arnhem-Nijmegen>.
187. Province of Gelderland. *Bijlage Bij Statenbrief - Zaaknummer 2016-005447: Notitie Voor Snelfietsroutes Ter Voltooiing van Het Gelders Fietsnetwerk*.; 2016. https://www.gelderland.nl/bestanden/Documenten/Gelderland/05Verkeer-en-vervoer/2017-Q1/170308_Notitie_snelfietsroutes_Gelders_fietsnetwerk.pdf.
188. Transport for London. Two further Barclays Cycle Superhighways now open. <https://tfl.gov.uk/info-for/media/press-releases/2011/july/two-further-barclays-cycle-superhighways-now-open>. Published 2011. Accessed October 18, 2021.
189. Buczynski A. Evolution of cycle superhighways in London. European Cyclists' Federation. <https://ecf.com/news-and-events/news/evolution-cycle-superhighways-london>. Published 2018. Accessed October 16, 2021.
190. Edmondson S. Personal Communication, November 9, 2021.
191. Transport for London. Barclays Cycle Superhighways FAQs. 2011. <http://www.tfl.gov.uk/assets/downloads/roadusers/barclays-cycle-superhighways-faq.pdf>.
192. Transport for London. *Barclays Cycle Superhighways Evaluation of Pilot Routes 3 and 7*. London; 2011.
193. van Tuyl K. Evolution of Cycling in London. 2017:1-36. <https://www.nweurope.eu/media/2420/cha2-1-london-cycling.pdf>.
194. Berridge G. The impact of the 2007 Tour de France Grand Depart on cycling in London: a review of social and cultural legacy. *Aust Cycl Conf 2012*. 2012;(January 2012).
195. Golbuff L, Aldred R. *Cycling Policy in the UK: A Historical and Thematic Overview*.; 2011.
196. Transport for London. *Creating a Chain Reaction: The London Cycling Action Plan*.; 2004.
197. Transport for London, Mayor of London. *Annual Report and Statement of Accounts 2008/9*. London; 2008.
198. Cockroft S. On his last day as mayor and officially opening his flagship cycle superhighway, Boris Johnson thanks London for the "privilege" of electing him but admits "even cyclists have called me a pr**k." DailyMail. <https://www.dailymail.co.uk/news/article-3576905/Even-cyclists-called-pr-k-Boris-Johnson-reveals-hurled-abuse-opened-controversial-cycle-superhighway-final-hours-London-mayor.html>. Published 2016. Accessed October 18, 2021.
199. Office of Rail and Road UK. Transport for London. <https://www.orr.gov.uk/about/who-we-work-with/governments/transport-london>. Accessed November 10, 2021.
200. Cyclescheme. Barclays Superhighways - cycling funding for London businesses. <https://www.cyclescheme.co.uk/community/featured/barclays-superhighways>. Published 2011. Accessed November 9, 2021.
201. Barclays' £25m sponsorship of London cycle hire scheme. BBC News. <https://www.bbc.com/news/10182833>. Published 2010.

- Accessed October 18, 2021.
202. Greater London Authority. *The Barclays Cycle Superhighways and Cycle Hire Scheme*. London; 2010.
 203. Sustrans. *Sustrans Design Manual - Handbook for Cycle-Friendly Design.*; 2014.
 204. Taylor M. City's two-wheel transformation. *The Guardian*. <https://www.theguardian.com/uk/2008/feb/09/transport.world1>. Published 2008. Accessed October 12, 2021.
 205. Transport for London. *Written Submissions Received for the Transport Committee's Review of the Cycle Hire Scheme and Cycle Superhighways*. London; 2010.
 206. Transport for London. Mayor launches London's first two Barclays Cycle Superhighway routes. <https://tfl.gov.uk/info-for/media/press-releases/2010/july/mayor-launches-londons-first-two-barclays-cycle-superhighway-routes>. Published 2010. Accessed November 10, 2021.
 207. de Boer J. Brand Urbanism: London's Cycle Super Highways Get Barclays Blue. *Pop Up City*. <https://popupcity.net/observations/londons-cycle-super-highways-get-barclays-blue/>. Published 2010. Accessed November 10, 2021.
 208. Transport for London, Mayor of London. *Strategic Cycling Analysis: Identifying Future Cycling Demand in London.*; 2017.
 209. Edmondson S. Personal Communication, November 4, 2021.
 210. Stewart C. Personal Communication, November 1, 2021.
 211. Midtown Community Works Partnership. Midtown Community Works Partnership. <http://www.midtowncommunityworks.org>. Accessed October 25, 2021.
 212. Close Landscape Architecture Inc., SRF Consulting Group Inc., Design Centre for American Urban Landscape, Urban Strategies, McComb Group Ltd. *Lake Street Midtown Greenway Corridor Framework Plan.*; 1999.
 213. Urban Land Institute, MacCleery R, McMahan E, Norris M. *Active Transportation and Real Estate. The Next Frontier.*; 2016.
 214. Midtown Greenway Coalition. Approx Midtown Greenway costs and funding sources as of September 2007. 2007. <https://midtowngreenway.org/files/mgc/ckfinder/files/capcostsumforpublicGreenway200709.pdf>.
 215. Chavers T. Midtown Greenway. <https://storymaps.arcgis.com/stories/ed1a78ea1767452e83ef6d34a8f6dfc3>. Published 2021. Accessed December 20, 2021.
 216. Midtown Greenway Coalition. Midtown Greenway Coalition. <http://midtowngreenway.org/>. Accessed November 22, 2021.
 217. Hennepin County Minnesota. Regional Railroad Authority. <https://www.hennepin.us/your-government/leadership/rra>. Accessed October 26, 2021.
 218. Springer T. Personal Communication, December 1, 2021.
 219. Metropolitan Council Metro Transit. *Midtown Corridor Alternatives Analysis: Final Report.*; 2014.
 220. Hennepin County MN. *Community Works 20 Year Anniversary*. U.S.A.: Hennepin County MN; 2013. <https://www.youtube.com/watch?v=mOeVgPXluTs&t=167s>.
 221. Barnes K, Frederiksen L, Hendricks J, et al. *The Feasibility of a Single-Track Vintage Trolley in the Midtown Greenway.*; 2001.
 222. Hennepin County Library. 29th Street Rail Corridor. 1997. <https://cdm17208.contentdm.oclc.org/digital/collection/CPED/id/17011>.
 223. Hennepin County Library. Midtown Greenway Trail Opening. 2000. <https://cdm17208.contentdm.oclc.org/digital/collection/CPED/id/3611>.
 224. Thompson K, Barnes G, Krizek KJ, Poindexter G. *Guidelines for Benefit-Cost Analysis of Bicycle Facilities: Refining Methods for Estimating the Effect of Bicycle Infrastructure on Use and Property Values*. Midwest Regional University Transportation Center; 2007.
 225. Beams B. The E&N Rail Trail - Building on the Capital Regaion District's Trail Network. In: *2009 Annual Conference of the Transportation Association of Canada*. Vol 5. ; 2009:12-42.
 226. Capital Regional District. Lochside Regional Trail. <https://www.crd.bc.ca/parks-recreation-culture/parks-trails/find-park-trail/lochside>. Accessed January 19, 2022.
 227. Capital Regional District. *Regional Trails Management Plan.*; 2016.
 228. Capital Regional District. Regional Trails Widening and Lighting Project. <https://www.crd.bc.ca/project/regional-trails-widening-and-lighting-project>. Published 2021. Accessed December 20, 2021.
 229. Transportation and Highways. Galloping Goose Trail Now Continuous from Downtown Victoria to Leechtown. Government of British Columbia. <https://archive.news.gov.bc.ca/releases/archive/pre2001/1997/0771.asp>. Published 1997. Accessed November 9, 2021.
 230. Greater Victoria Cycling Coalition. Greater Victoria Cycling Coalition. <https://gvcc.bc.ca/>. Accessed November 6, 2021.
 231. Cubberley D. Personal Communication, November 16, 2021.
 232. Capital Regional District. *Regional Trails Widening Study.*; 2020.
 233. Provincial Capital Commission. *Service Plan (Revised) For Fiscal Years 2013/14 - 2015/16.*; 2015.
 234. Cubberley D. Personal Communication, November 3, 2021.
 235. Province of British Columbia. Provincial Capital Commission Dissolution Act. https://www.bclaws.gov.bc.ca/civix/document/id/complete/statreg/00_14001_01. Published 2014. Accessed November 10, 2021.


236. Savoie D. Personal Communication, November 5, 2021.
237. Cubberley D. Personal Communication, November 22, 2021.
238. Luton J. Personal Communication, November 11, 2021.
239. Trails Advisory Committee. *Trails Master Plan for the District of Highlands*. District of Highlands; 2002.
240. Capital Regional District Parks. *Annual Report 2001.*; 2001. doi:10.1111/1467-9299.00330
241. Ministry of Attorney General. Blenkinsop Lake Trestle - Lochside Link. Government of British Columbia. https://archive.news.gov.bc.ca/releases/archive/pre2001/2000/jun2000/0065_backgrounder.asp. Accessed November 9, 2021.
242. van Bottenburg M, Dijk B, Hover P, et al. *Le Grand Départ Utrecht 2015*. Utrecht; 2015.
243. Bot W. Personal Communication, December 20, 2021.
244. Gerow C. GIS Analyst. 2022.
245. City of Vancouver. *Transportation Design Guidelines: All Ages and Abilities Cycling Routes*. Vancouver; 2017.
246. CHIU M, Clayton C, Millen G. *Geometric Design Guide for Canadian Roads.*; 2017.
247. Supercykelstier. No Title. <https://supercykelstier.dk/wp-content/uploads/2016/05/Albertslundruten.pdf>. Accessed January 11, 2022.
248. Supercykelstier. No Title. <https://supercykelstier.dk/wp-content/uploads/2018/07/Farumruten.pdf>. Accessed January 11, 2022.
249. Province of Gelderland. Snelle fietsroutes Gelderland. <https:// gelderland.maps.arcgis.com/apps/webappviewer/index.html?id=c5be43839a68404781befcdfa4370490&extent=5.7765,51.8714,6.0178,51.9606>. Accessed January 11, 2022.
250. Transport for London. Cycle. <https://tfl.gov.uk/maps/cycle>. Accessed January 11, 2022.
251. Midtown Greenway trail access. <https://ignitr.com/files/mgc/ckfinder/files/MidtownTrailAccessMAP.pdf>. Published 2019. Accessed January 12, 2022.
252. Capital Regional District. Regional Parks and Trails Map. https://www.crd.bc.ca/docs/default-source/crd-document-library/maps/parks-trails/rp_parks_trails_brochure_noparknumbers.pdf?sfvrsn=bfde9fc9_12. Published 2018. Accessed January 12, 2022.
253. U.S. Department of Justice, Daniels DJ, Ashcroft J. *The Weed and Seed Strategy*. Washington; 2004.

Appendix A – Route Maps


Albertslund Route Map²⁴⁷




Farum Route Map²⁴⁸



Rijnwaalpad Route Map²⁴⁹ (route is depicted by green line, tracking top to bottom, north to south)



CS7 Route Map²⁵⁰ (depicted by green line running north-east to south-west)



Midtown Greenway 251



Midtown Greenway
 Hennepin County/Minneapolis City of Minneapolis, Metropolitan Council
 Map date: November 2019. Created by Hennepin County GIS.

Disclaimer:
 Hennepin County and Minneapolis City of Minneapolis do not warrant the accuracy, reliability, or completeness of any data and do not warrant for any damage, injury or loss resulting from this data.

- Legend**
- Greenway access**
 - Street
 - Stairs
 - Ramp
 - Dir path
 - Bikeways (existing)**
 - On-Street
 - Off-Street
 - Midtown
 - Greenway
 - Trail closure**
 - Both Cedar Lake and Kenwood Trails are closing** (Construction of the Green Line Extension (Southwest LRT))
 - Blue Line (Hiawatha) Light Rail**
 - One-way streets**
 - Commercial districts**
 - LONGFELLOW** (Neighborhood name)

Galloping Goose and Lochside Routes Map²⁵² (Galloping Goose trail depicted by red line tracking east out of Victoria; Lochside trail depicted by blue line running north from Victoria)

